

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.5.			
2	40	4.19.29.54. (60W 41N)		1
3	40	4.20.30.32. 41.54.60.	19.27.29.	1
4	40	2.3.5.20.30.32. 41.54.60.	19.27.29.	
5		4.31.56.61.	54.55.58.60.	1
			(40.41W 60N) (51W 54R)	
6	40.41.50.	8.20.64.	19	
7	50	8.47.51.62.64.75.76. (74W 43R)	41.43.44.46. (40W 41R)	
8	50	6.7.47.51.62.64.75.76. (74W 43R)	41.43.44.46. (40W 41R)	
9	to 12: X			
13	DETONATOR			
14		16	19	
15	16. (17 or 18)			
16		14.32.		15.20.21.
17		19.21.32.60.	16	(15)
18	19.40.	20	16	(15)
19		2.17.21.29.54. (60W 41N)		18.20.
20	16.19.	3.4.6.18.	40.41.	(31)
21	16.	17.19.59.	58.60.	
22	(26W 27R)	24.35.76. (46.63. W 27N)		
23	24.	25.46.72.73.76.		
24		22.29.35.43.74.77. (56W 55N)		23.25.
25	24.	23.45.	44.46.	
26	27. (32 or 40)	30.33. (54W 32N)	32.	(22)
X	ORIGINAL DRAWN: 1931	TROWBRIDGE		S 392 /3/1
	ISSUED: 3.1940			
W	REG No. 133	LOCKING TABLE		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	29	28. 47.		26.
28	29. (32 or 40)	27. 30. 33. 72. 73. (54w 32n)	32.	
29		2. 19. 24. 35. 43. 74. 77. (56w 55n)		27. 28. 30. 32.
30	29	3. 4. 26. 28. 32. (72. 73w 27r)	27. 40. 54. 60.	(31)
31	(20 or 30)	5. 41. 54. 60.		
32	29.	3. 4. 16. 17. 30. 60.		(26)(28) 33.
33	32.	26. 28. (72. 73w 27r)	27	
34	35	36. 46. 72. 73. 76.		
35		22. 24. 29. 43. 51. 54. 74. 77.		34. 36.
36	35	34. 45.	44. 46.	
37	x			
38	x			
39	x			
40			41	2. 3. 4. 6. 18. (28)(26)
41	43.	3. 4. 31. 42. 44. 74.		6. 44.
42	43. 50.	41. 63. 64. 74. 75. 76.	44.	
43		24. 29. 35. 46. 54. 77. 78.		41. 42. 75.
44	41		43	47. 63. 75. 76.
45	46. 50.	25. 36. 47. 63. 76. (64w 51n)	24. 27. 35. 44.	
46		23. 34. 43. (22w 27n)		45. 47.
47	44. 46.	7. 8. 27. 45. 48. 49.	24. 35. 50. 51. 55. 62.	(56). 71.
			(52. 54w 51r)	
48	50. 55.	47.	44. 46.	
49	50. 62.	47. 63. 75. (74w 43r)	41. 43. 44. 46. (40w 41r)	
50			51. 62.	6. 7. 8. 42. 45. 48. 49.
X	ORIGINAL DRAWN: ISSUED:	<u>TROWBRIDGE</u> LOCKING TABLE		
W	REG No.			S 392 / 3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
51		7.8.35.43.53.62.76.77. (56w55n)		55.71.
52			51	71.77.78.
53	54	51.56.74.	24.29.	
54		2.3.4.19.31.35.43.60.71.77.78. (26.28w32n)		53.55.56.
55	51.54.			48.
56	54. (47w55r)	5.53. (24.29.51w55n)(74w55r)		
57	58	61		
58	60	59		57.
59	60	21.58.61.	19.	
60		3.4.17.26.28.31.32. (2.19w41n)		58.59.61.
61	60	5.57.59.	58	
62		7.8.51.64.76.		49.63.
63	44.62.	42.45.49. (22w27n)	50	
64		6.7.8.42.62. (45w51n)		65
65	64			
66	DETONATOR			
67	to 70: X.			
71	47.51.52.	54.		
72		23.28.34.73.74. (30.33w27r)	24.27.29.32.35.	
73		23.28.34.72. (30.33w27r)	24.27.29.32.35.	80.
74		24.29.35.41.42.53.72. (7.8.49w43r)(56w55r)	43.51.52.54.55. (44w43r)	80.
75	43.44.	7.8.42.49.	50.62.	
76	44	7.8.22.23.34.42.45.51.62.	50.64.	

X	ORIGINAL DRAWN:	TROWBRIDGE	S 392 /3/3
	ISSUED:		
W	REG No.	LOCKING TABLE	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
77	52.	24.29.35.43.51.54.		80
78	52	43.54.		80
79				80
80	73.74.77.78.79.			
	V.T. 5 BAR			
	LOCKS (N)	3.78.79.		
	CONTACTS (N)	1		
	(NR)	80.		
	<u>LOCKING REMOVED</u>	<u>UNDER THIS ALTERATION</u>	<u>THIS ALTN NOT C/OUT</u>	
22		(38w27N)		
24		38.		
35		38.		
37	38.	39.46.76.		
38		24.35. (22w27N)		37.39.
39	38	37.45.	46. (44w46R)	
45		39.	38 (27w38R)	
46		37.		
47		(27w38N)	38	
76		37.		
27		(47w38N)		

X	ORIGINAL DRAWN:	TROWBRIDGE	S 392 /3/4
	ISSUED:		
W	REG No.	LOCKING TABLE	