

No.			
1		4.6.28.29.34.37.40.48.49. (14w 16R 23N) (17w 18N)	
2	3		
3	(4N MSL)	16.23.26. (37w 33.36N)	
4		1.16.23.26.36.37.38.	
5	14.15.16. (6N MSL)	13.23.	
6		1.26.33.36.37.38. (14w 16.23R)	
7		37	33.36. (38w 36N)
8	x		
9	x		
10	DETONATOR		
11	14.15.17.18.	13	
12	x		
13	15	5.11.19.20.30.31.47.49. (26w 16R) (37w 16R 36N OR 33R)	16. (23w 16R)
14		19.20.25.30.31.46.47.49. (1.33w 16R 23N) (6w 16.23R) (26.36.38w 16R) (37w 16 OR 3R) (48.50 w 16.18N)	16.18. (23w 16R)
15		46	
16		3.4.22.24.30.31.47.49. (37w 33R)	
17		19.20.30.31.46.47.49. (1.48.50 w 18N) (37w 33R)	18. (29w 18N)
18		16.30.31.47.49. (37w 33R)	
19	15	13.14.17.	
20	18	13.14.17.	15
21	x		
22	23	16.24.36.38.	
23		3.4.5.26.40. (37w 33N)	
24	23	16.22.35.	36.38.
25	16.23.	13.14.35.	15.36.38.
26		3.4.6.23. (13.14w 16R)	16.33.36.38. (15w 16R)
27	x		
28		1.30.31.47.48.49.50. (37w 33R) (38w 29N)	29.33.
29		32.33.47.48.49.50. (17w 18N)	
30	29	13.14.16.17.18.28.31.	
31	29	13.14.16.17.18.28.30.	
32		29.38.47.48.49.50. (37w 33R)	
33		4.6.29.48.49.50.36.38. (14w 16R 23N)	
34	35	1	
35	36	24.25.37.38.	
36		4.6.22.33. (14w 16R)	

TRURO

1971

LOCKING TABLE

S1069/3/1

No.		
37	1.7.38. (13 w 16R 36N or 33R) (14 w 16 or 33R) (16.17.18.28.32 w 33R) (23 w 33N)	36. (16 w 33.36N)
38	4.6.22.32.33.35.37.48.49.50.	
39		38
40	38.39.	
41	1.23.	
41	DETONATOR	
42	x	
43	x	
44	x	
45		
46	(45N MSL)	
47	14.15.17.	
48	39	15.29.33.
49	39	
50	39	
51	46.47.49.50.	

* & (14 w 16.18N)

DERIVED FROM LOCKING CHART

TRURO

S 1069/3/2