

A	NOV. 1954
	W.R COMMUTATOR TYPE Block FOR MAIN LINES PROVIDED
B	JULY 1955
	POINTS 24 REPOSITIONED
C	FEB 1956
	RENEWAL OF DOWN LOOP ROUTE INDICATOR SIGNAL Nos 34.37.45.
D	JUNE 1956
	TRIPLE DISC Nos 16 22 & 23 REPOSITIONED I/C/W J.R 16.1.56
E	SEPT 1956
	DN. MN. INTERMEDIATE DISTANT WORKED ELECTRICALLY, LEVER No 49 REMOVED.
F	JUNE 1958
	YNYSWEN G.F CONTROLLED FROM TREHERBERT SOUTH I/C/W RECOVERY OF YNYSFEIO SIGNAL BOX
G	SEPT 1958
	BLOCK SWITCH PROVIDED & LAMP REPEATER FOR NORTH UP DISTANTS TRANSFERRED TO NORTH S.B
H	DEC 1958
	RENEWAL OF BKT. SIGNAL No 39, 46 & 47 I/C/W J.R OF 24.6.58

TREHERBERT SOUTH

No.	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
1	2.3			
2		17.31		
3		17.31		
4-6	X			
7	UP DETS			
8-15	X			
16	17	44.46	20.32	
17		23.22.24.31.47		16.20
18-19	X			
20	17			(32w 16N)
21	X			
22		17.24.31.44.47		
23	24	44.45		
24	36	17.22.35.37.47		23.45
25-27	X			
28	30.31		32	
29	30	31.36		
30		34.39		28.29
31		23.17.22.29.34.46.47.36		28.29
32	(20w 31N)		31	46.39
33	X			
34		30.31.36		
35	36	24.37		
36		29.31.36		37.25.24
37	36	24.35		
38	X			
39	31.32	30		
40	X			
41	DN DETS			
42	X			
43		44		GROUND F'S
44		16.22.23.43	17.20.24.31.32	48
45	24	23		
46	32	16.31		

TYPE OF LOCKING FRAME G.W.R. V.T. 3BAR 4" φ	LOCKING TABLE FOR :- TREHERBERT SOUTH		BRITISH RAILWAYS WESTERN REGION CHIEF SIGNAL AND TELECOMMUNICATIONS ENGINEER'S OFFICE, READING.
	REGISTER REF. NO. S 1717/3	CORRES. REF. 30/574	
	DATE		SET OF TWO SHEETS.

