

# NEYLAND

No	RELEASED BY	LOCKS	LOCKS B/WAYS
1	5.	20.26.28.	
2		26.28.30.33.	5.6.
3		21.27.28.30.33. (17.19.w 23R)	18.20.23.26.
4	DETONATOR		
5	6		
6		42.	
7	8	9.44.	12.
8		20.36.39.40.45.46.	
9	8.43.	7.	
10	x		
11	12.(7w8R)(19w20R) (35w36R)(38w39R40w)		42.43.
12		18.44.45.46. (40w 20.36)	
13 - 16	x		
17	18	21.24. (3w 23R)(28w 23)	23.
18	20	12.19.40.	
19	20	18.21.24.44. (3w 23R)(28w 23)	12.23.
20		1.2.8. 30.33.36.45.46. (39w 40)	
21	20 (43w 18)	3.17.19.23. (44w 18R)	18
22	21		
23	20	21	
24	23 (43w 18)	17.19. (44w 18R)	18
25	26	27.28.	
26		1.2.20.30.33.	
27	26	3.25.	
28		1.2.3.25.30.33. (17.19 w 23)	26
29	30	31	
30		2.3.20.26.28.33.	
31	30	29	
32	33	34	
33		2.3.20.26.28.30.	
34	33	32	
35	36	37.45.	
36		8.20.46. (39w 40)	
37	36	35	
38	39	41. (45w 40)	40
39		8.46. (20.36 w 40)	
40		8.18.46. (12w 20.36)	
41	39.	38. (45w 40R)	40
42		6	
43			42
44	42.43.	7.12.19. (21.24w 18R)	8.18.20.23.
45	43.	8.12.20.35. (38w 40)(41w 40R)	36. (39.40 w 36)
46		8.12.20. 36.39.40.	

No	RELEASED BY		
1	5	43.	
2	5	20.23.26.28.43.	
3		20.23.26.28.30.33.	5.6.7.
4		21.27.28.30.33. (17.19 w 23R)	18.20.23.26.
5	6		
6		7.11.43.	
7		6.11	
8	x		
9	14. (10w15R) (19w20R)(35w36R) (38w39R 40w)		11.12.
10	15.	16.44.	14.
11		6.7.	
12			11.
13	DETONATOR		
14		18.43.44.45.46. (40w20.36)	
15		20.23.36.39.40.45.46.	
16	12.15.	10	
17	18	21.24.28 (4w23R)	23
18	20	14.19.40.	
19	20	18.21.24.28.44. (4w23R)	14.23
20		2.3.15.26.30.36.45.46. (39w40)(33w23)	
21	20. (12w18)	4.17.19.23. (44w18R)	18
22	21.		
23		2.3.15.21.26.28.30.36.45.46. (39w40)	
24	20.23. (12w18)	17.19. (44w18R)	18
25	26.	27.28.	
26		2.3.20.23.30.33.	
27	26.	4.25.	
28		2.3.4.17.19.23.25.30.33.	26
29	30.	31	
30		3.4.20.23.26.28.33.	
31	30	29	
32	33	34	
33		3.4.26.28.30. (20w23)	
34	33	32.	
35	36.	37.45.	14.
36		15.20.23.46. (39w40)	
37	36	35.	
38	39	41. (45w40)	40. (14w40)
39		15.46. (20.23.36w40)	

NEYLAND

1960

LOCKING TABLE

S2072/3/1

No.			
40		15.18.46. (14 w 20.36.)	
41	39	38. (45 w 40R)	40.
42	X		
43		1.2.6.14.	5.7.11. (12 w 11R)
44	11.12.	10.14. 19 (21.24 w 18R)	15.18.20.23.
45	12.	14.15. 20.23.35. (38 w 40) (41 w 40R)	36. (39.40 w 36)
46		14.15. 20.23.36. 39.40.	

TABLE SHOWS LOCKING AFTER G.F. ADDED

9 LOCK	(23 w 20)	ADDED	} PRIOR TO INSTALLATION
7 LOCK	14	DELETED	

NOTE - FOR AMENDMENT 'D' (TABLE ISSUED 14.11.62)  
 1+2 LOCK 43 TAKEN OFF (THESE LED BY 5 -  
 5 BY 6 - 6 LOCK 43!)  
 ALSO FOR D - 27 by (21 or 26)