

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.7.			
2	16.	12.15.20.23.25.		1
3		13.15.20.23.25.	12	1
4	x			
5	15.16.20.	12.19.		
6	20.	12.13.19.	15	
7		21.24.25.	19.20.23.	1
8	x			
9	x			
10	x			
11	12.16.	13.25.30. (20w15N)		
12		2.5.6.14.23.26.33.35.36.		11
13	12	3.6.11.	15.16.20.	
14		12.35.36.		26.31.
15	20.	2.3.19.		5
16			15.	5.11.
17	x			
18	19	21.		
19	20	5.6.15.		18.21.
20		2.3.23.25. (11w15N)		5.6.15.19.
21	19	7.18.		
22	23.	24.31.35.	14.26.27.	
23		2.3.12.20.25.32.36.		22.24.
24	23.27.	7.22.23. (14w26N)		
25		2.3.7.11.20.23.32.36.		
26	14	12.29.35.36.		32.
X	ORIGINAL DRAWN: S 7586 ISSUED: 3.1956	<u>ABERTHAW EAST</u>		
W	REG No. 1705	LOCKING TABLE		S /3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27			26.	24. 32. 36.
28	29.	31. 33.	12. 14.	
29		26. 35. 36.		28. 33.
30		11.	12. 14.	37.
31	14.	22. 28.	23. 26. 29.	
32	26. 27.	23. 25.		
33	29.	12. 24. 28.		
34	x			
35		12. 14. 22. 29. 26.	23.	37.
36	27.	12. 14. 23. 25. 26. 29.		37.
37	30. 35. 36.			
	E.O.D. FRAME			
	BLADES 1 1/2" x 3/8"			

X	ORIGINAL DRAWN:	B	<u>ABERTHAW EAST</u>	S
	ISSUED:			
W	REG No.		LOCKING TABLE	/3

No			
1	2.3.6.7.		
2	23	14.21.22.26.28. (38.42 w 37N)	
3		4.26.28.35.37.38.42. (17w 14N. 21.22R)(24w 22N)	22
4	22	3.14.21.35. (38.42 w 37N)	23
5		29.35.37.38.42. (24w 22R)	27.28.
6		35.37.38.42.	28
7		42	
8	x		
9	x		
10	x		
11	DETONATOR		
12	DETONATOR		
13	14	21	
14		2.4.17. (24 w 22R)(35 w 28N)	
15	x		
16	14	17	21
17	(23w 14N. 21R)	16.24.47.50.51. (3w 14N. 21. 22R) (26.35 w 14N. 21R)(28w 14.22N. 21R) (38.41.52 w 21N)(38.42 w 14.37N. 21R)	21. (14 w 21R) (22w 14N. 21.28R)
18	x		
19	x		
20	x		
21		2.4.16.50.51.	
22		2.27. (38w 25N)(42w 28.37N)	
23		(29w 27N) (35w 28N)	22
24	21	14.17. (3w 22N)(5w 22R)	22 (28w 22N)
25	x		
26	27	2.3.29.35. (17w 14N. 21R)(38.42w 37N)	
27		22	
28		2.3. (17w 14.22N. 21R)	
29	(22 OR 27)	5. (14w 22R)(23w 27N)	28
30	x		
31	x		
32	(40 OR 41)	38.51.	
33	37.38. (40 OR 41)		
34	38 (40 OR 41)	35.37.	28
35		3.4.5.26.34. (13w 14N. 21R) (14.22. 23 w 28N)	28 (21 w 28N) (27w 28R)
36	37	38.42.	
37		3.5.34.	
		ABERTHAW	
			SI548/3/1

No.			
38		5.6.32.36.42.52. (2.4.26 w 37N) (17 w 21N OR 14.37N. 21R)	
39	37.38.	40.41.	
40		39.41.52. (51 w 38N)	
41		39.40.51.52. (17 w 21N)	
42		3.6.7.36.38. (2.4.26 w 37N) (17 w 14.37N. 21R) (22 w 28.37N)	37. (28 w 37N)
43	DETONATOR		
44	x		
45	x		
46	x		
47		17	
48	x		
49	x		
50		17.21.	
51		17.21.32. (40 w 38N)	41
52		38.40.41. (17 w 21N)	
53	47.50.51.52.		