

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2.4.5.					
2	49.	17.20.43.55.59.	(47w 57w)			1
3	17.49.	18.55.59.				
4	49	18.21.43.47.50.55.57.		17.20.		1
5		48.54.	(55w 57w)	47. (41w 43r.50w)(43w 50w)		1
6	x					
7	x					
8	x					
9	DETONATOR					
10		23.24.31.33.82.83.				
		(48.61.68.73.75.85 w 45R)				
11	x					
12		20	(58 w 42.57w)			
13		20.42.57.58				
14	49.57.	18.21.55.		17.20.		
15	49.50.	18.21.43.59.		17.20.		
16	x					
17		2.20.43.	(47w 57w)			3.18.
18	17	3.4.14.16.		50.57.		
19	20.49. (4.14.15w MSL)	21.55.59.				
20		2.12.13.17.43.(47w 57w)(58w 42.57w)				19.21.
21	20	4.14.15.19.		50.57.		
22	x					
23		10.25.32.82.83.		24.45.		
		(48.50.61.68.73.75.85.86w 45R)				
		(78w 45.66R)				
X	ORIGINAL DRAWN: 5.1944 G.T. ISSUED: 9.1958		BANBURY SOUTH LOCKING TABLE			S 2741 /3/1
W	REG No.					

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
24		10.28.31.45.		25.
25	24.	23.		
26	28	29.		
27		28.45.48.50.61.68.73.75.80.84.	47.52.66.	
		85.86. (78w 66R)		
28		24.27.80.84. (47.52.66.85 w 45 N)		26.29.
29	28	26		
30	31.	32.		
31		10.24.45.		30.32.
32	31	23.30.		
33	45.	10.48.50.61.68.73.75.82.83.85.86.	47.52.66.	
		(78w 66R)		
34	x			
35	41	43.53.58.		
36	41.43.49.	50.54.		
37	41.43.49.50.	59.		
38	42.	41.43.53.		
39	43.49.	41.50.54.		
40	43.49.50.	41.59.		
41	42.	38.39.40.		35.36.37.
42		13.57.		38.
43	42.	2.4.15.17.20.35.38.47.53.55.58.		36.37.39.40.
44	47.	48.80.82.83.84.	45	
45		24.27.31.80.84.		33.
46			45.	
X	ORIGINAL DRAWN :	BANBURY SOUTH		
W	ISSUED :			
	REG No.	LOCKING TABLE		S 2741 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
47		4. 43. 50. 52. 66. 85. 86.		
		(2. 17. 20. 55 w 57N) (28 w 45N)		
48	46. 47.	5. 27. 33. 44. (10. 23 w 45R)		
49			50. 57.	39. 40. 2. 3. 4. 14. 15. 19. 36. 37.
50		4. 27. 33. 36. 39. 47. 52. 54. 55. 57.		15. 37.
		60. 66. 80. 82. 83. 84. 85. 86. (23 w 45R)		
51	52	61. 80. 82. 83. 84.	45.	
52		47. 50. 60. 66. 85. 86. (28 w 45N)		
53	42	35. 38. 43.	41.	
54	43.	5. 36. 39. 50.	41.	
55		2. 3. 4. 14. 19. 43. 50. (5. 47 w 57N)	17. 20. 57.	
56	(54 or 55)	57.		
57		4. 13. 42. 50. 56.		14.
58	(55 w 57R)	13. 35. 43. (12. 20 w 42. 57N)	41. 42.	
59	50	2. 3. 15. 19. 37. 40.	17. 20. 43. (41 w 43R)	
60		50. 52.		
61	46. 52. (83. 84N MSL)	27. 33. 51. (10. 23 w 45R)		
62	66. (63 or 64 or 65)			
63		67. 68. 77. (80. 82. 83. 84 w 66R)	66. (45 w 66R)	
64	67.	70. 73. 78. 80. 82. 83. 84.	45	
65	71.	75. 78. 80. 82. 83. 84.	45	
66		47. 50. 52. 85. 86. (28 w 45N)		
67	66	63. 68. 69. 72. 74.		
68	46. 66. (83. 84N MSL)	27. 33. 63. 67. (10. 23 w 45R)		
69	70.	67. 76.		
70		64. 72. 73. 74.		
X	ORIGINAL DRAWN:	BANBURY SOUTH		
W	ISSUED:			
	REG No.	LOCKING TABLE		
		S2741 /3/3		

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
71	67.70.					
72		67.70.74.				
73	46.67. (83.84N MSL)	27.33.64.70.	(10.23W 45R)			
74		67.70.72.				
75	46.71. (83.84N MSL)	27.33.65.	(10.23W 45R)			
76	70.	69.				
77		63.86.				
78	77.	64.65.(23W 45.66R)(27.33 W 66R)				
79	X DET					
80	46.	27.28.44.45.50.51.64.65.84.85.		47.52.66.67.71.		
		(63W 66R)				
81	(59 OR 60 OR 61)					
82	45.46.	10.23.33.44.50.51.64.65.83.85.		47.52.66.67.71.		
		(63W 66R)				
83	45.46.	10.23.33.44.50.51.64.65.82.		47.52.66.67.71.		
		(63W 66R)				
84	46	27.28.44.45.50.64.65.80.81.		47.52.66.67.71.		
		(63W 66R)				
85	46	27.33.47.50.52.66.80.82.				
		(10.23W 45R)(63W 66R)				
86		27.33.47.50.52.66.77.(23W 45R)				
87	84.85.86.					
X	ORIGINAL DRAWN:	BANBURY SOUTH				
W	REG No.					S 2741 /3/4
		LOCKING TABLE				