

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.5				
2	47 (3.6(N)ESL)	29.32.44.50.69.	(53W45R)(67.86.45N)		
3	47 (4(N)MSL)	30.32.44.45.50.67.73.75.86		29	1
4	(5(N)ESL)	73.75. (50W45N)		44.45.59. (32W44N). (41W44R)	1
5		76		72.73.75	1
6	46.47	30.44.50.53.57		29	
7	X				
8	55	54.70. (50W46R.53N)		53.69. (41W44.46R.53N)	
				(44W46R53N). (46W53N)	
9	18. (11or12)				
10	17. (11or12or29.47)	30. (50.69W29R). (53W29.45R)			
		(67.86W29R.45N)			
11	40. (17or18)	21.24.25.26.29.81.82.83. (61.63.67.		22	(9)(10)
		70.86.88W42R). (50.86W44R). (77W18R)			
12	21.23. (17or18)	27.28.29.78.79.80. (50W44R).			(9)(10)
		(61.63.70W42R). (77W18R)			
13	23. (14(N)MSL)	24.27.78.79.80		21. (18W21R)	
14		79.80		23.24.	
15	23.24	27.28.78		21. (18W21R)	
16	22.40	25.26.81		18	
17		18.79.82.83			
18		17.32.84.85.87. (60.62.69W42N)			10. (11)(12).25.27.29
19					9. (11)(12).78.81
20	X			18	25.26.27. (28)(50)(61)(63)(70).78
21		11.22.25.81.82.83. (50W44R)			79.81.82.83
22		21.24.42.44.79			12.27.78.79
					16.26
R 28 2	ORIGINAL DRAWN: ISSUED:	KINGHAM STATION			
	REG No.	LOCKING TABLE			S 2576 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
23			24	12.13.15
24		11.13.22.25.79.80.81.82.83		15
25	17.19	11.16.21.24.29.38.39.66. (64.65.68W41R)	22.41.42.44 (59.60.62.69W41R)	
26	19.22	11.16.29		(28)
27	17.19.21	12.13.15.29. (61.63.70W42R)	23.24	
28	(26W24N).(19W24R)	12.15.29. (50W44R).(61.63.70W42R)	(23W24R)	
29	17	2.11.12.25.26.27.28.32.44.61.63.70. 84.85.87. (60.62.69W42N)		10.30
30	29	3.6.10		
31	32	33.84		
32		2.3.18.29.53.85.87. (46.50W44N). (60.62.67.69.86.88W42N).(76W42.72N73R)		31.33
33	32	31		
34	37x			
38	40.41.44.46	25.50.53.57.81	21. (18W21N)	
39	40.41.44. (4(N)MSL)	25.45.50.73.75.81	21. (18W21N)	
40	(47W44R).		41.42	11.16.38.39.66
41	(42OR44)		(86)(88) 38.39.(50)(61)(63).66.(70).82.83	
42		22.44.85.87		(41).66.82.83
43			42	88.61.63.67.70.(76)82.83.85.86.87
44		2.3.6.22.29.42.60.62.67.69.85.86. 87.88. (76W72N73R)		38.39.(41)
45		3.39.		46.59
46	45	69. (32W44N)		6.38.51.
47			45	2.3.6.10.(40)
R 2 8 2	ORIGINAL DRAWN: ISSUED:	LOCKING TABLE		
	REG No.			S 2576 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
48-49 _x				
50	(19.41w44R)	2.3.6.38.39.(11.12.21.28w44R).	29.45.46.(73.75w45N)	51
		(4w45N).(32w44N).(8w46R53N).(10w29R)		
51	46.50		53	
52	53	54		
53		6.32.38.69.57.(2w45R).(10w29.45R)		52.54
54	53	8.52		
55		57		8
56	58	67.83.85	59.(41.42.44w59R).(32w42N59R)	
57		6.38.53.55.58.69.(66w59R 60.69N)		87
58		57.60.69		56.67
59	45	62.82.87.88.(76w72N73R)		60.69.83.85
60	59	44.58.69.75.83.85.86.(79w42R)		61.64
		(18.29.32w42N)		
61	43.60.(19.41w42R)	29.64.(11.12.27.28.78.84w42R)		
62		44.59.67.73.82.86.87.88.(79w42R)		63.65
		(18.29.32w42N)		
63	43.62.(19.41w42R)	29.65.(11.12.27.28.78.84w42R)		
64	60	61.(25.81w41R).(84w32N42N)	41.42	(66)
65	62	63.(25.81w41R).(84w32N42N)	41.42	(66)
66	40.41.42.(64w60R)	25.67.81.82.83.88.(72w59N)	21.59.(18w21N)	
	(65w62R).(68w69R)	(57w59R 60.69N)		
	(71w59N73R)			
67	43.58	3.44.56.62.66.82.87.88.(2w45N)		
		(11w42R).(10w29R45N).(76w72N73R)		
		(32w42N)		
R 2000	ORIGINAL DRAWN : ISSUED :		LOCKING TABLE	
	REG No.			
			S 2576 /3/3	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
68	69	70. (25.81W41R). (84W32.42N)	41.42	(66)
69	59	2.44.46.53.57.58.60.83.85. (10W29R). (18.29.32W42N). (79W42R)		68. (70)
70	43.69. (19.41W42R)	8.29.68. (11.12.27.28.78.84W42R)		
71	73	76. (82.87W72N)	72. (32W42.72N) (41.42.44.59W72N)	(66)
72	73	(66W59N)		
73		3.4.39.62.75.88		71.72. (76).
74	75	76		
75		3.4.39.60.73		74. (76)
76	(73OR75). (43W72N73R)	5.71.74. (32W42.72N73R). (82.87W72R) (44.59.67.86W72N73R)	72	
77		(11.12W18R)	18.29. (21W18R)	89
78	18.19.21	12.13.15. (61.63.70W42R)	23.24	
79	19.21. (78(N)MSL)	12.13.14.17.22.24. (60.62.69W42R)	23	
80	(79(N)MSL)	12.13.14.24		
81	18.19	11.16.21.24.38.39.66. (64.65.68W41R)	22.41.42.44. (59.60.62.69W41R)	
82	19.41.42.43. (81(N)MSL)	11.17.21.24.59.62.66.67.86. (71W72N) (76W72R)	72.73	
83	19.41.42.43.59. (81(N)MSL)	11.17.21.24.56.60.66.69		
84	(77(N)ESL)	18.29.31. (61.63.70W42R) (64.65.68W42N32N)	32. (41.42.44W32N) (59.60.62.69W32N42N)	89
85	43.59	18.29.32.42.44.56.60.69		
86	43. (41W42R)	3.44.60.62.82.87.88. (2W45N) (10W45N29R) (11W44R) (11W42R) (32W42N). (76W72N73R)		
R 2 8 2	ORIGINAL DRAWN: ISSUED: REG No.		LOCKING TABLE	
			S 2576 /3/4	

[illegible]

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 10-7-44</u>			
2		33		
3		33.72		
4		49.72. (31W33OR45R)	(33W44N)	
5		73	70	
6		33		
7		(31W33ROR33.45N). (49W46R)	(33.32W44N46R)	
18		33		
29		33		
31	(46W33N45R).(47W33N)	34.37.49. (4W33OR45R)(7W33ROR33.45N)	33.(36W33R)	
32		(53W45R).(44W33N).(72.75W33.45N)(73W57.70N)		
33		2.3.6.18.29.35.49.86.87.50.53		
		(60.62.88W57N)(73W57.70N). (46W44N)		
34	32.33.	31.36		
35		33		
36		34.53		
37	32.33.36	31		
39		72		
43		(73W57.70N)		
44		(32W33N). (73W57.70N)		
46		(33W44N)		
48			(72W45N)	
49	32	4.31.33. (7W46R)	45.46.47	
50		33	(72W45N)	
51	(48OR49OR50)			
53		33.36. (32W45R)		
R 282	ORIGINAL DRAWN:	LOCKING TABLE		
	ISSUED:			
	REG No.			S 2576 /3/6

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
55		(73W 57.70N)		
59		(73W 70N)		
60		(33W 57N)		
62		72. (33W 57N)		
66	(71W 59N 72R)			
67	(71W 59N 72R)			
69	70	73		
70	72	71		
71	72	70. 73. 82. 84. 87	56. 57. 58. 59. (32W 57N) (40. 41. 42W 43. 57R)	
72		3. 4. 39. 62. 75. 88. (32W 33. 45N)		
73	72	5. 69. 71. (32. 33. 43. 44. 55W 57. 70N) (59W 70N). (82. 84. 87W 70R)	70	
75		72. (32W 33. 45N)		
76	75			
82		71. (73W 70R)	70	
84		71. (73W 70R)	70	
85			33. (44W 33N). (36W 32. 33R)	
86		33		
87		33. 71. (73W 70R)	70	
88		72. (33W 57N)		
	(LEVERS 34. 36. 37. 49 TO BECOME SPACES)			
R 2 8 2	ORIGINAL DRAWN : ISSUED :	LOCKING TABLE		
	REG No.			S2576 /3/7

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
	<u>LOCKS ON 10-7-44</u>					
2		69				
3		73				
4		73				
5				73		
6		69				
7		70				
8		70				
11		(70W57R)				
14		(70W57R)				
18		(69W57N)				
24		(68W55R). (70W43.57R)		(69W55R)		
25		(68W41.43R). (70W55.57R)		(69W41.43R)		
26		(70W57R)				
27		(70W57R)				
28		69				
29		(69W57N)				
31		33				
32		53. (69W57N) (46W44N) (76W57.72N.73R)				
33	32	31				
38		69				
39		73				
41		(69W43N)				
43		(70W57N). (76W57.72N.73R)				
44		(69W57N). (76W57.72N.73R)				
46		69. (32W44N)				
R 2 8 2	ORIGINAL DRAWN: ISSUED:	LOCKING TABLE				
	REG No.					S 2576 /3/8

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
48				(73W 45N)		
50				(73W 45N)		
51	(48 or 50)	69				
53		32.69				
55		(70W 57N). (76W 57.72N 73R)				
59		(76W 72N 73R)				
60		69				
62		73				
66	(68W 69R). (71W 59N 73R)	(72W 59N)				
67	(68W 69R). (71W 59N 73R)	(72W 59N)				
68	69	70. (24.78W 55R). (25.80W 41.43R). (85W 32N)		56.57.58. (40.41.42W 43.57R)		
69	59	2.6.28.38.46.51.53.60.81.83.86. (41W 43N). (18.29.32.44W 57N). (79W 57R)				
70	58.69. (41W 43R)	7.8.68. (11.14.26.27W 57R). (43.55W 57N) (24.78W 43.57R). (25.80W 55.57R)		(40.42W 43R)		
71	73	76. (82.84.87W 72N)		72. (32W 57.72N). (40.41.42W 43.57R 72N). (56.57.58.59W 72N)		
72	73	(66.67W 59N)				
73		3.4.39.62.75.88				
75		73				
76	(73 or 75)	71. (32.43.44.55W 57.72N 73R) (59W 72N 73R). (82.84.87W 72R)		72		
78		(70W 43.57R). (68W 55R)		(69W 55R)		
79		(69W 57R)				
80		(70W 55.57R). (68W 41.43R)		(69W 41.43R)		
81		69				
R 282	ORIGINAL DRAWN: ISSUED:	LOCKING TABLE				S 2576 / 3/9
	REG No.					

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
82		(71W72N). (76W72E)	73	
83		69		
84		(71W72N). (76W72E)	73	
85		(68W32N)	(44. 69W32N)	
86		69		
87		(71W72N). (76W72E)	73	
88		73		
	<u>LOCKS OFF 29-5-45</u>			
7		70		
70		7		
	<u>LOCKS ON</u>			
7		69		
8			69	
69		7		
R 2582	ORIGINAL DRAWN: ISSUED:			
	REG No.	LOCKING TABLE		S2576 /3/10

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 17-3-49</u>	(INSP. ABEL, WOS) (LEVER 35 TO BE SPACE)		
2		35		
3			35	
6			35	
29		35		
32		35		
35		2.29.32.44		
44		35		
50			35	
	<u>LOCKS OFF (NO DATE)</u>	(INSP. BIRKS, WOS) RECOVERY OF	No.7 SIGNAL (1946)	
6		32.69		
7		53.69.(48.50W46R)	46.(40.41.42W44.46R)(44.47W46R)	
32		6		
38		69		
48		(7W46R)		
50		(7W46R)		
51		69		
53		7		
69		6.7.38.51		
	<u>LOCKS ON</u>			
2		(53W45R)		
8		(48.50W46R.53N)	(40.41.42W44.46R53N)	
			(44.47W46R53N).(46W53N)	
28		(53W45R)		
R 28 2	ORIGINAL DRAWN: ISSUED:		LOCKING TABLE	
	REG No.			S2576 /3/11

Handwritten circled "SF" in the right column of the first section.

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
48		(8W 46R. 53N)		
50		(8W 46R 53N)		
53		(2.28W 45R)		
64			43	
65			43	
68			43	
71			(43W 72N)	
	LOCKS ON - NO DATE - 193? 1942			
2		35		
3		35		
6		35		
29		35		
32		35		
33		35		
35		2.29.32.33.44		
44		35		
50			35	