

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1-2	x			
3	46.95	35.41.43.47.56.93.94.96.97.98		
4	DET			
5	x			
6	35.46.95	34.43.47.48.56.93.94.96.97.98		
7	38.39.95	47.96.97.98		
8	95	96.97.98.(48.53.54.56.w47.94N)	90.93.94.(47w94N).(34.35.37 40.41.43w47.94N)	
9	46.47.100	35.41.43.56		
10	35.46.47.100	34.43.48.56		
11	38.39.47.100			
12	71.100	122		
13	100	70.90.92.101.112.(48.53.54.56w47R)	47.71.91.(69.74.80w47N) (34.35.37.40.41.43w47R)	
14-15	x			
16	79 (63 or 64)			
17	x			
18	100.101	70.90.92.(48.53.54.56w47R)	47.71.91.(69.74.80w47N) (34.35.37.40.41.43w47R)	
19		110	101.105.109	
20-22	x			
23	100.112	70.90.92.122.(48.53.54.56w47R)	47.71.91.(69.74.80w47N) (34.35.37.40.41.43w47R)	
24-28	x			
29	30	31		
30		72.124.129		29.31

X
W

ORIGINAL DRAWN:
ISSUED:
REG No.805

PONTYPOOL ROAD STATION S.

LOCKING TABLE

S1253 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
31	30	29		
32	x			
33	34.46	48.56.97. (98W94N)		
34	35	6.10.43.93. (94W47N)		33
35		3.9.41		6.10.34.48
36	37.46	53.97. (98W94N)		
37	41	40		36.(53)
38		79		7.11
39	40.46	53		7.11
40	41	37.79		39.(53)
41		3.9.35.43.56.93. (94W47N)		37.40
42	43.46	54.93.97. (98W94N) (138.139W76R) (146.147W76N)	76.82	(6A)
43		3.6.9.10.34.41.48.56.79.80.125.144. 152.153.154. (94W47N)(97.98W90N93R)		42.54
44-45	x			
46			47	3.6.9.10.33.36.39.42
47		3.6.7.70.71.91.93.97.122.125.144.152. 153.154. (64W43N)(79W80N)(58W74N) (96.98W94N)		9.10.11.55
48	35	6.10.33.43.93. (94W47N)(8.89W47.94N) (13.18.23W47R)	34.47	
49-52	PERMANENT SPACES			
53	(37OR 40)	36.39. (8.89W47.94N)(13.18.23W47R)	47	(55)
54	43.78.(76OR82)(65OR66W76R) (67OR68W82R)	42.61.93. (8.89W47.94N) (13.18.23W47R)	47	(55)
X W	ORIGINAL DRAWN: ISSUED: REG No.805			

LOCKING TABLE

S1253 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
55	47. (53 or 54 or 56)		101. 112	85
56		3.6.9.10.33.41.43.93. (94W47N) (8.89W47.94N). (13.18.23W47R)	34.35.47	(55)
57	x			
58	69. (100W74N)(86W74.91R)	70.80.126.138.139.140. (47.91W74N) (106.108.110.117.131.135. 149.151W74R)	65.66.67.74. (104W74R)	
59	76 (63 or 64)			
60	72			
61		54.70.125.126.138.139.140.144.146. 147.148.152.154. (153W79N) (149.151W74R or 79N80R)		
62	82. (63 or 64)			
63	80. (86W91R)	106.108.110.117.131.135.149.151 (138.139W76R). (146.147W76N)	76.79.82.104	(16)(59)(62)
64	(42W43R) (87W43N93R)	80.125.127.136.144.152.153.154 (47W43N). (138.139W76R). (146.147W76N)	76.79.82	(16)(59)(62)
65		66.67		(54)(70).138(140)(144)
66		65.67.68		(54)(70).139(140)(144)
67		65.66.68		(54)146(148)(152)
68		66.67		(54)147(148)(152)
69		71.76		58.70.74
70	69. (65 or 66)	13.18.23.47.58.61.74.80	91.101.112	(122)
71		47.69.80.91		12
72	73. (86W91R)	106.108.110.117.124.129.131.135.149.151	104	60
73		74.80		72.129
74	69	70.73		126.140.
X	ORIGINAL DRAWN:			
W	ISSUED:			
	REG No. 805	LOCKING TABLE		S1253 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
75			74	(81)
76		69. 79. 82		(54). 59. 125. 144
77	x			
78			76. 79	54 (81). 125. 127. 136. 144. 152. 153. 154
79		38. 40. 43. 76. 82. (47w 80n)		16. 127. 128. 133. 136
80		43. 58. 64. 70. 71. 73. 122. 125. 126. 127. 136. 140. 144. 152. 153. 154 (97. 98 w 90n 93r)		63. 128. 133. 148. 152. 155
81	(75w 80n). (78w 80r)		80	92. (97). 106. 108. 110. 117. 126. 128. 129. 131. 133. 135. 140. 148. 149. 151. 155
82		76. 79		(54). 62. 148. 154. 155
83	x			
84		96		
85	55. 112			
86	91. (95w 90r). (100w 90n)	92. 126. 128. 129. 133. 140. 148. 155 (97. 98 w 90r)	73. 74. 80. 90	(58) (63) (72)
87	93. 95	90. 97. 98. 125. 127. 136. 144. 152. 154	43. 80	(64)
88	94. 95	98		
89	95. 96	97. 98. (48. 53. 54. 56w 47. 94n)	90. 93. 94. (34. 35. 37. 40. 41. 43w 94n)	
90	91. 93	13. 18. 23. 87. 92		
91		47. 71. 105. 109. 116. 120. 122. 149. 151. (58w 74n)		86. 90. 92
92	81. 91	13. 18. 23. 86. 90	101. 112	
93		3. 6. 34. 41. 42. 47. 48. 54. 56. 94. 153		87. 90
94		3. 6. 93. 97. (34. 41. 43. 48. 56w 47n)		88
95			96	3. 6. 7. 8. (86). 87. 88. 89
X	ORIGINAL DRAWN:	LOCKING TABLE		
W	ISSUED:			
	REG No. 805	S 1253 / 3/4		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
96		3.6.7.8.84. (47W94N)		89.99
97	(81W90R)	3.6.7.8.33.36.42.47.87.89.94 (43.80W90N93R).(86.125.127.144.136. 152.154W90R)	41.90.93 (35.43W93N)	
98		3.6.7.8.87.88.89. (86W90R) (43.80W90N93R) (33.36.42.47W94N)	93.94.95.96	99
99	96.98			
100			101	9.10.11.12.13.18.23.(58)(86)
101	104	13.105.109.112		18
102	113. (118W116N)			
103	(105OR109)	106.108.110.126.128.129.133.135.140. 148.155	73.74.80.134 (107W105R)	
104		116.120.151		101.105.149
105	104	91.101.109.149		(103).106.108.134
106	81.105	63.72.103.107.134. (58W74R)		
107		106		108
108	81.105.107	63.72.103.134. (58W74R)		
109	104	91.101.105.149		(103).110
110	81.109	19.63.72.103. (58W74R)		
111			112	
112	115	13.101.116		23.85.122
113	(114OR116)	117.126.128.129.133.140.148.155	73.74.80	102.121
114	120	119.126.128.129.131.133.140.142.148.155	73.74.80.118	(113)
115		151		112.116.120
116	115	91.104.112.120		(113).117
X W	ORIGINAL DRAWN: ISSUED: REG No. 805		LOCKING TABLE	S1253 /3/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
117	81.116	63.72.113. (58w74r)		
118		114.121.142		(102).119
119	118	114	120	
120	115	91.104.116		114.121.131
121	113.120	118.		
122	112. (70w69r)	12.23.47.80.91		
123	DET.			
124		30.72	73	
125	76.78	43.47.61.64.80.87.138.139.144.153 (97w90r)	90.93	
126	74.81	58.61.80.86.102.113.114.138.139.140. 149.151	90.91.104.105.109.116.120. 134.(115w104n).(107w105r)	
127	78.79	64.80.87.136.153. (97w90r)	90.93	
128	79.80.81	63.86.102.113.114.133.149.151	90.91.104.105.109.116.120. 134.(115w104n).(107w105r)	
129	73.81	30.72.86.102.113.114	90.91.104.105.109.116.120. 134.(115w104n).(107w105r)	
130	x			
131	81.120	63.72.114. (58w74r)	118	
132	x			
133	79.80.81	63.86.102.113.114.128	90.91.104.105.109.116.120. 134.(115w104n).(107w105r)	
134	105	106.108		135
135	81.134	63.72.103. (58w74r)		
136	78.79	64.80.87.127. (97w90r)	90.93	
137	x			
X W	ORIGINAL DRAWN: ISSUED:		LOCKING TABLE	
	REG No. 805			
			S1253 /3/6	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
138	65	58.61.125.126.147.(42.63.64w76R)	69.74.76.(43.80w76R)	
139	66	58.61.125.126.(42.63.64w76R)	69.74.76.(43.80w76R)	
140	74.81.(65 or 66)	58.61.80.86.102.113.114.126	90.91.104.105.109.116.120. 134.(115w104N).(107w105R)	
141	x			
142		114.118	120	
143	x			
144	76.78.(65 or 66)	43.47.61.64.80.87.125.(97w90R)	90.93	
145	x			
146	67	61.154.155.(42.63.64w76N)	76. 82.(43.80w76N)	
147	68	61.138.154.155.(42.63.64w76N)	76.82.(43.80w76N)	
148	80.81.82.(67 or 68)	61.63.86.102.113.114.155	90.91.104.105.109.116.120. 134.(115w104N).(107w105R)	
149	81.104	63.72.91.105.109.126.128.155.(58w74R) (61w74R or 79N.80R)		
150	x			
151	81	63.72.91.104.115.126.128.155.(58w74R) (61w74R or 79N.80R)		
152	78.82.(67 or 68)	43.47.61.64.80.87.154.(97w90R)	90.93	
153	78	43.47.64.80.93.125.127.154.(61w79N)		
154	78.82	43.47.61.64.80.87.146.147.152.153.(97w90R)	90.93	
155	80.81.82	61.63.86.102.113.114.146.147.148.149. 151	90.91.104.105.109.116.120. 134.(115w104N).(107w105R)	
	ELEC. LOCKS 'N' :	8.13.65.66.67.68.133.136.138.139.140.144.146.147.148.152		
	ELEC. LOCKS 'R' :	38.39.46.61.78.81.82.100		
X W	ORIGINAL RETRACED: 29-8-29 ISSUED: 6-60	PONTYPOOL RD STATION SOUTH LOCKING TABLE		H.T. 4"
	REG No. 805			S1253 /3/7