



British Rail

Southern

CENTRAL DIVISION

**Instructions to all concerned as to
INTRODUCTION OF
COLOUR LIGHT SIGNALLING
AND
TRACK CIRCUIT BLOCK WORKING
BETWEEN
WEST CROYDON 'B' AND SUTTON
ALSO
PROVISION OF A
NEW COLOUR LIGHT SIGNAL
ON THE DOWN MITCHAM JUNCTION LINE
AT
SUTTON
ON
SUNDAY, 26th NOVEMBER, 1972**

Drivers to keep a good look-out for hand signals.

On Sunday, 26th November, colour light signalling with track circuit block working will be introduced between West Croydon 'B' and Sutton.

Waddon and Wallington signal boxes will be abolished.

Each new colour light signal will be fitted with a plate bearing prefix letters and a number. The letters indicate the signal box from which the signal is controlled or supervised and with which the adjacent telephone communicates, as follows:

Signal box

West Croydon 'B'
Sutton

Prefix letters

WC
SU

Attention is drawn to signal WC.1 at Waddon, which will operate as a 3-aspect signal until further notice.

The existing Sutton 'from Carshalton' home signals, together with Sutton West Intermediate 'from Carshalton' down outer distant signal, will be replaced by a new 3-aspect colour light signal (SU.81).

Lamps which flash with a white light to call the attention of the Technician will be fixed to certain apparatus cases in the area.

Full details of the new signalling are shown on the diagram accompanying this notice.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Richard Maund, Richard Pulleyn, Roger Newman and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices or other notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the [Archivist](#) in the first instance.

For a list of PDFs currently available visit the [Archives](#) pages of the SRS Web Site.

If you have benefited from this PDF copy, why not [join](#) the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS [books](#) and other [publications](#) at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html



= JUNCTION INDICATORS—The Rule Book, Section C, Clause 3.1.6.



= GREEN ASPECT



= YELLOW ASPECT—The Rule Book, Section C, Clause 3.1.1.



= RED ASPECT



= ROUTE INDICATOR (Numeral indicates total number of routes).



= POSITION LIGHT SUBSIDIARY SIGNAL (Draw ahead) —
The Rule Book, Section C, Clauses 3.1.4. and 5.1.1.



= BANNER REPEATING SIGNAL — The Rule Book, Section C,
Clauses 3.3.1 and 5.5.



= Denotes AUTOMATIC SIGNAL—The Rule Book, Section C,
Clauses 2.3 and 3.3.4.



= Denotes SEMI-AUTOMATIC SIGNAL—The Rule Book, Section C,
Clauses 2.4 and 3.3.4.



= A.W.S. INDUCTOR.



= TELEPHONE.



= POSITION LIGHT SHUNTING SIGNAL—The Rule Book, Section C,
Clauses 3.1.5 and 5.2.



= As above but with YELLOW light instead of red light.



= LIMIT OF SHUNT INDICATOR — The Rule Book, Section C,
Clauses 3.3.2 and 5.6.



= SIGNAL BOX.



= GROUND FRAME.

⊙ R.B.C.= RETURN BELL COMMUNICATION PLUNGER.

⊙ T.R.T.S.= TRAIN READY TO START PLUNGER.



= PLATFORM STARTING SIGNAL "OFF" INDICATOR.



= "DIAMOND" SIGN — The Rule Book, Section K, Diagram No.1.



= NOTICE BOARD OR SIGNAL WHICH IS FLOODLIT DURING DARKNESS.



= SPRING TRAILING POINTS.

ALL DISTANCES IN YARDS.

SUTTON

LIST OF SIGNAL APPLICATIONS

Signal No.	Type R=Running S=Subsidiary	Indication	Application
SU.81	R	Position 1	To Down Branch line.
	R	Nil	To Down Main line.
SU.84	R	Nil	To Down Branch line.
	R	Position 4	To Down Main line.

SIGNAL INSTRUCTION
 No 10 C. D.

