

SONNING SIDINGS - MECHANICAL LOCKING

NUMBER	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
1	2,3			
2		9		1
3		10	9	1
4	X			
5	X			
6	X			
7	DETONATOR			
8	9	10,14		
9		2,12,15		8,10
10	9	3,8		
11	12	14,17		
12		9,15		11,17
13	DETONATOR			
14		8,11	9,12	16
15		9,12		16
16	14,15			
17	12	11		
18	DETONATOR			
19	20,21,22			
20	27	26,28,38,45		19
21		23,38,46 (29W28N)(25W28R)	26,45 (27,28W45N)	19
22		23,40,46 (39)	38 (36W38R)	19
23		21,22,40,46 (39)	38 (36W38R)	
24	27,28	26		
25	26,27	29,51 (38W28N)(21W28R)		
26		20,24,42,45,52,53		25,29
27			28	20,24,25
28		20,36 (33)		24,30
29	26	25 (21W28N)	27,28 (38W28N)	30
30	28,29			
31	36,38	40		
32		(33) 36 (34)	28 (26,27,29 W28R)	
33		(28)		(34)(32)
34	Spare? {	(33) (32)		
35				
36		28,32,37 (39)		31
37	38	36, (39) 40		
38		20,21,45 (25W28N)		31,37,40
39	46 (38)	(37)(22,23)(36)		
40	38 (36)	22,23,31,37	36	
41	42	43,52		
42		26,45,53		41,43
43	42	41		
44	45	46,52		

LEVER	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
45		20.26.38.42.53		44.46
46	45	21.22.23.44		39
47				
48				
49				
50				
51		25	26	54
52		26.41.44	42.45	54
53		42.45.26		54
54	51.52.53			

SIGNAL NOS 1.2.3.14.15.16 19.20.21.22.23.24 31.32.37 51.52.53.54

G.W V.T. 5-BAR FRAME, 4" CTRS 9 CHANNELS

1 4sp

2 2sp

3 N

14 N

15 2sp

16 4sp

19 4sp

20 2sp

21 N

22 N

24 2sp

28 R with RD cont

51 N

52 N

53 2sp

54 4sp

(from) L40
(dated) 13.2.41

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3			
2		9		1
3		10	9	1
4-6	X			
7	DET			
8	9	10.14		
9		2.12.15		8.10.
10	9	3.8		
11	12	14.17		
12		9.15		11.17.
13	DET			
14		8.11	9.12	16
15		9.12		16
16	14.15.			
17	12	11		
18	DET			
19	20.21.22			
20	27	26.28.38.45		19.
21		23.38.46.(25w28R)(29w28N)	26.45.(27.28w45N)	19.
22		23.40.46	38.(36w38R)	19.
23		21.22.40.46	38.(36w38R)	
24	27.28	26		
25	26.27	29.51.(21w28R).(38w28N)		
26		20.24.42.45.52.53		25.29.
27			28	20.24.25.
28		20.36		24.30
X	ORIGINAL DRAWN: 13.2.41 ISSUED: 2.9.53		SONNING SIDINGS LOCKING TABLE	
W	REG No. L40			
				S 150 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
29	26	25.(21W28N)(32W28R)	27.28.(38W28N)	30.
30	28.29			
31	36.38	40		
32		36.(29W28R)	28.(26.27W28R)	
33	x			
34	x			
35	x			
36		28.32.37		31
37	38	36.40		
38		20.21.45.(25W28N)		31.37.40.
39	46			
40	38	22.23.31.37	36	
41	42	43.52		
42		26.45.53		41.43.
43	42	41		
44	45	46.52		
45		20.26.38.42.53		46.
46	45	21.22.23.44		39
47	DET			
50	x			
51		25	26	54
52		26.41.44	42.45	54
53		26.42.45		54
54	51.52.53			
X	ORIGINAL DRAWN : 13.2.41 ISSUED : 2.9.53		SONNING SIDINGS LOCKING TABLE	
W	REG No. L40			
			S 150 /3/2	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
29	26	25.(21w28N)(32w28R)	27.28.(38w28N)	30.
30	28.29			
31	36.38	40		
32		36.(29w28R)	28.(26.27w28R)	
33	x			
34	x			
35	x1			
36		28.32.37		31
37	38	36.40		
38		20.21.45.(25w28N)		31.37.40.
39	46			
40	38	22.23.31.37	36	
41	42	43.52		
42		26.45.53		41.43.
43	42	41		
44	45	46.52		
45		20.26.38.42.53		46.
46	45	21.22.23.44		39.
47	DET			
8-50	x			
51		25	26	54
52		26.41.44	42.45	54
53		26.42.45		54
54	51.52.53			
X	ORIGINAL DRAWN : 13.2.41 ISSUED : 2.9.53		SONNING SIDINGS LOCKING TABLE	
W	REG No. L40			
			S 150 /3/2	

SONNING SIDINGS

No	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
1	2. 3.			
2		9		1
3		10	9	1
4	x			
5	x			
6	x			
7	DETONATOR			
8	9	10 14		
9		2 12 15		8 10
10	9	3 8		
11	12	14 17		
12		9 15		11 17
13	DETONATOR			
14		8 11	9 12	16
15		9 12		16
16	14 15			
17	12	11		
18	DETONATOR			
19	20 21 22			
20	27	26 28 38 45		19
21		23 38 46 (25w 28R) (29w 28N)	26 45 (27 28w 45N)	19
22		23 39 40 46	38 (36w 38R)	19
23		21 22 39 40 46	38 (36w 38R)	
24	27 28	26		
25	26 27	29 51 (21w 28R) (38w 28N)		
26		20 24 42 45 52 53		25 29
27			28	20 24 25

28		20 36		24 30
29	26	25 (21w 28N) (32w 28R)	27 28 (38w 28N)	30
30	28 29			
31	36 38	40		
32		36 (29w 28R)	28 (26 27w 28R)	
33	x			
34	x			
35	x			
36		28 37 39 32		31 40
37	38	36 39		
38		20 21 45 (25w 28N)		31 37 39 40
39	38	22 23 36 37		
40	36 38	22 23 31		
41	42	43 52		
42		26 45 53		41 43
43	42	41		
44	45	46 52		
45		20 26 38 42 53		44 46
46	45	21 44 22 23		
47	DETONATOR			
48	x			
49	x			
50	x			
51		25	26	54
52		26 41 44	42 45	54
53		42 45 26		54
54	51 52 53			

FOR F.H.D. PAGE

G.W.R. SIGNAL ENGINEER'S OFFICE, READING

SONNING SIDINGS