

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.6.7			
2	34.98	35.37.50.51.56.71.79.95.100.101. 102.119		
3	36.37.98	100.101.102		
4	5.6.7			
5	47.55.98	42.46.100.101.102		
6	98	50.51.95.97.100.101.119. (58.61w55R)	37.54.55.56. (36w37R) (34.35.71w55N). (79w37N) (42.46.47.52w55R)	
7		12.101. (88w97R). (60.63.99.100w97N)	97. (54.55.56.98w97N)	
5-10	X			
11	97.98	23.50.51.95.100.102.119. (58.61w55R)	37.54.55.56. (36w37R) (34.35.71w55N). (79w37N) (42.46.47.52w55R)	
12		7.23.102.131. (60.63.99.100w97R) (163.165.184.190.197w128R)	97.128.130 (54.55.56.98w97R)	
13	34.35			
14	47.49.50	24.42.46.133		
15	16.17.18			
16	36	31.35.37.50.73		
17		24.50.74.75.133	35.36.37.73. (34w35R) (30.31w35.73N)	
18		24.74.75.133. (58.61w50R)	50.73. (42.46.47.48.49w50R)	
19	47.57.143	25.26.27.42.46.145.156.159.160. 205. (202.203w147R)		
20	143	25.142.145.147.156.160.205. (58.61w57R)	57.141.146.157. (42.46.47.52.53w57R)	

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING MAIN LINE WEST  
LOCKING TABLE

S /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
21	143.147.151	26.145. (58.61w57R)	57. (42.46.47.52.53w57R)	
22	143.147.152	27.145. (58.61w57R)	57. (42.46.47.52.53w57R)	
23		11.12.102.131. (60.63.99.100w97R) (163.165.184.190.197w128R)	97.128.130. (54.55.56.98w97R)	
24		14.17.18.74.75.133. (58.61w50R)	50.73. (42.46.47.48.49w50R)	
25	143	19.20.142.145.147.156.160.205. (58.61w57R)	57.141.146.157 (42.46.47.52.53w57R)	
26	143.147.151	19.21.145. (58.61w57R)	57. (42.46.47.52.53w57R)	
27	143.147.152	19.22.145. (58.61w57R)	57. (42.46.47.52.53w57R)	
28	47.49.51.112.113.114.115	29.42.46		
29	47.49.51.112.113.114.115	28.42.46		
30	31	66.75.79.183.186.188.190.191		
31		16.37		
32	30			
33	x			
PERMANENT SPACE OF 4 LEVERS BETWEEN 33 & 34				
34			35	
35		2.16.37.50.73.79.191. (70w71N) (100w55N). (124.194w51.71.120N)		
36			37	
37		2.16.31.35.50.51.56.70.71.73.95. 119.124.191.194		
38	42.47.55.98	58.100.101.102		
39	42.47.49.50	58.133		
40	42.47.57.143	58.156.159.160.205. (202.203w147R)		
41	42.47.49.51	58.194. (131w124.128R). (198.199w124R)	122.123.124	
X	ORIGINAL DRAWN: ISSUED:	<u>READING M.L. WEST</u> LOCKING TABLE		
W	REG No.			
		S	/3/2	



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
42		5.14.19.28.29.46. (119w49n) (90.141.145w49.55n)		
43	46.47.55.98	61.100.101.102.178		
44	46.47.49.50	61.133.178		
45	46.47.57.143	61.156.159.160.178.205. (202.203w147r)		
46		5.14.19.28.29.42.85.90.119.145. 179. (141w49.55n) . (180w135r)		
47	(48w49r) . (52w49n)		49	
48			51. (114w51r)	
49	(50or51)			
50		2.6.11.16.17.35.37.51.56.57.70.71. 73.78.79.81.100.117.124.191.200. (99.145.206w91n) . (194w120n)		
51		2.6.11.37.50.56.57.70.78.79.81. 100.119.190.191.200. (71w73n) . (99.145.206w91n)		
52	(53w55n) . (54w55r)	119	55	
53		90		
54	<del>55</del>			
55	56			
56		2.37.50.51.57.78.79.81.93.95.119 (89.145w91n)		
57		50.51.56.90.119.141		
58	42	(6.11w55r) . (18.24w50r) (20.21.22.25. 26.27w57r) . (112.117w51r) 38.39.40.41	47.48.49.57. (52.54.55w49n) (53w49.55n) . (125w51.124r) (114.122.123.124w51r)	

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST

LOCKING TABLE

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
59	49.50.58			
60	55.58	(7w97N). (12.23w97R)		
61	46	43.44.45. (6.11w55R). (18.24w50R).	47.48.49.52.53.54.55.57.	
		(20.21.22.25.26.27w57R). (112.117w51R)	(114.122.123.124w51R)	
			(125w51.124R)	
62	49.50.61		133	
63	55.61	(7w97N). (12.23w97R)		
64	57. (58 or 61)			
65	x			
66	(69 or 70)	30.71	.	
67	x			
68	71. (69 or 70)			
69	73	74.75. (183.186.188w71N). (192w71R)	71.72	
70	.	37.50.51.73.79.119.190.191.193.	71.72.114.122.123.124	
		194.197. (192w71R). (131w124.128R).		
		(35.183.186.188w71N). (198.199w124R)		
71		2.37.50.66.75.78.79.190.191.200.		
		(51.119w73N). (100w55N).		
		(99.145.206w81.91N)		
72			71	
73		16.35.37.50.70.79.191.193.197.		
		(124.194w51.120N)		
74	71.72.73	17.18.24.69		
75	72.73	17.18.24.30.69.71		
76	(74 or 75)		133	
77	79	99.183.186.188.189.201.204.206	82.93.94.95.145	

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST  
LOCKING TABLE



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
		(101.102w95R). (202.203w148R)		
		(205w145R)		
78		50.51.56.71.79.81.90.99.119.192.		
		200.201.204.206. (101.102w95R)		
		(202.203w148R). (205w145R)		
79		2.30.35.50.51.56.70.71.73.78.81.90.		
		119.124.191.194. 200. (100w37N)		
80	81 (148w145.147R)	99.164.201.204.206. (101.102w95R)	82.93.94.95.145	
		(202.203w148R). (205w145R)		
81		50.51.56.78.79.83.90.119.200		
82			79.81	
83		81		
84	(85 or 111)			
85	(86 or 134)	46		
86	91. (87 or 144)			
87	(88 or 89)	(178w91R). (183.186.188w79R)		
		(192w71.79.81.91N)		
88	95.98	99.101.102.164.185.189.200. (7w97R)	79.81.82.91.92.94.119.120.	
			(49.50.51.93w91N)	
			(71w81.91N)	
89		95.145.164.185.189.200.206	79.81.82.91.92.94.119.120.	
		(56w91N)	(49.50.51.93w91N)	
			(71w81.91N)	
90		46.53.57.78.79.81.119.135.200.		
		(42w49.55N)		
91	90			

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST  
LOCKING TABLE

S 13/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
92	91			
93	82	56		
94	(92w91R). (93w91N)		91	
95		2.6.11. 37. 56. 89. 100. 145. 206		
96	x			
97		6. 101. 130		
98			97	
99	94. 95	77. 78. 80. 88. 119. (7w97N) (12. 23w97R)	97. 98	
		(50. 51w91N) (71w81. 91N)		
100		2. 3. 5. 6. 11. 38. 43. 50. 51. 95.	37. 55. 97. 98. (34w55N)	
		(7w97N) (12. 23w97R) (35. 71w55N)	(36w37R)	
		(79w37N)		
101		2. 3. 5. 6. 7. 38. 43. 88. 97.	95. 98	
		(77. 78. 80w95R)		
102	97	2. 3. 5. 11. 12. 23. 38. 43. 88	95. 98	
		(77. 78. 80w95R)		
103	102			
104-109	x			
PERMANENT SPACE OF 4 LEVERS BETWEEN 109 & 110				
111	120 (112 OR 117)	114		
112	124	184. 190. 197. 198. 199. (58. 61w51R)	51. 114. 115. 120. 121. 122. 123. 125.	
		(131w128R) (178w120R) (192w71R. 73N)	128. (42. 46. 47. 48. 49w51R)	
		(183. 186. 188w51. 71. 120N)		
113		128. 163. 165. 184. 190. 197. 198. 199	114. 115. 124. 125	
114	124	111	115	
115		128		

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST  
LOCKING TABLE



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
116	x			
117		124.182.191.193.194. (50w120w) (58.61w51R).(178w120R).(192w71R.73N) (183.186.188w 51.71.73.120N)	51.120.121.122.123. (73w 51.120N) (42.46.47.48.49w 51R)	
118	x			
119		2.6.11.37.46.51.52.56.57.70.78. 79.81.90.99.135.145.190.191.200. 206. (42w 49N).(71w 73N)		
120	119			
121	120		.	
122	(72w 51N)		51	
123	(121w120R).(122w120N)		120	
124		37.79.117.161.165.182.191.193.194 (50w120N).(73w 51.120N) (35w 51.71.120N)		
125	(123w124R)		124	
126	x			
127	128	131.163.165.184.190.197	114.124.125	
128	130	113.115.129.198.199		
129	130	128.131		
130		97		
131	130.(125w128R)	12.23.127.(41.70w124.128R).(112w128R)	128	
132		194		
133		14.17.18.24.39.44		
134	135	147.178.179.180.181.202.203.(160w57N)	136.150.153.154.156	
135		90.119.139		

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L. WEST

LOCKING TABLE

S

1317

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
136			135	
137	138	140.141.180.181.202.203. (160w 57N)	136.150.153.154.156	
138	141.143	142.156.160.205		
139		135.147		
140	136.139	137.141.151.152.155. (160w 57N)	150.153.154.156	
141	139	57.137.140.145.180. (42.46w 49.55N)		
142	141	20.25.138	143.146	
143	(153w147R)		147	
144	145.(148w147R).(153w148R)	164.185.189.200.201.204.205. (178w91R).(183.186.188w79R) (192w71.79.81.91N).(202.203w148R)	79.81.82.91.92.94.146. 149.157.(93w91N) (150w148R)	
145		19.20.21.22.25.26.27.46.89.95. 119.141.156.159.160.206.(42w49.55N) (50.51.56w91N).(71w81.91N) (202.203w147R.148N)		
146			145	
147		20.25.134.139.156.160.180.204.205		
148	145.147			
149			148	
150	(149w147R)		147	
151	153	140.154.156.159.179.180.201.203. (164.185.189.200w148R)	135.136.139.141.147.148.149. 150.(143.145w147R)	
152	153.154	140.159.179.180.201.202. (164.185.189.200w148R)	135.136.139.141.147.148.149. 150.(143.145w147R)	
153			156	
154		151.156.203		

X ORIGINAL DRAWN :  
ISSUED :  
W REG No.

READING M.L.WEST  
LOCKING TABLE

S 1/3/8



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
155	153.156	140.179.180.181	135.136.139.141.150.157	
156		19.20.25.40.45.138.145.147.151.154.		
		160.203.205		
157			156	
158	x			
159	147.150	19.40.45.145.151.152. (179w57N)	57.143.153.154	
160	146	19.20.25.40.45.138.145.147.156	57.143.157	
		(134.137.140.179.180w57N)		
161	49.51.58.123	124	132	
162	x			
163	49.51.58.124.125	113.127.198. (12.23w128R)	115.128	
164	81.94	80.88.89.144. (151.152w148R)	95.145.148. (146.147w145R)	
			(149.150.153.154w148R)	
165	125	113.124.127.198. (12.23w128R)	115.128	
166	x			
	4 PERMANENT SPACES BETWEEN 166 & 167			
167	177x			
178		43.44.45.134. (87.144w91R)	46.91.92.120.121.135	
		(112.117w120R)	(94.145w91R). (114.123.124w120R)	
			(125w120.124R). (136w135R)	
179	135.136	46.134.151.152.155. (159.160w57N)	147.150.153.154.156	
180	136.150	134.137.14.147.151.152.155. (160w57N).	153.154.156. (157w156R)	
		(46w135R)		
181	150.156.157	134.137.155		
182	120.123	117.124	132	
183		30.77.186.188.189.190.191. (69.70w71N)	35.50.71.72.73.79. (37w79N)	
X	ORIGINAL DRAWN: ISSUED:		READING M.L.WEST	
W	REG No.			
			LOCKING TABLE	S 13/9

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
		(87.144w79R).(112w51.71.120N)	(82.93.94.145w79R)	
		(117w51.71.73.120N)	(49.51.114.120.122.123.124w73N)	
			(125w73N124R)	
184	120.124.125	112. 113. 127. 198. (12.23w128R)	114.115.128	
185	91.94	88.89.144. (151.152w148R)	95.145.148. (146.147w145R)	
			(149.150.153.154w148R)	
186		30.77.183.188.189.190.191.	35.50.71.72.73.79. (37w79N)	
		(69.70w71N).(87.144w79R)	(82.93.94.145w79R)	
		(112w51.71.120N). (117w51.71.73.120N)	(49.51.114.120.122.123.124w73N)	
			(125w73N124R)	
187	X			
188		30.77.183.186. (69.70w71N).	35.50.71.72.73.79. (37w79N)	
		(87.144w79R).(112w51.71.120N).	(82.93.94.145w79R)	
		(117w51.71.73.120N)	(49.51.114.120.122.123.124w73N)	
			(125w73N124R)	
189	79.94	77.88.89.144.183.186	95.145.148. (146.147w145R)	
		(151.152w148R)	(149.150.153.154w148R)	
190	124.125	30.51.70.71.112.113.119.183.186.198	114.115.128	
		(12.23w128R)		
191	123	30.35.37.50.51.70.71.73.79.117.119.	132	
		124.183.186		
192		78. (69.70w71R).(112.117w71R.73N).	50.71.79. (72.73w71R)	
		(87.144w71.79.81.91N)	(49.51.56.81.82.91.93.120w71N)	
			(114.122.123.124w71R.73N)	
			(125w73N.71.124R)	
			(144.94w71.79.81.91N)	

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST  
LOCKING TABLE



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
193	71.123	70.73.117.124	132	
194	123. (42.49w51R)	37.41.70.79.117.124.132 (50w120N) (35w51.71.120N) (73w51.120N)		
195	188.191.194			
196	x			
197	71.124.125	70.73.112.113.127.198. (12.23w128R)	114.115.128	
198	125	112.113.128.163.165.184.190.197.199 (41.70w124R)	115	
199	125 (42.49w51.124R)	112.113.128.198. (41.70w124R)	115	
200	94	50.51.71.78.79.81.88.89.90.119.144. (151.152w148R)	95.145.148. (146.147w145R) (149.150.153.154w148R)	
201	94.148.150	77.78.80.144.151.152	153.154	
202	150.154	134.137.152. (19.40.45w147R). (77.78.80.144w148R). (145w147R.148N)	153	
203	150	134.137.151.154.156. (19.40.45w147R). (77.78.80.144w148R). (145w147R.148N)	153	
204	94.145.146	77.78.80.144.147	157	
205	146.157	19.20.25.40.45.138.144.147.156. (77.78.80w145R)		
206	94	77.78.80.89.95.119.145. (50.51w91N) (71w81.91N)		
207	192.200.206			
208	x			
209	178.185.206			
210	x			

X ORIGINAL DRAWN:  
ISSUED:  
W REG No.

READING M.L.WEST

LOCKING TABLE

S

/3/11

