

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	23.28.29.	4.26.33.		
2	22.28.	5.24.26.38.		
3	22.28.38.	6.24.26.		
4	23.28.29.	1.26.33.		
5	22.28.	2.24.26.38.		
6	22.28.38.	3.24.26.		
7	x			
8	x			
9	x			
10	x			
11	DETONATOR			
12	(28w24r)	14.18.51.54. (29w13n)(33.34w13r)	13.24.	
		(40.45w24r) (41w33r)		
		(46w24.38r)		
13		16.18.24.54. (41w29n.33r)		14.
14	13 (51n MSL)	12.15.	33	(41)
15	(16w18r)	14.41. (33.34w18n) (51w13r)	13.18.	
16	(28.37w24r)	13.29.31.54. (34w24n)	18	(15)
	(32w24n)	(40.45w24r) (41w33r)		
		(46w24.38r) (51w18n)		
17			18	31.(40)(41)(45)(46)54
18		12.13.29.52.53.54. (41w33n)		31.43.44.
19	28. (23.33w29r)	22.24.26.45. (46w 36n 38r)		
	(29 or 37)(37w29n)			
20	x			

X ORIGINAL DRAWN: }
ISSUED: } 5.1956
W REG No. 39

HENLEY ON THAMES

LOCKING TABLE

S 173 /3/1

*(23 w 26.29R)

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
21	(28w26R)(35w36R)*	(40.45.46 w 26R)	26	
	(29 OR 37 w 26R) (37w26R 29N)			
22	37. (37w26R 29N)	19.29.40.45. (46w38R)	26	2.3.5.6.
23	32.	24.31.34.54. (40w29R)(41w33R)	29. (26w29R)	1.4.(19)
24		2.3.5.6.13.19.23.26.29.31.33.54		43.44.52.53.
25	x			
26		1.2.3.4.5.6.19.24.36.		
27			24	40.45.(46)
28			29	1.2.3.4.5.6.(12)(16)
				19.(21)
29		16.18.22.24.38.45.54. (12w13N)		1.4.(19)(21)42.
30			29	31.(41)42.54.
31	17.18.30.	16.23.24.33.34.		
32			33	(16)23.
33		1.4.24.31.34.42.54. (12w13R)(15w18N)		(19)
34		23.31.33.41.42.54. (12w13R) (15w18N)(16w24N)		
35	36	46		(21)
36		26.38.		35.(46)
37			38	(16)(19)(21)22.
38		2.5.29.36.43.45.53.		3.6.44.(46)52
39			38	44.46.52
40	27. (17w24R) (24 OR 26)	22. (12.16w24R)(21w26R)(23w29R)	29.38.	(41)42.43.44.52.
	(51N MSL)w24R	(45w24R 26N) (46w 26w 38R) 24R		53.
		(51w18.24R)		

X ORIGINAL DRAWN: }
ISSUED: } 5.1956.
W REG No.

HENLEY ON THAMES

LOCKING TABLE

S

13/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
41	(14W13R 33N)	15.34. (12.16.23W 33R)	33	
	(17W 29N 33R)	(13W 29N. 33R) (18W 33N)		
	(30W33R)	(51W 18.33R OR 29.33R)		
	(40W 29.33R)			
	(51W MSL)W33R)			
42	29.30.40.	33.34.		
43	18.24.40.	38		
44	18.24.38.39.40.			
45	27. (17W 24R)	19.22.29.38. (12.16.21 W 26R)	26	
		(40W 24R 26W) (12.16W 24R)		
46	39. (17W 24.38R)	35. (12.16W 24.38R) (21W 26R)	26	
	(27W 38R) (36OR 38)	(22W 38R) (19W 36W) (40W 26W 38R)		
47	x			
48	x			
49	x			
50	x			
51		12. (16W 18N) (15W 13R) (40W 18.24R)		
		(41W 18.33R OR 29.33R)		
52	24.38.39.40.	18		
53	24.40.	18.38.		
54	17.30.	12.13.16.18.23.24.29.33.34.		
	V.T. 5 BAR			
	SHORT LEVER : 34			
*	FOR NEW FRAME			

X ORIGINAL DRAWN : }
ISSUED : } 5.1956 *
W REG No.

HENLEY ON THAMES

LOCKING TABLE

S /3/3