

Locking table for HINKSEY			
No.	Released by	Locks Normal	Locks both ways
1	2.4.		
2	15.	16.17.46.	
3	17.	18.	
4		18.47.48.	17.46.49.(15w46N16R). (15,16w46N).
5	15.16.	28.	29.
6		16.17.20.28.30.	29.
7		21.28.29.30.	16.20.(15w16R).(17w20N).
8	29.	21.28.30.	16.20.(15w16R).(17w20N).
9	X		
10	X		
11	X		
12	X		
13	X		
14			
15			16.
16		2.6.17.20.30.	
17		2.6.16.46.(30w20N).	
18	17.	3.4.	
19	20.	21.	29.
20		6.16.24.32.52.55.57.	
21	20.	7.8.19.	
22	28.	31.	29.
23	24.	26.28.40.	
24		20.25.27.52.55.57.(39,40w50N).	
25		24.27.40.	
26	24.	23.28.	
27		24.25.	
28	24.	5.6.7.8.23.26.30.	
29		7.	
30	(21w20R).	6.7.8.16.28.(17w20N).	29.
31	28.	22.	29.
32	(38OR40OR39).	20.50.	
33	41.(34OR35w46R).	70.	43.44.
34	46.	47.48.49.	41.43.44.
35	49.(37w50R).	52.53.54.60.	41.43.44.
36		50.52.53.54.60.	49.
37	50.(40OR39).		49.
38	52.	59.	
39		51.52.57.58.(24w50N).(53,54w50R).	50.
40	51.	23.25.55.56.(24w50N).(53,54w50R).	50.
41		45.48.54.68.71.	
42	45.	69.	43.
43			41.
44	43.		
45		41.46.68.71.	
46		2.17.45.70.71.	
47	41.44.46.	4.34.49.	
48	44.46.	4.34.41.49.	
49	46.	34.47.48.	
50		32.36.52.55.57.60.	
51		39.52.57.58.	
52		20.24.35.36.39.50.51.57.60.	
53	41.44.49.	35.36.(39,40w50R).	50.52.(51w50R).
54	44.49.	35.36.41.(39,40w50R).	50.52.(51w50R).
55	51.	20.24.40.50.	
56	50.51.(44w49R).	40.	49.
57		20.24.39.50.51.52.	
58	50.(44w49R).	39.51.	49.
59	52.	38.	
60	(44w49R).	35.36.50.52.	49.
61			
62	X		
63	X		
64	X		
65	X		
66	X		
67	X		
68		41.45.	
69	43.45.	42.	
70	41.44.	33.46.	
71	44.	41.45.46.	
72	71.		
HINKSEY LOCKING TABLE			L 8/3

No	RELEASED BY	LOCK	NORMAL	LOCK	BOTH WAYS	RELEASES
1	2.4.					
2	15.	16	17.46.			1
3	17	18				
4		18	47.48.	17	46.49. (15.16 W 46N)	1
5	15.16.	28		29.		
6		16.17. 20. 28.30.		29.		
7		21.28.29. 30.		16.20. (15W16R) (17W 20N)		
8	29	21. 28.30.		16.20. (15W 16R) (17 W 20N)		
9-13	X					
14	DETONATOR					
15		6		16		2.5.
16		2.16.17.20.30.				5.
17		2.6.16.46. (30W 20N)				3.18.
18	17.	3.4.				
19	20	21.		29.		
20		6.16. 24.32.52.55.57.				19.21.
21	20	7.8.19.				(30)
22	28	31.		29.		
23	24	26.28.40.				
24		20.25.27. 52.55.57. (39.40 W 50N)				23.26.28.
25		24.27.40.				
26	24	23.28.				
27		24.25.				
28	24	5.6.7.8.23.26.30.				22.31.
29		7				8.
30	(21W 20R)	6.7.8.16.28. (17W 20N)		29.		
X	ORIGINAL DRAWN: ISSUED:		HINKSEY (SOUTH)			
W	REG No.					
			LOCKING TABLE			S 220 /3/1

No	RELEASED BY	LOCK	NORMAL	LOCKS BOTH WAYS	RELEASES
31	28.	22.		29.	
32	(38 OR 39 OR 40)	20. 50.			
33	41. (34 OR 35 w 46R)	70.		43. 44.	
34	46.	47. 48. 49.		41. 43. 44.	(33)
35	49. (37 w 50R)	52. 53. 54. 60.		41. 43. 44.	(33)
36		50. 52. 53. 54. 60.		49	
37	50 (39 OR 40)			49	(35)
38	52	59.			(32)
39		51. 52. 57. 58. (24 w 50N) (53. 54 w 50R)	50		(32) (37)
40	51	23. 25. 55. 56. (24 w 50N) (53. 54 w 50R)	50		(32) (37)
41		45. 48. 54. 68. 71.			33. 47. 53. 70.
42	45.	69.		43	
43				41	44. 69
44	43				47. 48. 53. 54. (56)
					(58) (60) 70. 71.
45		41. 46. 68. 71.			42. 69.
46		2. 17. 45. 70. 71.			34. 47. 48. 49.
47	41. 44. 46.	4. 34. 49.			
48	44. 46.	4. 34. 41. 49.			
49	46	34. 47. 48.			35. 53. 54.
50		32. 36. 52. 55. 57. 60.			37. 56. 58.
51		39. 52. 57. 58.			40. 55. 56.
52		20. 24. 35. 36. 39. 50. 51. 57. 60.			38. 59.
53	41. 44. 49.	35. 36. (39. 40 w 50R)	50. 52. (51 w 50R)		
54	44. 49.	35. 36. 41. (39. 40 w 50R)	50. 52. (51 w 50R)		
55	51	20. 24. 40. 50.			
X	ORIGINAL DRAWN: ISSUED:		HINKSEY (SOUTH) LOCKING TABLE		S 220 / 3/2
W	REG No.				

No	RELEASED BY	LOCK	NORMAL	LOC.	BOTH WAYS	RELEASES
56	50.51. (44 w 49R)	40.		49.		
57		20.24.39.50.51.52.				
58	50. (44 w 49R)	39.51.		49.		
59	52	38.				
60	(44 w 49R)	35.36.50.52.		49.		
61	DETONATOR					
62	X					
68		41.45.				
69	43.45.	42.				
70	41.44.	33.46.				
71	44	41.45.46.				72.
72	71					
	V.T. 5 BAR 4" CTRS					
	LOCKS (N) :	2.4.54.69.71.				
	CONTACTS (4 SPRING)	1.72.				
X	ORIGINAL DRAWN: 17.10. 41. ISSUED: 25.11. 41.	HINKSEY (SOUTH)				
W	REG No.	LOCKING TABLE				S 220 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	LOCKS ON			
7			17	
8			17	
17		30		
30		17		
	LOCKS OFF			
6		20		
7		21	20 (17w 20w)	
8		21	20 (17w 20w)	
16		20		
17		(30w 20w)		
19	20	21	29	
20		6.16.24.32.52.55.57.		19.21.
21	20	7.8.19.		(30)
24		20		
30	(21w 20w)	(17w 20w)		
32		20		
52		20		
55		20		
57		20		
	RECOVERY OF LEVERS	19.20.21.		

X ORIGINAL DRAWN:
 W REG No. 860
 ISSUED: 5.9. 1944

HINKSEY SOUTH

LOCKING TABLE

S 220 /3/-