

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2.3.5					
2	17	18.20.29.40.				1
3		21.30.40.	(19W 22R)	20.22.29.	(17.18 W 20W)	1
4	40	28.33.41.		18.22.27.32.	(17 W 18R)	
5		41		40		1
6	1BS LEVER					
7	17.18.			40		
8		28.33.40.		18.22.27.29.32.		
				(17W 18R)		
9				40		
10	1BS LEVER					
11	x					
12	x					
13	x					
14	DETONATOR					
15	DETONATOR					
16	29	30				
17				18		2.7
18		2.22.27.32.41.				7.
19	20	21.24.53. (3W 22R)(40W 22N)		22 (23. 27W 22R)		
20		2.29.35.58.59.				19.21.22.
21	20	3.19. 22.				
22	20	18.21.26.32.41.				24.
23		27.32.				25.
24	22	19.		23.		(25)(28)
25	23 (24W 22R)					

X ORIGINAL DRAWN: 18.3.1931
ISSUED: 15.9.1953
W REG No. 73

WANTAGE ROAD

LOCKING TABLE

S 274 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26	27	22.28.29.41.	40	
27		18.23.32.		26.28.29.
28	27. (24w 22r)	4.8.26.29.	40.	
29	27.	2.20.26.28.40.		16.30.
30	29.	3.16.		
31	32.	33.41.	40	
32		18.22.23.27.		31.33.
33	32	4.8.31.	40	
34	35. (37w 38r)	44.53.55.56.54.	36	
35		20.58.59.		34.54.
36			35	39.54.55.57.
37	38	39.54.	35.36.	(34)
38		44.55.56.		37.39.
39	36.38.	37.		
40		2.3.8.29. (19w 22w)		4.41.
41	40	4.5.18.22.26.31.	27.32.	
42	x			
43	x			
44		34.38.55.56.59.		57.
45	x			
46	x			
47	DETONATOR			
48	DETONATOR			
49	x			
50	x			
51	x			

X ORIGINAL DRAWN :
ISSUED :
W REG No.

WANTAGE ROAD

LOCKING TABLE

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
52	x			
53		19.34.	20.22.35. (36w 35R)	61.
54	35.36.	34.37.	38.44.	
55	36.	34.38.44.		
56		34.38.44.		
57	36.44.			
58		20.35.	44.	61
59		20.35.44.		61
60			44	61
61	53.58.59.60.			
	V.T. 5 BAR			
	LOCKS (N) + LCC	2.3.5.6.7.9.10.53.54.55.56.	58.60.	
	(R) + LCC	38		
	CONTACTS (4 SPRING)	1.61.		
	(2N 2R +			
	2NA .2RE)	6.10.		
	LOCK & CIRCUIT			
	CONTROLLERS: (NB)	4.8.41.57.59.		
	(NBDR)	40.44.		
	SHORT LEVERS	1.6.10.61.		

X ORIGINAL DRAWN:
ISSUED:
W REG No.

WANTAGE ROAD

LOCKING TABLE