

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 1-5-28</u>				
27	(20 or 22)				
	<u>LOCKS OFF 30-1-35</u>				
4				12	
11	12	17			
12	14	13			
13		12			
17		11		12	
	(11 & 12 TO BECOME SPARE)				
	<u>LOCKS OFF 4-4-49</u>				
13	14	17			
14					
17		13			
	<u>LOCKS ON</u>				
5		7			
7		5			
13	(14 or 19)	(17 w 14 r)			
14					
17		(13 w 14 r). (39. 40 w 14 r)			
19					
39		41. 44. (17 w 14 r)			
40		(17 w 14 r)			
41		39			
44		39			
ORIGINAL DRAWN: ISSUED:		UFFINGTON LOCKING TABLE			D.T. 5 1/4"
REG No.					S 277 / 3 / 1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 18-11-52</u>			
3		36		
4		36		
5		7.10.30.26.38.41.42	20.22.23.24.31	
6		7.42	26.27.30.31	
7		5.6.42	26.27.30.31	
9		24.28.38.41.42.(30W27N)(39.40W22R)	20.22.23.26.27	
10	24	5.25. (39.40W22R)	23	
13	(140219)			
14		20		
15	16			
19	20	25.28.38	23.24.26.27	
20		14.22.42		
21	22	25.28.41.42	23.24.26.27	
22		20		
24	(200222)	9.27.30.38.41.42		
25	23.24	10.19.21		
26		5.42		
27	26	24.33		
28	23.27	9.19.21		
29	30			
30		5.24.31.(9W27N)		
31		30		
33		27		
36	18	3.4		
38	20.23	5.9.19.24	26.27.(30.31W27N)	
ORIGINAL DRAWN: ISSUED:		UFFINGTON		
REG No.		LOCKING TABLE		S 277 /3/2

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.18. (13.16N ESL)	14.17. (42W19R OR 41R) (47W 46N)		
2		15.20.22.		1
3		31.32.		4
4	3	5	(44.46W 6R)	
5	6	4.8. (45W44R) (47W 46R)	44.46.	
6		32.		5.8.
7			6.	8.32. (45)(47)
8	6.7. (4N ESL)	5.44.	3	
9	x			
10	x			
11	x			
12	(14 OR 17)	15.20. (47W46N)(38W19N)(42W19R OR 41R)	(41W 19N)	
13	18	14.15.19.38.46.47. (42W41R)	41	
14		1.13.19.		(12)
15		2.12.13.19.38.39.	14. 41.46.	
16	18.19. (24N ESL)	17.20.41.42.44.		
17	19	1.16.		(12)
18			19	1.13.16.
19		13.14.15.22.23. (47W46N)(42W 41R)		16.17.20.
20	19	2.12.16.24.	17.41.44.	
21	22.23.24.25			
22	(23N ESL)	2.19. (42W 41N)		21
23	(24N ESL)	19.41.42.44.		21
X	ORIGINAL DRAWN: 2.8.1961 (TABLE) ISSUED: 5.9.1961		UFFINGTON LOCKING TABLE	
W	REG No.			
				S277/3/1

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
24	(25N ESL)	20.26.41.42.44.	17.19.	21
25		26.42.45. (43w 46R)	41.44.46.	21
26		24.25.42.45. (43w 46R)	41.44.46.	
27	x			
28	DETONATOR			
29	DETONATOR			
30	x			
31		3 (43w 6N)	(44.46 w 6N)	34
32	7. (31N ESL)	3.6.44.		34
33	x			
34	31.32.			
35- 35				
38		13.15.40.46.47. (12w 19N) (42w 41R)	41	
39		15.46.47. (42w 41R)	14.17.40.41.	
40		38. (47w 46N) (42 w 41R)		
41		16.23.24.44.47.		
42		16.23.24.25.26.44.	17.19.41. (14w 41R)	(45)
		(1.12 w 19R OR 41R) (22w 41N)		
		(13.19.38.39.40. w 41R)		
43	44	45 (31w 6N) (25.26.47 w 46R)	6.46.	
44		8.16.23.24.32.41.42.		43(45) 46
45	(7w 44R) (42OR 44)	25.26.43.46. (5w 44R)	(3w 6.44R)	
46	44.	13.38.39.45.		
47	(7w 46R)	13.38.39.41. (1.12.19.40w 46N) (5.43w 46R)	46. (3w 6.46R) (14w 46N)	
X	ORIGINAL DRAWN:	UFFINGTON		
W	REG No.			S277/3/2
	ISSUED:	LOCKING TABLE		