

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	x					
2	3.6.					
3	30.90. (103w 91n)	7.9.29.31.37.42.73.				2
4	71.72.90.103.	7.46.114.116.		43.45.		
5	67.69.90.103.	7.56.				
6	90.103.	7.38.74. (32w 37N)(57w 69R)		37.42.69.72.73.		2
				(29.31 w 37N)(56w 69R)		
				(114.116 w 72R)		
7	90.103.	3.4.5.6.38.74. (32w 37N)(57w 69R)		37.42.69.72.73.		
				(29.31 w 37N)(56w 69R)		
				(114.116 w 72R)		
8	90.91.	9.38.74. (32w 37N)(57w 69R)		37.42.69.72.73.		
				(29.31 w 37N)(56w 69R)		
				(114.116 w 72R)		
9	90.91.	3.8.38.74. (32w 37N)(57w 69R)		37.42.69.72.73.		
				(29.31 w 37N)(56w 69R)		
				(114.116 w 72R)		
10	30.31. (11 or 17 or 19)	29.				
11	23.71.	14.16.46.70.114.116. (32w 31R)		43.45. (29w 31R)		(10)(28)
12	23.67.70.	14.16.56.				
13	92.100.	14.33.65.76.80.94.97.102. (57w 70R)		31.70.116. (56w 70R) (114w 116R) (154w 70N)		
14	92.100.	11.12.13.33.65.76.80.94.97.102. (57w 70R)		31.70.116. (56w 70R) (114w 116R) (154w 70N)		
15	92.	16.33.65.73.76.80.91.94.97.98.100 (57w 70R)		31.70.116. (56w 70R) (114w 116R) (154w 70N)		
W	ORIGINAL DRAWN: — ISSUED: 24.4. 1961 A		SWINDON STATION WEST LOCKING TABLE			S 298 /3/1
	REG No. 82					

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
16	92	11.12.15.33.65.73.76.80.91.94.97.98.	31.70.116. (56w70R)	
		100. (57w70R)	(114w116R) (154w70N)	
17	24.71.	46.70.114.116. (32w31R)	43.45. (29w31R)	(10)(28)
18	24.67.70.	56		
19	25.71.	22.46.114.116. (32w31R)	43.45. (29w31R)	(10)(28)
20	67.	22.56.70.77.106.108.109.		
21		22.57.79. 106.108.109.	70.71.(48.49.56.58 w77N)	
22		19.20.21.57.79.106.108.109.	70.77.(48.49.56.58 w77N)	
23	75.92.	33.65.73.76.80.91.94.97.98.102.	31.70.116. (56w70R)	11.12.53.112.
		(154w70N)	(114w116R)	
24	75 (83 OR 84)	33.85.107. (57w70R)	31.70.94.106.116.	17.18.52.113.
			(56w70R)(114w116R)	
25	75.77.	33.70.79.108.109.	31.114.116.	19.
26	37.90.	38		
27	DETONATOR			
28	29.30. (11 OR 17 OR 19 w 31R)	32.162.		
	(90w31N)			
29		3.10.35.42.73.127.145.148.154.168.		28.32.
		170. (37.100w31N)		
30			31	3.10.28.(41)
31		3.43.45.70.73.96.42.114.116.154.		10.33.
		(91.94w76N)(104w37N)		
32	29	28.(6.7.8.9 w 37N)(11.17.19 w 31R)	31. (91.103w37N)	33.96.(104)(151)
33	31.32.	13.14.15.16.23.24.25.	76.77.83.84.	(65)(79)(85)
34	35.	36.139.162.		
35		29.37.163.168.(145.148.170 w154w)		34.36.
 ORIGINAL DRAWN: — ISSUED: 24.4.1961 A		SWINDON STATION WEST LOCKING TABLE		
				S 298 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
36	35	34		
37		3. 35. 42. 73. 100. 127. 145. 148. 151. 154. 168. 170. (29W 31N)		26.38.
38	37	6.7.8.9.26.	91.103.	95.(104).150.
39	48.67.	57.58.77.106.108.109.		
40	X			
41	(30.90W 42R) (103W 42R. 91N)	(46.85 W 43R)	42.43.	
42		3.29.31.37.43.73.154.		
43		31.42.45.70.114.116.154.		(44)(46)(85)
44	71. (43 OR 45)	46.85.98. (102W 101N)		
45		31.43.70.114.116.154.		(44)(46)(85)
46	(43 OR 45)	4.11.17.19.44. (41W 43R)	72.73.76.77.83.84.	(65)(74)(79)(152)
47	48.62.	78.		
48	49			39.47.(57)59.78.
49	56	50.51.60.70.82.114. (63W 62R)		48.
50	62	49.63.160.		
51	56.67.	49.57.58.70.77.106.108.109.160.		
52	24.(56.70.67W 116N) (71W 70N)	160. (114W 56N)		
53	23.(56.67.70W 116N) (71W 70N)	160. (114W 56N)		
54	(90W 73R)(56.67.69 OR 71.72.116 OR 147.154)	57.74.160. (114W 56N)	56	
55	154. (144W 117N) (120 OR 121W 117R)	114.160.		
X	ORIGINAL DRAWN: — ISSUED: 24.4.1961 A		SWINDON STATION WEST LOCKING TABLE	
W	REG No. 82			
			S 298 /3/3	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
56		5.12.18.20. (116.154 w 114N)		49.51.(52)(53)(54)5758
57	56 (48w 49R)	21.22.39.51.54.58.	69.70.77. (75w 76R)	51.(74)81.(85)(97)
		(6.7.8.9 w 69R)(13.14.15.16.23.24.	(70.76.83.84 w 70R)	
		w70R)(160w 49R)		
58	56.	39.51.57.61.70.		59.60.62.
59	48.58.	62.		
60	58.	49.62.		
61		58.64.		
62	58	59.60.64.66.		47.50.(63)78.
63	(62 or 64)	50. (49w 62R)		
64		61.62.66.		(63)
65	(33 or 46)	13.14.15.16.23.76.73.91.94.	100	
66		62.64.		
67	(68,w 70R)		70	(54)5.12.18.20.39.(52)(53)
68			69	(67)
69	70.73.			5.(54)(74)
70		11.17.20.25.31.43.45.49.51.58.		12.18.(52)(53)69.(85)
		72.81.108.116.		(97)
71	(75w 72N)		72	(111)112.113. 4.11.17.19.44.(52)(53)(54)
72	73.	70.154.		4.(54)(74)(111)152.153.
73		3.15.16.23.29.31.37.42.65.76.80.		69.72.
		97.98.100.148.		
74	(46.72 or 57.69 or	6.7.8.9.54.111.	91.103.	(104)152.153.
	72.115.116)			
75			76.77.	23.24.25.(71)

X W	ORIGINAL DRAWN: — ISSUED: 24.4.1961 A	SWINDON STATION WEST LOCKING TABLE	S 298 /3/4
	REG No. 82		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
76		13.14.15.16.23.65.73.80.97.98. (102w 101w)(154w 70w)		77.83.84.
77	76	20.39.51.81.83.84.106.		25.79.
78	48.62.	47.		
79	77. (33 or 46)	21.22.25.		
80	114.115.116.	13.14.15.16.23.73.76.91.94.	100.	
81	57.	70.77.	106.	
82		49.114.		
83	76.	77.84.99. (102w 101R)		(24)(85)
84	76.	77.83.107.		(24)(85)
85	(33 or 43 or 45 or 57.70 or 115.116) (83 or 84)	24.44.93.105.(41 w 43R)	94.101.106. (100w 94R)	(99)(102)
86	] PERMANENT SPACES			
87				
88				
89				
90	(92w 91R)		91	3.4.5.6.7.8.9.26.(28) (41)(54)(111)
91		15.16.23.65.80.97.98.94.100.103. (154w 73w)		8.9.95.96.
92			100	13.14.15.16.23.(90)
93	94. (101w 100R)	85.99.102.	83.84.101.	
94		13.14.15.16.23.65.80.91.97.98.106. (31w 76w)		93.99.101.
95	38.91.			
X	ORIGINAL DRAWN: — ISSUED: 24.4. 1961 A		SWINDON STATION WEST LOCKING TABLE	
W	REG No. 82			
				S 298 /3/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
96	32.91.	31		
97	(57.70W 115.116N)	13.14.15.16.23.73.76.91.94. (114W 116R)	100	
98		15.16.23.44.73.76.91.94.100. (154W 70N)		
99	94. (85W 84R)	83.93.100.		
100		15.16.37.73.91.98.99.103.148. (29W 31N)		13.14.101.102.
101	94.100.			(93)(102)
102	100. (85W 84.101R) (101W 94R)	13.14.23. 93. (44.76W 101N) (83W 101R)(154W 70.101N)		
103		91.100.148. (154W 73N)		(3).4.5.6.7.(41).104.
104	103. (32OR 38 OR 74) (38W 37R)	(31W 37N)		150.(151)152.153.
105	106	85.107.	83.84. (70W 83R)	
106		20.21.22.39.51.77.94.108.109.		105.107.
107	106	24.84.105.	83.	
108		20.21.22.25.39.51.106.70.	77	
109		20.21.22.25.39.51.106.		
110	114. (120 OR 121W 117R) (144W 117 N)			
111	114. (147W 154R) (71.72.90.116 W 154N)	74.		
112	23.71.114.116.			
113	24.71.114.116.			
X W	ORIGINAL DRAWN: — ISSUED: 24.4.1961 A REG No. 82		SWINDON STATION WEST LOCKING TABLE	
			S 298 /3/6	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
114		4.11.17.19.31.43.45.49.55.82.153.157.		80.110.111.112.113.
		161. (52.53.54 w 56N) (70 w 154N)		(152) 156.158.
		(97 w 116R)		
115			114. (155) 153	(74) 80.(85)(118)(152)
116		4.11.17.19.31.43.45.70.154. (56 w 114N)	153.112.113.(152)	(54)(74) 80.(85)(111)
117	127.154.			(120)(121) 161.
118	(115 w 117R)		117	(128)
119	(120 OR 121)	154	35	
120	127. (117 w 154R) (123 OR 124 OR 125)	(160 w 56N 117R) (162 w 35.117N)	117. (114 w 117R)	(55)(110)(119)
121	127.129. (117 w 154R) (132 OR 133)	(160 w 56N 117R) (162 w 35.117N)	117. (114 w 117R)	(55)(110)(119)
122	134. (123 OR 124 OR 125)			(138)
123	141	142.158.159.161.163.166.	127.134.	(120)(122)
		(138 w 127.134N) (140 w 127N)		
124		136.141.158.159.161.163.165.129.	127.134.	(120)(122)
		(138 w 127.134N) (140 w 127N)		
125	142	158.159.161.163.167.	127.134.	(120)(122)
126	x			
127		29.37.134.145.148.156.157.168.170.		117.120.121.158.163.
128	(118 w 127R)		127.	137.158.159.161.163.
				164.165.166.167.
129		124.141.165.166.167.		121.131.132.133.137.164.
130	x			
131	129.134. (132 OR 133)			(138)
X	ORIGINAL DRAWN:	A		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 298 /3/7

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
132	129.136.	137.158.159.161.163. (138w 127.134N)(140w 127N)	127.134.	(121)(131)
133	129.	136.158.159.161.163.164. (138w 127.134N)(140w 127N)	127.134.	(121)(131)
134		127.139.		122.131.159.
135	DETONATOR			
136		124.133.141.164.165.		132.137.
137	128.129.136.	132. (139w 127N)		
138	(122 or 131 w 139N)	140.(123.124.125.132.133 w 127.134N)		
139		34.134.(137.164.165.166.167w 127N)		140.
140	139	138 (123.124.125.132.133 w 127N)		
141		124.129.136.165.		123.142.166.
142	141	123.145.166.		125.167.
143	(144 or 147)	154.162.		
144	145	156.157.168.169.	154. (114w 154R)	(55)(110)(143)
145		29.37.127.142.148.170.(35w 154N)		144.169.
146			145	167.169.
147	148	149.156.157.168.	154. (114w 154R)	(54)(111)(143)147.149.
148		29.37.73.100.103.127.145.170(35w 154N)		
149	148.155.	147.		(151)
150	38.104.			
151	(32.104 or 149)	37.		
152	72.74.104. (46 or 114.115.116.)			
153	72.74.104.115.116.	114.		
X	ORIGINAL DRAWN:		LOCKING TABLE	
	ISSUED: A			
W	REG No.		S 298 /3/8	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
154		29.31.37.42.43.45.72.116.119.143.		(54)55.117.156.157.
		163.168. (23.76.98 w 70N)(56w 114N)		
		(91.103 w 73N)(102 w 70.101N)		
155	(115w 154R)		154.	149.156.157.168.169.170.
156	114.154.155.	127.144.147.	145.148.	
157	154.155.	114.127.144.147.	145.148.	
158	114.127.128.	123.124.125.132.133.	129.136.141.142.	
159	128.134.	123.124.125.132.133.	129.136.141.142.	
160		50.51.52.53.54.55. (57w 49R)	48.49.56.58.62.	
		(120.121 w 56N. 117R)	(72.114.116.117.154w 56N)	
			(76.77.83.84 w 56N. 116R)	
			(127w 56N.117.154R)	
			(129 w 56N. 117R)	
161	117.128.	114.123.124.125.132.133.	129.136.141.142.	171.
162		28.34.143. (120.121 w 35. 117N)	29.35.37.	
			(117.127.154 w 35N)	
			(129 w 35N. 127R)	
163	127.128.	35.123.124.125.132.133.154.	129.136.141.142.	
164	128.129.	133.136. (139w 127N)		
165	128.	124.136.129.141. (139w 127N)		
166	128.141.	123.129.142. (139 w 127N)		
167	128.142.146.	125.129. (139 w 127N)		
168	155	29.35.37.127.144.147.154.	145.148.	171.
169	145.146.155.	144		
170	155	29.37.127.145.148		171.
		(35w 154N)		
X	ORIGINAL DRAWN:		LOCKING TABLE	
W	ISSUED: A			
	REG No.		S 298 /3/9	

[illegible]