

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2.3.4					
2	20.	14.21.35.44.45.49.56.				1
3		44.45.49.56.	(26w 21N)	14.20.21.35.		1
4		46.47.48.57.		44.45.56. (38w 40.45R)		1
				(40.41w 44R)(49w 45N)		
5	x					
6	x					
7	x					
8	x					
9	x					
10	DETONATOR					
11	14.20.	21.26.44.45.49.56.64.				
12	14.20.21. (44.45w 40R)	25.26.38.64.		40		
13	14.20.21.25.	26.39.42.46.64.		38		
14		2.15.19.35.65.66. (57w 49N)				11.12.13.26.
15	20.21. (44.45w 40R)	14.25.38.		40		
16	(44.45w 40R)	21.24.25.32.33.38.47.				
		(48.53.54w 35N) (57w 35N 49R)		40		
17		31.32.33.38.40.		21.24.25. (14.20w 21R)		
18	44.45.	31.32.38.47.		21.24.25. (14.20w 21R)		
19	20.21.25.	14.39.42.46.		38		
20				21		2.11.12.13.15.19.
21		11.16.23.24.28.32. (53.54.57w 35N)				12.13.15.19.27.31.
22	x					
23	25	21.28.39.42.46.		38		
24		16.21.25.32.33.35.43.47.				29.51.
X	ORIGINAL DRAWN: 26.1.1942 ISSUED:		LACOCK LOCKING TABLE			
W	REG No. 130B					S

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25		12.15.16.24.31.32.33.47.		13.19.27.28.
		(48.53.54 w 35 N)(57 w 35 N 49 R)		
26	14	11.12.13. (3 w 21 N)	20.21. (25 w 21 R)	27.31. (33)(47)
			(44.49.56 w 21 N)	
27	21.25.26.	36.37.	38	
28	25.	21.23.36.37.	38	
29	24	40.44.49.51.53.		
30		40.44.49.51.52.53.	24.35. (21 w 35 N)	
31	21.26	17.18.25.	38.40.41.45. (44 w 40 R)	
32		17.18.21.24.25. (48.53.54 w 35 N)	38.40.41.45. (44 w 40 R)	
		(57 w 35 N 49 R) 16.		
33	(26 w 21 R)	16.17.24.25.38.40.	21	
34	35.	40.44.49.52.53.64.		
35		2.14.24.65.66. (57 w 49 N)		34.52.
36	41.44.45.	27.28.46.	25	
37	38	27.28.39.40.	25	
38		12.15.16.17.18.33.47.43.		37.39.41
39	38	13.19.23.37.40.		
40		17.29.30.33.34.37.39.48.53.		41.43.45.
41	38.40.			36.42.46
42	41	13.19.23.44.45.	25	
43	40.	24.38.44.45.	21.25.	
44		2.3.11.29.30.34.42.43.53.56.		(12)(15)(16)18.36.46
		(49 w 45 N)		47.48.
45	40.	11.42.43.56.2.3.		(12)(15)(16)18.36.47.
46	41.44.45.	4.13.19.23.36	25	
X	ORIGINAL DRAWN: 26.1.1942		LACOCK	
	ISSUED:			
W	REG No.		LOCKING TABLE	
			S	/3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
47	44.45. (26w 21R)	4.16.18.24.25.38.	21	
48	44.	4.40. (16.21.25.32 w 35 N)	35	
49		2.3.11.29.30.34.53.66. (44w 45 N)		54.
50			49	54.57.66.
51	24.	29.30. (55w 49R)	49. (40.44.45 w 49 N)	
			(50.56 w 49R)	
52	35.	30.34. (55 w 49R)	49. (40.44.45 w 49N)	
			(50.56 w 49R)	
53		29.30.34.40.44.49.	35	
		(16.21.25.32 w 35 N)		
54	49.50.	56. (16.21.25.32 w 35 N)	35	
55	56.	57. (51.52w 49R) (65 w 49N)	49.50.	
56		2.3.11.44.45.54.66.		55.57.
57	50.56.	4.55. (14.35 w 49N) (65w 49R)	(35w 49R)	
		(16.21.25.32 w 49R)		
58	DETONATOR			
59	X			
60	X			
61	X			
62	X			
63	X			
64		11.12.13.34.	14.35.	67
65		14.35. (57w 49R) (55w 49N)	49.50.56.	67
66	50	14.35.49.56.		67
67	64.65.66.			
X	ORIGINAL DRAWN: 26.1.1942		LACOCK	
	ISSUED: —			
W	REG No.		LOCKING TABLE	
			S /3/3	

[illegible]