

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 11/5/34</u>	(LEVER 30 TO BE SPARE)		
9		30		
14		30		
30		9.14.31	10.12.15	
31		30		
	<u>LOCKS OFF 11/5/3?</u>	(LEVERS 5&7 TO BE SPARE)		
2		21.25		
4		5		
5		4.19.26	18.20.21.25.28	
7	20.21	10.18.34.36		
10		7		
18		7		
19		5		
21		2		
25		2		
26		5		
34		7		
36		7		
	<u>LOCKS ON</u>			
2		(25w21n). (34.36w21r)		
25		(2w21n)		
34		(2w21r)		
36		(2w21r)		
	<u>LOCKS ON 11.6.45</u>	(INSP. NORRIS, FROME)		
28		36		
36		28		
	ORIGINAL DRAWN: ISSUED:	<u>HOLT JCN</u> LOCKING TABLE		
	REG No.			S 389 /3

No.			
2		(25 w 21N) (34. 36 w 21R) ✓	
9	(12 or 20)	(34 w 12N 21R)	
10		(25 w 21N)	
17		(34 w 21R)	
25		(2.10 w 21N)	
26	(25 or 28)		
34		(2 w 21R) (9 w 12N 21R) (17 w 21R)	
36		(2 w 21R) ✓	

TWIST FRAME - TAPPET LOCKING ONLY

DRAWN : 1.1.1917
 AMENDED : 27.4.1936
 ISSUED : 11.5.1936

28 SPACE RACKS
 OLD No. : 1083

✓ = 1/c/w 534/424 ✓

Locking sketch : { 16.11.03 HF
 8.5.56

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.			
2	20	13.19.25.26. (28.29 w 21N)		1
3	20	21.25.26.28.29. (10w 15R) 14.	13.15.19.	1
4		29 (25w 21N)	26.28. (19w 21N)	1
5	20.21.	14.25. (10 w 15R)	13.15.19.	
6	x			
7	x			
8	x			
9	DETONATOR			
10	(20w 13R 15N)	12.14.16.34.35.39. (3.5 w 15R)		
		(22.37.40 w 11.13N) (24w 13R 15N)		
		(25w 13R) (29w 13R 21N OR 26R)		
11		13.26.35.36.39.		12
12	11	10		
13		2.11.19.26.35.36.39. (28w 21N)		14.15.
14	13	3.5.10.15.	21	
15	13	14.25.28.29.		16.
16	15	10		
17	x			
18	19.20.	25.29.		
19		2.13.26.28.		18.
20			21	2.3.5.(10)18.
21	22	3.23. (29w 28N)		5.
22		26.39.40. (10w 11.13N)		21.36
23		21		36.37.
24	26	29.35. (10w 13R 15N)		
X	ORIGINAL DRAWN:	HOLT JCN		
	ISSUED:			
W	REG No.	LOCKING TABLE		S /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25		2.3.5.15.18.26. (4.28 w 21N)	13.19.21.	
		(10w 13R)		
26		2.3.11.13.19.22.25.28.37.39.40.		24.
27	28	29		
28		3.15.19.26. (2.13.25 w 21N)		27.
29		3.4.15.18.24.27. (2w 21N)(21w 28N)	19.26.28.	
		(10w 13R 21N OR 26R)		
30	DETONATOR			
31	X			
32	X			
33	X			
34		10	11.13.15.	41
35		10.11.13.24.	22.26.	41
36	22.23.	11.13.		
37	23 (36N MSL)	26.39.40. (10w 11.13N)		
38	X			
39		10.11.13.22.26.37.		41
40	(39N MSL)	22.26.37. (10w 11.13N)		41
41	34.35.39.40.			
42	- 49:= X			
	V.T.5 BAR 4"			
	SHORT LEVER:	41		
X	ORIGINAL DRAWN: 8.5.1956 JWA ISSUED: 18.9.1956	HOLT JCN LOCKING TABLE		FOR NEW FRAME
W	REG No. 131			S /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.6.			
2	18	4.15.17.19.25.29.		1
3		4.16.17.25.29.	15.18.19.30.	1
4		2.3.8.14.21.22.29.44.		
5	25	14.29.	21.22.30.	
6		30.31.	25.29.	1
7	30	31.	25.29.	
8	18.19.	4.15.17.31.38.39.		
9	21.22.	16.17.	15.18.19.	
10	X			
11	X			
12	DETONATOR			
13	DETONATOR			
14	15.18.,	4.5.16.31.40. (25.29 w 19N) (38.39 w 19R)		
15		2.8.17.41.42.43.44. (31 w 26N)		14.16.
16	15	3.9.14.	18.19.	(23)
17		2.3.8.9.15.	18.19.	(23)
18			19.	2.8.14.
19	20	2		8.23.
20		43.44. (31 w 26N)		19.41.
21		4		9.23.42.
22		4.38.39. (31 w 26e)		9.23.
23	19.21.22. (16 or 17)	24		
24		23	22	
25	26	2.3. (14 w 19N)		5.
X	ORIGINAL DRAWN: ISSUED:		BRADFORD JCN	
W	REG No.		LOCKING TABLE	
			S	/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26		44.		25.39
27			26	31.39.44.
28	29	31.38.43.	26.27.30.	
29		2.3.4.5.39.44. (14w19N)		28.31.
30		6		7.35.
31	27.29.	6.7.8.14.28.(15.20.42 w 26N) (22w26R)	30	
32	X			
33	DETONATOR			
34	DETONATOR			
35	30			
36	X			
37		40.		
38		8.22.28. (14w19R)	26.27.29.	
39	26.27.	8.22.29. (14w19R)		
40		14.37.		45
41	20.	15	21	
42	21	15.43.44. (31w26N)		
43		15.20.28.42.	25.26.27.29.	45.
44	27.	4.15.20.26.29.42.		45.
45	40.43.44.			
	H.T. 3 BAR 4"			
	LOCKS (N)	: 2.3.4.5.8.9.38.39.41.42.43.44.		
	(R) WITH LCC:	37.		
	CONTACTS (N & R)	: 1.45.		
	LOCK & CIRCUIT CONTROLLERS	: 21.22.30.		
X	ORIGINAL DRAWN: 6.5.1932 ISSUED: 25.5.1934		BRADFORD JCN LOCKING TABLE	
W	REG No. 132			
			S	/3