

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.4.5			
2	21	19.23.24.46.53		1
3	20.21.22	24.46.53.65		
4		46.53.65.69. (18w24r)	19.21.23.24. (20.22w23r)	1
5		47.54	46.49.51.53	1
6	21.24	19.23.47	46	
7	20.22.23.24.21	25.47	46	
8-16	x			
17	DET			
18	19.21	26.67.69. (4.47w24r). (46.53w24n)	(46w24r)	
19		2.6.23.70. (33.41.44.72 w27n)		18.26.69
		(54w27.51n)		
20		30	22	3.7
21			19.23.24	2.3.6.7.18.25.26.65.69
22	(23 or 30)			3.7.25.64.65.66. (72)
23	27	2.6.19.30		7.25.65. (22)
24		2.3.65.69		6.7.25.26
25	21.22.23.24	7.45	20.46	
26	19.21.24	18.45	46	
27		68.70		23.28.30
28	27	30.72		29.62.63
29	28. (32w33r)	41.44.63. (51w33n). (54w51n)	31.40.43. (53w33n)	
30	27	20.23.28		64.66. (22)
31			27.30	34.41.44.63.66.70.72. (54)
32	33	62.64.68. (67w19 or 27n)	27.28.30.31.34.35.37. (22w30r)	(29)
33		41.44.63.66.70.72. (19w27n). (54w51n)		34.32

2 ORIGINAL DRAWN:
2 ISSUED:
2 REG No.

FROME SOUTH
LOCKING TABLE

VT 3BAR
S 400 / 3 / 11

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
34	31.33			62.64.68
35				37.36
36	35.(62 OR 64 OR 68)	37		
37	35	36		38
38	37.(62 OR 64 OR 68)			
39	40	41.63.66.70	27.28.30.31.33.(19W27N).(22W30R)	
40		43.53.72		39.41
41	31.40	29.33.39.(19W27N)		
42	43	44.63.66.70	33	
43		40.53.72		42.44
44	31.43	29.33.42.(19W27N)		
45	46	25.26.47	24	
46		2.3.4.53(18W24N)		45.47
47	46	5.6.7.45.(18W24R)	24	
48	49	54		
49	51	50		48
50	51	49.54		
51	53	52.(29W33N)		49.50
52	53	51.54.63.66.70	33	
53		2.3.4.40.43.46.72.(18W24N)		51.52.54
54	53.(31W51N)	5.48.50.52.(29.33W51N).(19W27.51N)	49.51	
		(63.66.70W51R)		
55	DET			
6-61	x			
62	28.34	32	35.37	(36).(38)
63	28.31	29.33.39.42.52.(54W51R)	40.43.51.53	
2	ORIGINAL DRAWN:	FROME SOUTH		S 400 / 3 / 2
8	ISSUED:			
2	REG No.	LOCKING TABLE		

