

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.5.			
2	55.	29.52.54.		1.
3	55	30.31. 52.54.56.	26.29. 32.	1.
4	53.54.	33.34.	32. (26W32R)	
5		57.58.	45.52.54.55.56.	1.
			(41.46W 52R)(53W54R)	
6	DETONATOR			
7	DETONATOR			
8	9.10.12.			
9	53.	32.56.		8
10	53.	33.34.54.56.	32. (26W32R)	8
11	55.56.	30.31.52.	26. 29. 32.	
12		(57.58W 56R)	53.54. 56.(41.46W 52.56R)	8
			(45.52.55W 56R)	
13	X			
14	X			
15	X			
16	X			
17	X			
18	X			
19	20.	21.23.46.69.	22.	
20		26.57.68.70.71.72.76. (58W36W)		19.21.22.
21	20	19.22.42.43.44.	41.46.	
22	20	21		23.
23	22	19.38.39.40.	41.	
24	26.55.	30.32.52.54.69.		
X	ORIGINAL DRAWN: 16.2.32 E.S. ISSUED: —		MALAGO VALE LOCKING TABLE	
W	REG No.			
			S	/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25	26.32.53.	33.56.69.		
26	29.	20.27.28.31.34.58.70.71.72.		24.25.30.33.
27	29.55.	26.31.32.52.54.77.		
28	32.53.	26.34.56.77.		
29		2.36.78.80.		26.27.31.32.
30	26.	3.11.24.32.	52.54.55.56.	
31	29	3.11.26.27.32.	52.54.55.56.	
32	29	9.24.27.30.31.		25.28.33.34.
33	26.32.	4.10.25.	53.54.56.	
34	32.	4.10.26.28.	53.54.56.	
35	36. (49 or 50 or 51)	78.		
36		29.46.60.72.80.		35.79.
37			36.	(47).58.
38	41.48.	23.52.60.68.	47.	
39	41.45.55.	23.56.57.		
40	45.55.56.	23.57.		
41	46.	42.43.44.		38.39.
42	46.48.	21.41.52.60.68.	47.	
43	45.55.	21.41.56.57.		
44	45.55.56.	21.41.57.		
45	46.52.			39.40.43.44.57.
46		19.36.49.50.51.58.71.72.		41.42.45.68.76.
47	(37W 46N)		46	(61) 68.72.79.
48				38.42.49.
49	48.	46.52.60.70.72.79.	20.26.36.37.47.	(35)
50	52.55.	46.56.58.70.	20.26.36.37.	(35)
X	ORIGINAL DRAWN :		MALAGO VALE	
	ISSUED :			
W	REG No.		LOCKING TABLE	
			S	/3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
51	52.55.56.	46.58.70.	20.26.36.37.	(35)
52		2.3.11.24.27.38.42.49.54.60.68. 72.79.80.		45.50.51.58.
53	(55w54R)		54.	4.9.10.25.28.
54		2.3.10.24.27.52.56.		4.
55			56	2.3.11.24.27.39.40. 43.44.50.51.(53)
56		3.9.10.25.28.39.43.50.54.		11.40.44.51.59
57	45.	5.20.39.40.43.44. (12w56R)	41.55.56.	(59)
58	37.52.	5.26.46.50.51.(12w56R)(20w36N)	55.56.	(59)
59	56. (57 or 58)			
60		36.38.42.49.52.68.72.80.		71.76.
61	(47 w 60R)		60	71.76.80.
62	x			
63	x			
64	x			
65	x			
66	x			
67	x			
68	46.47.	20.38.42.52.60.	41.	
69		19.24.25.	20.22.26. (32w26R)	73.
70		20.26.49.50.51.	36.37.45.46.47.52.60. (61w60R)	73.
71	60.61.	20.26.46.		
72	47.	20.26.36.46.49.52.60.		73.
73	69.70.72.			
X	ORIGINAL DRAWN: ISSUED:	MALAGO VALE LOCKING TABLE		
W	REG No.			
		S 1/3/3		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
74	DETONATOR			
75	DETONATOR			
76	46.60.61.	20	41.	
77		27.28.	26.29.32.	81.
78		29.35.	36.52.60.61.(37.47 w 36R)	81.
79	36.47.	49.52.		
80	61	29.36.52.60.		81.
81	77.78.80.			
	VTS BAR			
	LOCKS (N)	3.4.10.11.70.71.72.78.79.80.		
	(NR)	48.		
	CONTACTS (N)	48		
	(NR)	1.8.73.81.		
X W	ORIGINAL DRAWN: ISSUED:	<u>MALAGO VALE</u>		
	REG No.	LOCKING TABLE		S /3/4

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
	<u>LOCKS OFF</u>					
2		52.54.				
9	53	56.				
23				41		
52		2				
53						9
54		2				
56		9				
	<u>LOCKS ON</u>					
18		20.26.36.46.58.60.69.70.72.		37.52.		
20		18				
26		18				
36		18				
46		18				
58		18				
60		18				
69		18				
70		18				
72		18				
	NOTE: PREVIOUSLY	ALTERED				
49	} x 20 B/W MADE ... x (20 B/W W 36N)					
50						
51						
X	ORIGINAL DRAWN:	<u>MALAGO VALE</u>				ALTERATION
W	ISSUED: 4.1934.					
	REG No.	LOCKING TABLE				S /3