

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.6			
2	15	14.17.23.25.27.35		1
3		4.18.23.25.28.35 (13w 20w 16r)	14.15.16.17.20.27	1
4	15.16.	3.14.27.35.		
5	25	18.24.	14.15.16.23	
6		36.	25.35.	1
7	DETONATOR			
8	x			
9	x			
10	x			
11				
12		14.27.42.43.45.46.		
13	14 (15w 20w)	18.21.22.40.41. (3w 20w 16r) (15w 20w)(17w 16w)(26w 16r)		
14		2.4.12.29.43.45.46 (25w 16.20w) (27.35w 16.33w)		13.18.20
15			16	2. (13) 4
16	17	20.23.		4.19
17		2 (13w 16w)		16
18	14	3.5.13.20.	15.16.17.	19
19	16.18		25.	
20	14	16.18.23		21
21	20	13		
22	23	13.24.26.		
23		2.3.16.20.35		22.24
24	23	5.22.	25.	

R
2
8
2

ORIGINAL DRAWN:
TABLE ISSUED: AS AT 1929

REG No.

COALPIT HEATH
LOCKING TABLE

S 605 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25		2.3.27.35 (14W 16.20N)		5
26	27	22.28. (13W 16E)		
27		2.4.12.25.33.35.42.43.45.46 (14W 16.33N)		26.28
28	27	3.26.		
29		14.45.46. (35 W 33N)		42
30	31.33		29	
31	35	36.43.45	32.33.34	30
32		46 (33 W 36N)		33
33	32	27		30.44
34			33	36.44.46
35		2.3.4.23.26.25.27.44.46. (12.29W 33N)(14W 16.33N)		31.36.
36	34.35.	6.31. (32.43W 33N)		
37	x			
38	x			
39	DETONATOR			
40		13.41.42.45	12.14.20.27.29.	
41		13.40.	12.14.20.27.29.	47
42	29	12.27.31.40.		
43		12.14.27.31.45.46. (36W 33N)	33.34.35	
44	33.34	35		
45		12.14.27.29.31.40.43.	32.33.34.35	47
46	34	12.14.27.29.32.35.43.		47
47	41.45.46			
R	ORIGINAL DRAWN:			
2	TABLE ISSUED: AS AT 1929			
8	REG No.		LOCKING TABLE	S605 /3/2
2				

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.6.			
2	14.	13.18.23.25.35.27.		1
3		4.19.23.25.35.28. (11w17R)	13.14.17.18.27.	1
4	14.15.17.	3.13.35.27.		
5	25.	19.24. (11w16R)	13.14.15.16.17.23.	
6		36	25.35.	1
7	DETONATOR			
8	x			
9	x			
10	x			
11	13.14. (15OR 16 W 17R)	19.22.40.41. (3w17R) (5w16R) (18.35w17N) (20w16N)		
12		13.27.42.43.45.46. (35w33N)		
13		2.4.12 29.43.45.46. (36w33N) (25.27 w 17N)		11.19.
14			15.17.	2.4.11
15		16		4 (11)
16	17	15.20.		(11)21.
17	18	23.		4.16.20.
18		2. (11w17N)		17.
19	13	3.5.11.	14.15.16.17.18.	20.21.
20	17.19.	16.	25	
21	16.19.			
22	23	11.24.26.		
23		2.3.17.35.		22.24.
24	23	5.22.	25	

ORIGINAL DRAWN:
 ISSUED: AT 1953
 REG No. 84G

COALPIT HEATH

LOCKING TABLE

S 605/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25		2.3.35.27. (13W17N)		5
26	27.	22.28. (11W16N)		
27	27	2.4.12.25.33.35.42.43.45.46. (13W17N)		26.28.
28	27	3.26.		
29		13.45.46. (35W33N)		42.
30	31.33.		29	
31	35.	36. 45.43.	32.33.34.	30
32		46 (36W33N)		33.
33	32	27.		30.44
34			33	36.44.46.
35		2.3.4.23.25.44.46. (11W17N) 27. (12.29W33N)		31.36.
36	34.35.	6.31. (13.32.43W33N)		
37	x			
38	x			
39	DETONATOR			
40		11.41.42.45.	12.13.27.29.	
41		11.40.	12.13.27.29.	47.
42	29	12.27.31.40		
43		12.13.27.31.45.46. (36W33N)	33.34.35.	
44	33.34.	35.		
45		12.13.27.29.31.40.43.	32.33.34.35.	47.
46	34.	12.13.27.29.32.35.43.		47.
47	41.45.46.			
	H.T. 3 BAR 5 1/4"	OLD No. 20		
	* (54429)			

COALPIT HEATH

LOCKING TABLE

ORIGINAL DRAWN: 29.1.1919 *
1953

REG No.

S 605/3/2

282