

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
WHEEL (1 GL)				
1		4.17.21.24.29.38.64.65.69		
2 (WHEEL GL)				
3 x				
4 26.27		1.24.49		
5-6 x				
7 26.29		24		
8-12 x				
13 17				
14-16 x				
17		1.28.38.41.49		13
18 22.23.24.26.27		30.40.49	25	
19 22.23.24.26.29		30.37.40	25	
20 22.24.26 (27 or 29)		23.31.68. (49W 27R)	25	
21 39		1		36.(40).65
22			23.24	18.19.20.25.(42)
23 38		20.31.39.69		18.19.30.67
24		1.4.7.41		18.19.20.25
25 22.24				30.31
26			27	4.7.18.19.20
27 28				4.18.(20)
28		17.29.36.37		27
29		1.28.33		7.19.(20).32
30 23.25		18.19.37.40	26.27.29. (49W 27R)	(32)
31 25		20.23	26.27.29. (49W 27R)	(32)
32 29 (30 or 31)				

2 ORIGINAL DRAWN: 9.47  
8 ISSUED:  
2 REG No.

GLOUCESTER ROAD CSG  
LOCKING TABLE

S 628 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
33		29		
34-35x				
36	21.38	28.40.41.49		
37	38	19.28.30.39.40.41.49		
38		1.17.64.65. (50.59.70w41N)		23.36.37.40
39		23.37.64		21.
40	38.(21w39R)	18.19.30.36.37.67	28.39.41.49	
41		17.24.36.37.64.65		67.69
42	(22w41R)		41.(39w41N)	50.59.64.65.67.69.70
43	DET			
44-47x				
48	49	50.64.65.67.69	1.21.22.23.38.39.41.42	
49		4.17.18.36.37.58.70 (20w27R)		48.50
50	42.49	48.(38w41N)		
51-56x				
57	58	59.64.65.67.69	1.21.22.23.38.39.41.42	
58		49.70		57.59
59	42.58	57.(38w41N)		
60-62x				
63	DET			
64	42	1.38.39.41.48.57	49.58	
65	21.42	1.38.41.48.57	49.58	
66	x			
67	23.41.42	40.48.57	49.58	
68		20	1.22.23.24.25.41.(42w41R)	
69	41.42	1.23.48.57	49.58	

2  
2  
2  
ORIGINAL DRAWN: 9/47  
ISSUED:  
REG No.

GLOUCESTER ROAD CSG  
LOCKING TABLE

S 628 / 3 / 2

