

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.5.			
2	21.	14.17.20.23.25.		1.
3	21.	18.22.25.38.45.51.	14.17.20.	1. (19)
4		25.38.45.51.	20.	1.
5		39.47.52.	38.45.46.50.51. (42W45R)	1.
6	21.22.	18.23.25.	14.17.20.38.	(19)
7	21.23.	18.25.	14.17.20.24.	(19)
8	X			
9	X			
10	(48W51R)	35		
11	X			
12	X			
13	DETONATOR			
14		2.17.20.25.32.61.62.		
15	X			
16	17.21.	18.25.		
17		2.14.20.		16.18.
18	17.	3.6.7.16.		
19	20 (3 or 6 or 7)	61		
20		2.14.17.32.57.62.63. (47W46N)		19.
21			22	2.3.6.7.16.
22		3		6.23.26
23	22.	2.6.26.		7.24.
24	23.	27.		
25		2.3.4.6.7.14.16.	17.20.22.23.24.	26.
26	22.25.	23.34.37.	35.38.	
X	ORIGINAL DRAWN: 27.10.31. ISSUED: 19.2.64.		BRIDGWATER LOCKING TABLE	
W	REG No.			
				S 721 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	23.25.	24		
28	X			
29	24.25.			
30	X			
31	32.	33.42.61.		
32		14.20.57.62.63. (47W 46N)		31.33.
33	32	31.41. (53W 42R)	42.46. (45.55 W 42R)	
34	35. (48W 51R)	26.36.	22.23.	
35		10.38.50.		34.36.
36	35 (26W 22R)	34.48.	51	(52)
37	38	26.39.	22.23.	
38		3.4.35.45.51.		37.39.
39	38 (26W 22R)	5.37.		
40	DETONATOR			
41	42 (53W 46N)	33.47.	32.	
42		31.44.57.63.		41.46.56.59
43			42	56.57.59.63.
44	(53W 45N)	42.47.62.	20.32.	
45		3.4.38.51.55.59.63.		46.47.
46	42.45.			(47)
47	45. (46W 42R)	5.41.44.(20.32W 46N)(62W 46R)	(32W 46R)	
48	51	36.50.52.	35	(10)(34)
49	50	52		
50	51	35.48.		49.
51		3.4.38.45.		48.50.52.
52	51 (36W 35R)	5.48.49.	50	
X	ORIGINAL DRAWN:	BRIDGWATER		
W	ISSUED:			
	REG No.	LOCKING TABLE		
		S 721 /3/2		

[illegible]