

1
UP
MAIN
DISTANT
[ELECTRIC
SWITCH]
53
37
29
8
3
2

2
UP
MAIN
HOME
54
53
37
29
OR
53
37
29
OR
41
42
40
39
38
37
29

3
UP
MAIN
INNER
HOME
53
37
29

4
UP
MAIN
TO
RELIEF
INNER
HOME
54
53
37
29

5
UP
RELIEF
DISTANT
[ELECTRIC
SWITCH]
35
10
9
6

6
UP
RELIEF
HOME
35
OR
53
37
36
35
OR
41
42
40
39
38
37
36
35

7
UP
RELIEF
TO
MAIN
INNER
HOME
53
37
36
35

8
UP
MAIN
START'G

9
UP
RELIEF
INNER
HOME
35

10
UP
RELIEF
START'G

11
UP
MAIN
TO
BRANCH
INNER
HOME
41
42
40
39
38
37
29

12
UP
RELIEF
TO
BRANCH
INNER
HOME
41
42
40
39
38
37
36
35

13
UP
BRANCH
START'G

14
UP
BRANCH
SHUNT

21
UP
MAIN
DETONATORS
OFF
ON

22
UP
RELIEF
DETONATORS
OFF
ON

23
DISC
FOR
No. 24
24

24
DOWN
RELIEF
LOOP

25
LOOP
TO
DOWN
RELIEF
START'G
24

26
DISC
FOR
No. 27
54
53
37
27
OR
53
37
27
OR
41
42
40
39
38
37
27

27
MAIN
* OVER

28
DISC
FOR
No. 27
27

29
LOCK
RETAIN'G
BAR
ON
UP
MAIN
54
53
37
OR
53
37
OR
41
42
40
39
38
37

34
DISC
FOR
No. 33
33

30
UP
SIDING
TO
RELIEF
START'G
35
33

35
F.P.L.
FOR
No. 36
NIL
OR
53
37
36
OR
41
42
40
39
38
37
36

31
UP
SIDING
TO
MAIN
START'G
53
37
36
35
33

36
UP
RELIEF
FACING
MAIN

32
UP
SIDING
TO
BRANCH
START'G
41
42
40
39
38
37
36
35
33

37
F.P.L.
FOR
No. 38
54
53
OR
53
OR
41
42
40
39
38

33
UP
RELIEF
SIDING

38
UP
MAIN
FACING
BRANCH
41
42
40
39

CREECH JCN

S728/7/3

39
DOWN
BRANCH
FACING
UP
BRANCH
41
42

40
DOWN
RELIEF
FACING
MAIN

41
DOWN
RELIEF
FROM
BRANCH

42
DOWN
BRANCH
TO
LOOP
FACING
DOWN
BRANCH
41

43
F.P.L.
FOR
No. 40
NIL
OR
40

44
F.P.L.
FOR
No. 39
43
OR
40
43

45
DISC
FOR
No. 46
46

46
LOOP
SAFETY

47
F.P.L.
FOR
No. 42
NIL
OR
41
42
43
44
OR
40
41
42
43
44

48
DOWN
BRANCH
TO
LOOP
INNER
HOME
46
47
51

49
DISC
FOR
No. 50
50

50
DOWN
BRANCH
FACING
MILL
SIDING

51
F.P.L.
FOR
No. 50
47
OR
41
42
43
44
47
OR
40
41
42
43
44
47
OR
50

52
DOWN
BRANCH
TO
MILL
SIDING
INNER
HOME
50
51

53
F.P.L.
FOR
No. 54
NIL
OR
54

54
UP
MAIN
FACING
RELIEF

55
DOWN
MAIN
FACING
RELIEF

56
F.P.L.
FOR
No. 55
NIL
OR
43
55

57
LOCK
RETAIN'G
BAR
ON
DOWN
RELIEF
43
OR
40
43

58
DOWN
RELIEF
DETONATORS
OFF
ON

59
DOWN
MAIN
DETONATORS
OFF
ON

66
DOWN
RELIEF
START'G

67
DOWN
BRANCH
TO
RELIEF
INNER
HOME
41
42
43
44
47
51

68
DOWN
MAIN
START'G

CREECH JCN

5728/7/5

69
DOWN
BRANCH
TO
MAIN
INNER
HOME
40
41
42
43
44
47
51

70
DOWN
BRANCH
HOME
47
51
OR
41
42
43
44
47
51
OR
40
41
42
43
44
47
51

71
DOWN
RELIEF
TO
MAIN
INNER
HOME
40
43
57

72
DOWN
RELIEF
INNER
HOME
43
57

73
DOWN
RELIEF
HOME
43
57
OR
40
43
57

74
DOWN
RELIEF
DISTANT
[ELECTRIC
SWITCH]
43
57
66
72
73

75
DOWN
MAIN
TO
RELIEF
INNER
HOME
43
55
56

76
DOWN
MAIN
INNER
HOME
56

77
DOWN
MAIN
HOME
43
55
56
OR
56

78
DOWN
MAIN
DISTANT
[ELECTRIC
SWITCH]
56
68
76
77

ORDERED 30.10.1931

ERRONEOUS LEAD "OR 50.51" REMOVED FROM No. 70 (29.11.31)

CREECH JCN	
	5728/7/6