

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2.3.7.					
2	24.	23	(25W 30N)			1
3	24.	23.25.26.34.				1
4	22 (23.24W 30N)	25.39.				
5	22 (23.24W 30N)	25				
6	19.22.23.24.	26.34.				
7		34.		23	(19W 23R)	1
8	x					
9	x					
10	DETONATOR					
11		27.40.				
12	24.26.	23		34		
13	19.22.23.24.26.			34		
14		34.		(19W 23.26R) (23W 26R)		
15	18.24.25.					
16	17.18.19.22.	21				
17		23.27.28.40.42. (25W 21N) (41W 19N)		19.21.		16.
18	30.	(41W 19.21N)		25		15.16.
19		28.42.				6.13.16.27.40.
20				19.		27.28.40.42.
21		16.23.40.42. (30W 25N)				27.28.
22				23		4.5.6.13.16.
23		2.3.12.17.21.25.30.40.42.				(4)(5)6.13.
24				25.26.		2.3.(4)(5)6.12.13.15.
25		3.4.5.23.26.29. (2W 30N) (17W 21N)				15.
26		3.6.25.				12.13.
X	ORIGINAL DRAWN: 18.3.1943 ISSUED: H		COWLEY BRIDGE JCN LOCKING TABLE			S 829 /3/1
W	REG No. 283					

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	19.20.21.39.	11.17.		
28	20.21.	17.19.		
29		25		40.42.
30		23.40.42. (21W 25N)		18.
31	x			
32	x			
33	34		(19W 23.26R) (23W 26R)	
34		3.6.7.14.		33.
35	DETONATOR			
36	x			
37	x			
38	x			
39		4		27.40.
40	19.20.29.	11.17. 21. 23. 30.		40.
41		(17 W 19N) (18 W 19.21N)	(21.23 W 19N) (30 W 19.21N)	43.
42	20.29.	17.19. 21. 23. 30.		43.
43	41.42.			
* 44	39.40.			
	V.T. 5. BAR 4"			
* 45	DENOTES TEMP. SPARES BOLTED NORMAL			
	"STAGE 6"			
X	ORIGINAL DRAWN:	COWLEY BRIDGE JCN		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 829 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF</u>			
4	22. (23.24w 30n)	25.39.		
22				4
23				(4)
24				(4)
27	39			
39		4		27.40
40	39			
25		4		
	<u>LOCKS ON</u>			
4	5.6.7			
5	11			4
6		39		4
7				4
11				5
13		39		
16		39		
39		6.13.16.		
	5.11. 44 UNBOLTED			
X	ORIGINAL DRAWN:	COWLEY BRIDGE JCN		ALTERATION
W	ISSUED: J			
	REG No.	LOCKING TABLE		S 829 /3/-