

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.5.6.8.				
2		20.31.33.	(47W 41.43N)		1
3	(5N MSL)	20.31.33.41.43.47.63.			1
4	12.13.18.				
5		22.32.34.41.43.47.48.63.		20.31.33.	1
6	45	44.46.48.50.		41.43. (63W 43N)	1
7	44.45. (49N MSL)	46.47.		41.43.50. (63W 43N)	
8		50. (46W 44N)		44.45.48.	1
9	13.	15.16.18.26.28.52.53.			
10	13.16.	15.17.52.			
11	15. (14W 16R) (19W 14N)	17.55.56. (26W 25N)			
	(24W 25R)				
12	20	22 (52W 18R) (55W 18N)		18.21. (13.19 W 18R)	4
13	(19W 16N)			16	4.9.10.
14	15.16.				(11)(17)(28)
15		9.10.18.20.38.41.53.57.58.			11.14.
16		9.18.25.53.56.			10.14.17.
17	16 (14 W 15R)	10.11.		13.	
18		9.15.16.25.53.57.			4.54
19				15.18.26.	(11)(13)(21)27.53.
20		2.3.15.31.33.38.41.43.54.57.58.			12.22.
21	(19W 18R)			18	22.40.(46)54.57.58.
22	20.21.	5.12.		44.45. (13W 18R)	(47)
23	DETONATOR				
24	25	27.52. (55W 15R)		13.15.19.	(11)
25	26	16.18.28.53.56.			24.27.
X	ORIGINAL DRAWN: 1.1943 ISSUED: 1.1956		LOST WITH HIEL		
W	REG No. 360		LOCKING TABLE		S 13/1

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
26		9.	(11W25N)		25.53.
27	19.25.	24		13	
28	(14W15R)	9.25.53.			29.
29	28				
30	(31 OR 33)	32.34.			
31		2.3.20.33.			(30)32.
32	31	5.30.		41.43.44.45.	(47)
33		2.3.20.31.			(30)34.
34	33	5.30.		41.43.44.45.	(47)
35	DETONATOR				
36	(38 OR 41.45)	40.54.57.	(46W38N)(51W38R39N)	18.21. (13.19 W18R)	
	(37W38.39R)				
37	39	40.	(54.57W38R)	38	(36)
38		15.20.41.58.60.63.			(36)40.
39		59			37.
40	21.38. (54.57W MS4)	36.37.		39. (51W39N)	
41		3.5.15. 20.38.43.48.58.60.63.			(36)(46)
42	43.45.	46			
43		3.5.20.41.48.			42.(46)
44		6.48.			7.47.
45				44	6.7.(36)42.
46	(21W41R) (41 OR 43)	6.7.42. (8W44N)(36W38N)		44.45.	(47)
47	44.(22W20R)	3.5.7.49. (2W41.43N)		45.50.	
	(32W31R.41.43N)	(63W43N)			
	(34W33R.41.43N)				
	(46W41ROR43R)				
X	ORIGINAL DRAWN:	LOSTWITHIEL			
W	REG No.				S 13/2
	ISSUED:	LOCKING TABLE			

B

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
48		5.6. 41.43.44.50.		
49	50.	47.	44. (45w 44R)	
50		6.8.48.		49.
51		60. (36w 38R. 39N)		59.
52		9.10.24. (12w 18R)	13.14.15.16.18.19.25.26. (20.21w 18R)	
53	19.26.	9.15.16.18.28.	13.	
54	18.21.	20.36. (37w 38R)	13.38.41. (39w 38R)	
55		11. (12w 18N)(24w 15R)	14.15.18.20.21. (16.19.25.26 w 15R)	61.
56	15.19.26.	11.16.25.		
57	21.	15.18.20.36. (37w 38R)	38.41. (39w 38R)	61.
58	21. (54.57N MSL)	15.20.38.41.63.		61.
59	51	39.	38	
60		38.41.51.		61.
61	55.57.58.60.			
62	(WHEEL G.L.)			
63		3.5.38.41.58. (47w 43N)		
	V.T. 3 BAR CONV.	5 BAR 1943		
	LOCKS (N) ———	2.4.5.6.8.9.53.54.55.56.57.		
	(R) ———	48.13.19.45		
	LOCK & C.C. (NB) —	49.59.60.		
	(NBDR) —	50.51.		
	CONTACTS: (4 SPRING)	1. 61.		
	(2N) ———	3.7.40.52.58.59.60.		
	SHORT LEVERS	48.50.51.61.		
X	ORIGINAL DRAWN:	LOST WITH HIEL		
W	REG No.			S 13/3
		LOCKING TABLE		