

**Locking table for St Erth**

No.	Released by	Locks Normal	Locks both ways
1	2.6.7.		
2		4.35.37.49.55.	
3	16.	62.63.64.	22.61.
4	16.21.	2.22.25.35.37.40.48.61.66.67.	
5	49.	23.25.40.45.48.55.	16.20.21.22.
6		25.36.38.41.46.55.60.	35.37.40.45.48.49.(44w45R).
7		56.	55.
8	16.	21.32.45.51.61.62.63.	
9	44.	30.32.45.51.62.63.(52w58R).	16.18.20.21.24.26.28.
10			
11	X		
12	X		
13	X		
14	X		
15	DETONATOR		
16	20.	18.	
17	18.	19.61.	
18		16.21.26.30.45.62.63.64.	
19	18.	17.	
20	(24OR21).		21.
21		8.18.26.30.45.62.63.64.	
22	21.	4.	
23	22.	5.	16.20.40.48.49.
24	28.	26.	
25	49.	4.5.6.40.45.48.	22.
26		18.21.24.30.45.63.(56,59,67w52R).	64.
27	26.		
28	44.	30.	
29	37.	38.	
30		9.18.21.26.28.32.43.45.63. (56,59,67w52R).	64.
31	30.		
32		8.9.30.63.	
33	32.		
34	35.	36.	
35		2.4.37.49.55.	
36	35.	6.34.	
37		2.4.35.49.55.	
38	37.	6.29.	
39	40.	41.	
40	49.	4.5.25.45.48.55.	
41	40.	6.39.	
42	44.45.	46.62.	16.20.24.28.
43	44.51.	30.56.59.62.67.68.(56,59,67w52R).	16.18.20.21.24.26.28.53.55.58.64.
44			45.51.
45	49.	5.8.9.18.21.25.26.30.40.48.51.55.58.	
46	45.	6.42.	16.20.24.28.44.
47	48.	60.65.	
48	49.	4.5.25.40.45.55.	
49	52.	2.35.37.	
50	(25OR41OR46).		
51	52.	8.9.45.63.	64 stands in.
52		66.(9,63w58R).(56,59,67w26R). (56,59,67w30R).	
53			52.
54	55.	56.64.66.	51.52.53.(44w51R).
55		2.5.6.35.37.40.45.48.58.67.68.	
56	53.55. (51w52R).	7.43.54.(26,30,43w52R).	
57	58.	59.64.66.	51.52.53.(44w51R).
58		45.55.67.68.(9,63w52R).	
59	53.58. (51w52R).	43.57.(26,30,43w52R).	
60	48.	6.47.	
61		4.8.17.	16.18.20.21.22.24.26.
62		3.8.9.18.21.42.43.	16.20.24.26.28.30.44.45.51.
63		3.8.9.18.21.26.30.32.51.(52w58R).	20.24.28.44.45.
64	53.	3.18.21.54.57.	20.24.28.44.55.58.
65		47.	48.52.(53w48N).
66	53.	4.52.54.57.	55.58.
67	53.(51w52R).	4.43.55.58.(26,30,43w52R).	
68		43.55.58.	
69	65.66.67.68.		
<b>St Erth LOCKING TABLE</b>			4/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.6.7			
2		4.35.37.49.55		1
3	16	22.46.61.62.63.64		
4	16.21	2.22.25.35.37.40.43.61.66.67		
5	49	23.25.40.45.48.55	16.20.21.22	
6		25.36.38.41.46.55.60	35.37.40.45.48.49.(44w45r)	1
7		56	55	1
8	16	21.32.45.51.61.62.63		
9	44	30.32.45.51.62.63.(58w52r)	16.18.20.21.24.26.28	
10-14	x			
15	DET			
16	20	18		3.4.8.
17	18	19.61		
18		16.21.26.30.45.62.63.64		17.19
19	18	17		
20	(24w21w)		21	16
21		8.18.26.30.45.62.63.64		4.22
22	21	3.4		23
23	22	5	16.20.40.48.49	
24	28	26		(20)
25	49	4.5.6.40.45.48	22	(50)
26		18.21.24.30.45.63.64.(56.59.67w52r)		27
27	26			
28	44	30		24
29	37	38		
30		9.18.21.26.28.32.43.45.63.64.(56.59.67w52r)		31.

X ORIGINAL DRAWN:  
 ISSUED:  
 W REG No. L412

ST ERTH  
 LOCKING TABLE

S1086 /3/1

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
31	30				
32		8.9.30.63			33
33	32				
34	35	36			
35		2.4.37.49.55			34.36
36	35	6.34			
37		2.4.35.49.55			29.38
38	37	6.29			
39	40	41			
40	49	4.5.25.45.48.55			39.41
41	40	6.39		16.20.24.28	(50)
42	44.45	46.62			
43	51	30.56.59.62.64.67.68.(56.59.67w 52R)		16.18.20.21.24.26.28.53.55.58	
44				45.51	9.28.42
45	49	5.8.9.18.21.25.26.30.40.48.51.55. 58.63			42.46.
46	45	3.6.42		16.20.24.28.44	(50)
47	48	60.65			
48	49	4.5.25.40.45.55			47.60.
49	52	2.35.37			5.25.40.45.48.
50	(25 or 41 or 46)				
51	52	8.9.45.63			43.(56).(59).64.(67)
52		66			49.51
53				52	56.59.64.66.67
54	55	56.64.66		51.52.53.(44w 51R)	
55		2.5.6.35.37.40.45.48.58.67.68			54

X ORIGINAL DRAWN:  
ISSUED:  
W REG No. L412

ST ERTH  
LOCKING TABLE

S 1086 / 3 / 2



No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.6.7.			
2	(6N MSL)	4.35.37.49.55		1
3	16 (4N MSL)	22.46.61.62.63.64. (25W 21R)		
4	16.21. (5N MSL)	2.22.25.35.37.40.48.61.66.67.		
5	49 (6N MSL)	23.25.40.45.48.55.	16.20.21.22.	
6	(7N ESL)	25.36.38.41.46.55.60.	35.37.40.45.48.49.	1
7		56	55	1
8	16	21.32.45.51.61.62.63.		
9	44	30.32.45.51.62.63. (58W 52R)	16.18.20.21.24.26.28.	
10	x			
11	x			
12	x			
13	x			
14	x			
15	DETONATOR			
16	20	18		3.4.8.
17	18	19.61.		
18		16.21.26.30.45.62.63.64.		17.19.
19	18	17		
20	(24W 21N)		21	16
21		8.18.26.30.45.62.63.64.		4.22.
22	21	3.4.		23
23	22	5	16.20.40.48.49.	
24	28	26.		(20)
25	49	4.5.6.40.45.48. (3W 21R)	22	(50)
26		18.21.24.30.45.63.64. (56.59.67W 52R)		27

X ORIGINAL DRAWN: }  
 TABLE ISSUED: } 5.1958 A  
 W REG No.

ST. ERTH

LOCKING TABLE

S 1086 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	26			
28	44	30		24
29	37	38		
30		9.18.21.26.28.32.43.45.63.64. (56.59.67 w 5212)		31
31	30			
32		8.9.30.63.		33
33	32			
34	35	36		
35		2.4.37.49.55.		34.36.
36	35	6.34.		
37		2.4.35.49.55.		29.38.
38	37	6.29		
39	40	41		
40	49	4.5.25.45.48.55.		39.41.
41	40	6.39.		(50)
42	44.45.	46.62.	16.20.24.28.	
43	44.51.	30.56.59.62.64.67.68.	16.18.20.21.24.26.28.55.58.	
44			45.51.	9.28.42.43.
45	49	5.8.9.18.21.25.26.30.40.48.51. 55.58.63.		42.46.
46	45	3.6.42.	16.20.24.28.	(50)
47	48	60.65.		
48	49	4.5.25.40.45.55.		47.60.
49	52	2.35.37.		5.25.40.45.48.
50	(25 OR 41 OR 46)			

X	ORIGINAL DRAWN:	A	ST. ERTH	S1086 /3/2
	ISSUED:			
W	REG No.		LOCKING TABLE	

