

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.6.				
2		18.19.23.			1
3	(4N MSL)	19.23.43.			1
4		21.24.43.		19.23.	1
5	38.41.	40.44.59.		28.	
6		44.45.		39.41.43. (37.40w 41R)	1
7	36.38.53. (8N MSL)	9. 40. (25w30R) (27w29R)		26.28.29.30.	
8		9.52.58.62. (35w39R)		37.39.40.41.	
9		7.8.52. 58.62. (35w39R)		37.39.40.41.	
10	18.20.				
11	19.20. (4N MSL)	21			
12	x				
13	x				
14	x				
15	x				
16	DETONATOR				
17	DETONATOR				
18		2.21.			10.
19		2.3. 23.43.			11.21
20				19	10.11.
21	19	4.11.18.			
22	23	24.60.			
23		2.3.19.26.43.48.63.64. 65.			22.24.
24	23	4.22.			
25	26. (30w29R)	32.33. 54.60.61. 62.		31.	
	(38 w 30N)	(7w30R) (57w 52R)			
X	ORIGINAL DRAWN: 9.1937 ISSUED: 25.7.1951	BRENT			
W	REG No. 316				
LOCKING TABLE					S /3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26		23.28.40.43.48.63.64.		25.30.61.
27	28 (38W29N)	32.33.44.59. (57W52R)	29.31.	
28		26.40.54.62.		27.(31)(32)59.
29		40.41.52.59.61.62.		30.(31)32.
30	26.29.			(25)(31)(32)
31	(28.29 OR 30)	32.		33.
32	29. (28 OR 30)	31.25.27.		
33	31.	25.27.		
34			26	(44)54.59.61.62.
35	40. (39W41R)	37.44.55.58. (8.9W39R)		
	(52 OR 53W39N)	(52W49R)		
36	(52 OR 53)	41.54.55.58.59.61.62.(52W49R)	37.40.	7
37	40	35.55.		
38			41	5.7.(25)(27)
39	40.41.			(35)(44)
40		5.7.26.28.29.54.62.		35.37.39.55.58.
41	43.	29.36.42.45.52.58.62.		5.39.44.
42	43	41.45.63.		
43		3.4.19.23.26.48.64.65.		41.42.45.
44	41.(34W39N)(39W40R)	5.6.27.35.	37.	
45	43.	6.41.42.		
46			40	58.62.
47	48	49.51.63.		
48		23.26.43.52.64.65.		47.51
49		47.65.		57.
50	(46W52R)		48.52.	51.54.55.57.
X	ORIGINAL DRAWN:	BRENT		
	ISSUED:			
W	REG No.	LOCKING TABLE		S /3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
51	48.50.	47		
52		8.9.29.41.48.53.58.62. (35.36w 49R)		(35)(36)54.55.
53		52		7.(35)(36)
54	34.50.52. (61N MSL)	25.28.36.40.		
55	40.50.52.	35.36.37.		
56	X			
57	49.50.	(25.27w 52R)		
58	40.46.	8.9.35.36.41.52.	37.	
59	28.34.	5.27.29.36.	41.52.	
60		22.25.	23.26.30. (29.31w 36R)	66.
61	26.34.	25.29.36.	52	
62	34.46. (61N MSL)	8.9.25.28.29.36.40.41.52		
63		23.26.42.47.	41.43.48.	66.
64		23.26.43.48.		66.
65		23.43.48.49.		66.
66	60.63.64.65.			
	LOCKS (N) WITH LCC	4.5.6.23.51.60.61.63.64		
	(R) WITH LCC	20.34.38.46.50.53.		
	8 RD CONTACTS			
	LOCK & C.C. (NB)	2.10.57.65.		
	(NBDR)	18.49.		
	SHORT LEVERS	1.18.49.66.		
	CONTACTS (2N)	3.7.11.52.54.55		
	(2R)	1.66.		
X	ORIGINAL DRAWN:	BRENT		CHANGED A.P.
W	ISSUED:			
	REG No.	LOCKING TABLE		S /3