No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2					
2	32.82.83.	10.16.40.				1
3	32. 70. 102.	8.14.	4			
4	32. 70.	9.15.102.				
5	32.39.40.54.	11. 17.				
6	32.40. (39.550238.59)	12.18.				9
7	32.71.81.	13				
8	32. 70.102.	3.14.				
9	32. 70.	4.15.102.				
10	32.82.83.	2.16.40.				
11	32.39.40.54.	5. 17.				
The second second second	32.40. (39.55 or 38.59)	6.18.				
13	32.71.81.	7				
14	32.70,102.	3.8.				
15	32.70.	4.9.102.				
16	32.82.83.	2.10.40.				
17	32.39.40.54.	5.11.				
18	32.40. (39.55 oc 38.59)	6.12.				
19	32.71.80.			21	-	
20	32. (39.40.52 or 82.84)					
21	32.38.40.56. 155.					
	(57 or 115)					
22	to 30: X					
31	DETONATOR					
32	(60W 40R)(87 W 40N)			40		2.3.4.5.67.8.9.10.11.12.
						B.14.15.16.17.18.19.20.21.
X	ORIGINAL DRAWN : 13.5.	1939	NODTH DO) A D E A	СТ	
W		1953.		1	ST	6 /0/
• •	REG No. 348		LOCKING	TABLE		S /3/I

No	RELEASED BY	LC	CKS	NORMAL	LOC	CKS BOTH WAYS	RELEASES
33	44. (35W45R)	46. 173					
34	43 (36 or 42)			5			
35	45 (36 or 42)	43			44		(33)
36	45.145. (59 4 146R)	61.63.6	8.69.	154.156.177. (46 W 456	43.4	5.	(34)(35)
37	(38 or 39)	40.44.	73.				
38	60.61. (56 or 59)				40.	(44 w 40 N)	(6) (12) (18) 21. (37)
39	60.85.	61.63.1	34.14	0.149.151.178.179.18	0. 40.	(44 W 40N)	5.(6) 11.(12) 17.(18)(20)
		181.182.	183. 18	34. (93 w 86. 105 R)			(37)
		(129 W 8	6R) (1	14 w 40 N)			
40		2.10.16.	37. 63	. 135. 174. 175. 178.			5.6.11.12.17.18.(20)
		(105.131	.137 w	86N)			21.149.153.
41					40.	•	(62)(67)
42	63. (47 or 48 or 49 or				43.4	5.	(34)(35)
	49 OR 50 OR 51 OR 52						
	or 53 or 54 or 55)						
43		35.45.	61.69.				34.68.(154)
44		37.174	175.17	18.			33.46.
45		43.61.					35.36.63.154. (154)6
46	44.	33. (36	.59 W	452) (47.48.49.50.5	1. 45.		
		52.53.	54.5	5 w 45.63R)			
47	80.85.86.98.102.105.	(46 w 4	5.63R) (68.69 w 63R)	63.		(42)
	108.	(174 W 4	10.63	n)			
48	81.85.86. 98. 102.105.	(46 w 4	(46 w 45.63R) (68.69 w 63R)				(42)
	10g.	(174 w 40.63N)					
49	85.86.98.102.105.108.			180. (46 W45. 632)	63.		(42)
	111.	(68.69w	63R)(174 w 40.63N)			
	ORIGINAL DRAWN: ISSUED:				DAC	EAST	
W	REG No.	_		LOCKING	TABLE		S /3/2

No	RELEASED BY	LO	CKS NORMAL	LOCKS	BOTH WAYS	RELE	ASES
50	73.85.86.98.105.	(46 w 45	5.63R) (68.69 W 63R)	63.		(42)	
		(174 W 4	0.63 ~)				
51	83.85.86.	(46 w 45	5.63R) (68.69 w 63R)	63.	9	(42)	2 3
		(174 w 4	-0.63~1)				
52	85. (84.86 OR 139)	(46W 45	5.63R) (68.69 w 63R)	63.		(20)(42)	
		(17444	-0.63N)				
53	85.136.	61. (46W	45.63R) (68.69 w 63R)	63.		(42)	
		(174 WA	0.63N)		3		
54	85. 142.143.	61.149,	178.183. (46 w 45.63R)	63.		5.11.17. (42)
		(68.69 W	63R) (174W 40. 63N)				
55	85.144.148.	61.149.1	78. 182. (46 w 45. 63R)	63		(6)(12)(18)(42)
		(68.69 W	63e) (174 m 40. 63 m)				
56	145. (58 or 152)		69. 146.153.154.175. 177.	45.61.		21.(38)	
	(155W, 152R)	(174w .	40N 61R)				
57	58	146.152.	153.154.175.177.			(21)	
58						(56)57.	
59	145.146.148.	68.69.6	3.153.154.175.176.	45.61.		(6)(12)(1	8)(36)(38)
		(46w45	R) (174 W 40N 61R)				
60	(145 W 61 R)			61		(32) 38.	39.
61		36.39.	43.45.53.54.55.63.86			38.153.1	75.
	4	94.149	178. 182. 183. 184. (133 41322				
62	(41 W 61R)			61		153.154.	156.175.176.177.
63	45.	36.39.4	0.56.59.61.152.154.176.			42.150.	
**		177. 178.					
64	PERMANENT SPACE						
65	PERMANENT SPACE			10.			
X	ORIGINAL DRAWN:		NORTH RO	AD EA	ST		
W	REG No.					S	/3/3
	TILO 140.		LOCKING	TABLE		3	1313

No	RELEASED BY	LC	CKS	NORMAL	LOCKS	вотн	WAYS	RELEAS	ES
66	PERMANENT SPACE								
67	(41W63N)				63	its		95.(129)134.	140.149.150
							183.184	151.178.179.18	30.181.182.
68	43.45.	36.56.	59. (4	7.48.49.50.51.52.53	63.146.			(150)	
		54.55 1	163R)					~
69		36.43.	56.59	(47.48.49.50.51.52.53	44.63.14	6.		(150)	
		54.55	~ 63R	.)					
70	87.98.105. (73 OR III)	86.129) (114	W 102R)				3.4.8.9.14.1	5.
	(102.108 w 73~1)								
71	87.98.102.105.108.	86.						7.13.19.	
	(80 OR 81)			3					
72	99. (730274)								
73	101.107. (98 08 99)	93.10	2.103.1	108. 123. 130. 181.	(86 w 98 R	2)		50. (70) (72)	
	(105 W.98R)	(149.150	. 178 h	186.98R)					
74	101.103.	104.			•			(72)	
75	99.102.108.110.111.	114.122	2.						
76	99.102. 108.110. (800R8)								
77	109. 111.	114.119.							
78	81.109.				91				
79		109.113.	117. (114 W 108N)					
80	112. 113.	120.127.	151. (149.150.178 w 86.	102,108.	86 W105	5. 108R)	19.47. (71)(76)
		98.102	R)		(98.99.10				
81	112.114.	113.118.	121.128	3. 179.	102. 108. 10	the same of the sa	the state of the s	7.13.48 (71)	(76) 78.
		(149.150.178 W 86.98.102R)		(98.99.105					
82	87 (84 W 131R)			. 137. (103 w 131 w)	40	•		2.10.16.(20)	
X	ORIGINAL DRAWN			NORTH RC	DAD EA	ST			
W	ISSUED:					31		6	1011
44	REG No.			LOCKING	TABLE			S	/3/4

No	RELEASED BY	LOCKS NORMAL	LOCKE BOTH WAYE	1 55: 5: 5: 5			
83			LOCKS BOTH WAYS	RELEASES			
03	06	96.103.105.131.134.135.137.	86	2.10.16.51.			
		(149.150.178 w 86R)					
84		134.135.136. (149.150.178 w 86R	86	(20)(52)(82)			
85			86. 142.144.	39.47.48.49.50.51.			
	(100 W 86. 98R)	a a		52.53.54.55.			
86		61.70.71. 82.94. 127.128. 129. 130. 135.		47.48.49.50.51.			
		138.142.144.184. (103 w 131 N)		(52) 134. 151. 179.			
		(133 w 132R)		180.181.			
87	(88498N) (100W 98R)		98	(32) 70.71.82.			
88			131.	83.84. (85)(87)			
89	& 90 : X						
91	92	93					
92		98.102.105.108. (99w103N)		91.93.			
93	92. (98w 105R)	73.91.102.108. (39 W 86.105R)	92.105. (86W 105R)	31.33.			
		(103 w 92 w)					
94		61.86. 132.142.144.		95 138			
95	67.94.	138		(96)			
96	(95 W 94R)						
97			86.	(106)			
98		82.83.92.99.131.134.135.137.		47.48.49.50.70.71.			
	at .			(73)(93) 127. 128.129.			
				130.151.179.180.181.			
99		98.105. (92w 103N)		72.(73)75.76.103.120.			
				121.122.123.			
100	(101~102~) (110~ 102R)		102.	(85)(87)			
101			103.	73.74. (100)			
X	ORIGINAL DRAWN	NODTH DO		13.1.1. (100)			
144	ISSUED:	NORTH RO	AD EAST				
AA	REG No.	LOCKING T	LOCKING TABLE				
				S /3/5			

No	RELEASED BY	LC	OCKS NORMAL	LOCKS	BOTH WAYS	RELEASES
102		4.9.15.7	73.92.93. 103. 109. 123.			3.8.14.47.48.49. (70)71
		130.181				75.76.120.121.122.127.
						128.129.151. 179. 180.
103	99	73.83.10.	2.108.123.137. (82.86 w 131 N)			74.104.
		(9345	92~)			
104	103.106.	74.				
105		82.83.	2.99.131.134.135.137.		47.48.49.50	70.71 (73) 127.128.
		(40w8	66~)		129.130.151	179.180.181.
106	(97 W 105 R)	d		105.		104. (115) 123.130.181.
107						73.
108		73.92.	93, 103,109, 123, 130,181.		47.48.49.	(70) 71.75.76.120.121.
					122.127.128.	129, 151.179.180.
109		79.102.1	. 711.511 . 80			77.78.118.119.
110	(112 m 114R)		<i>†</i>	114.		75.76. (100)
111			•			49(70) 75.77.
112				113		80.81 (110)
113	114	79.81.10	9. 117.121.128.179.			80.120.127.151.
114		49.75.7	7.119.122.129.180. (70 w loze)			81. 113.118.121, 128.
		(79.117	M 108N)			179.
115	(106w 108R)			108		(21) (116) 119.120.122.
-	•					127. 129. 151. 180.
116	(115w 114R)			114		118.121.128.179,
117		79.109.1	13. (114w 108N)			
118	109. 114.116.	81				
119	109. 115.	77.114,				
120	99.102.108.113.115.	80.				
X	ORIGINAL DRAWN:		NORTH RO)AD FA	ST	
W					<u>J1</u>	c 1216
•••	REG No.		LOCKING	TABLE		S /3/6

No	RELEASED BY	LC	OCKS	NORMAL		LOCK	S BOT	H WAYS	RELEAS	SES
121	99.102.108.114.116.	81. 113.								
122	99. 102. 108. 115.	75. 114.								
123	99. 106.	73.102.	103.108.							
124	PERMANENT SPACE									
125	PERMANENT SPACE									
126	PERMANENT SPACE									*
127	98.102.105.108.113.115.	80.86.								
128	98.102.105.108.114.116.	81.86.1	13.							
129	98.102.105.108.115	49.70.8	6.114.	(39w 86R)	8	36				
	(67W 86R)									
130	98.105.106.	73.86.1	02.108.							
131		83.98.	05.132.	137. (404 86N)					84.(133)13	6.
132		94.131.	138.184					(3)	(133)139.14	
133	(131 or 132)	(61.86	142.144	+ w 132R)					84.136.139	
134	67.86.	39.83.	34.98.1	105.	1	31. (133013	R)	(136)(137)	
135		40. 82.8	3.84.8	6.98.105.	17	31. (103	1)(n181m)	33 w 131R)		
136	131.133. (134 w 86R)	84							(141)	
137	(134 W 86R)	82.83.9	1.201.86	03.131 (40~86~)						
138	94	86. 95.	132.142	. 144. 149. 150. 1	78.		y		53.	
		184.							,	
139	132.133.141.	140.149.	150.178.						(52)	
140	67. 132. 133.	39.139							(141)	
141	(136 OR 140 W 133R)								84.139.	
142		86.94	138.144	. 184. (133 w 132 R	.)				54. 183.	
143									54.	
144		86.94.1	38.142.	146.184. (133w 132A	2)				55.182.	
X	ORIGINAL DRAWN: ISSUED:			NORTH	ROA	AD F	AST			
W	REG No.			LOCKING		BLE			S	/3/7
										, - , ,

No	RELEASED BY	LC	OCKS	NORMAL	LOCKS	BOTH WAYS	RELEA	SES
145					146		36.56.59.	(60)
146		56.57.1	44.152.	.177.			59.176.	
147					144		176.182.	- S
148							55.59.	
149	40.67.	39.49.5	4.55.61	1.138.139. (73w86.98R)	86.94.13	52.133.142.144.		411
		(80.81 W	86.98.1	102R)(83.84W86R)	(98.105 W	186R)		
					(102.108 V	186.98R)		
					(113.114 w	86.98.102R)		
150	63.67. (68 OR 69)	138.139). (73 w	86.982)	86.94.13	2.142.144.		
		(80.81 2	86.98	5.102R)(83.84 W 86R)	(98.105 W	86R)		
					(102.108 h	186.98R)		
					(113.114 w	86.98.102R)		
					(133w 132	22)		/
151	67.86.98.102.105.108.	39.80.						19
	113.115.							
152		57.63.	146.177	٠.			(56) 155.156	o.
153	40.61.62.	56. 57. 5	59.155.		146.152.			
154	45.62. (43 or 45)	36.56.	57.59.6	3. 155.	43.146.	152.		
155	152.	153.154	. 156. 17	' 5.	y		21. (56)	
156	62.152.	36. 155			-I			
157	DETONATOR							
158	DETONATOR		3/					
159	to 172: X							13
173	*	33.37.			44		185.	1
174				n)(47.48.49.50.51.52.	40.63. (61 w 40~)	185.	
		53.54.54	5 W40.6	3n) (56.59 w 40 m 61R)		2	- 1	
X	ORIGINAL DRAWN: ISSUED:			NORTH RO	AD EA	ST		.1
W	REG No.			LOCKING 1	TABLE		S	/3/8

No	RELEASED BY	LOCKS NORM	AL	LOCKS BOTH WAYS	RELEASES
175	61.62.	40.44.56.57.59.155.		146.152.	
176	62. 146.147.	59.63.			
177	62.	36.56.57.63.146.152.			2
178	67	39.40.44.49.54.55.61	.63.138.139.	86.94.132.142.144.	185.
		(73 w 86. 98 RX 80.81 W 8	86.98.102R)	(98.105 w 86R)	
		(83.84 u 86R)		(102,108 w 86.98R)	
				(113.114 w 86.98.102R)	
				(133 w 132R)	
179	67.86.98.102.105.108.	39. 81. 113.		•	
	114.116.				
180	67.86.98.102.105.108.	39.49.114.			
	ll5.				VI
181	67.86.98.105.106.	39.73.102.108.			
182	67.144.147.	39.55.61.			
183	67. 142.	39. 54. 61.		·	
184	67.	39.61.86.132.138.142.	144.		185.
185	173.174.178.184.		The second party of the se		
*.				P	
	* SPECIAL ROTATION	LOCKING ON 173.			
	NEW LOCKING SHOWN	IN RED			,
	LOCKING TEMPORARIL	Y ON BHOWN IT	N GREEN		
	LOCKING TEMPORARIL	Y OFF SHOWN I	N YELLOW		
^	ORIGINAL DRAWN: ISSUED:	NC	ORTH RO	AD EAST	
W	REG No.		LOCKING	TABLE	S /3/9