

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.7.			
2	26.	27.28.35.46		1
3		46. (34.35 w 28N)	25.27.28.	1
4	19.26.28.	9.27.32.		
5	45	9.42.43. (37.38 w 32N)	29.31.32.	
6	45.46.	43.44.	42	
7		47.	46 (45 w 46R)	1
8	19.26.28.32.	27		
9	19.26.28	4.5.27.32.		
10	X			
11	X			
12	X			
13		21		14.23.
14	13.22.	23		
15	17. (16 w 22N) (22 w 21R)	56.57.		
16	25. (19 w 28R)	34.56. (46 w 28N)	17	(15)
17	(25 w 21N)		21	15.
18	19.30.			
19	31. (45 w 32N)	38.42.43. (34.35 w 28R)	28.29.30.33. (25.27 w 28R)	4.8.9. (16) 18.
20	X			
21		13.27.55.58.		57.
22			21	14. (15) 23.57.
23	13.22.	14		
24	X			
25	26.27.			16. (17)
26	(31 w 28R)		28	2.4.8.9.25.
X	ORIGINAL DRAWN: 20.1. 1941 ISSUED: 12. 1956 A	KEYHAM STATION LOCKING TABLE		
W	REG No. 351			S /3

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
27		2.4.8.9.21.35.55.58.				25.34.
28	29	2.				4.8.9.36.
29		30.				28.
30		29				18.38.
31				32.		19.(26)
32		4.9.42.43.				8.33.39.
33	32.	39.				40.
34	27	16.	(3W 28N)(19W 28R)	17.25.28.	(46W 28N)	(36)
35		2.27.	(3W 28N)(19W 28R)	28.	(46W 28N)	(36)
36	28 (34 OR 35)			31.32.33.		37.
37	36		(5W 32N)	42		(39)(40)
38	30	19.	(5W 32N)	31.32.33.42.		(39)(40)
39	32 (37 OR 38)	33				
40	33 (37 OR 38)					
41	42.45.	44.				
42		5.19.32.43.				41.44.
43		5.6.19.32.42.		29.31.45.46.		(47).
44	42.	6.41.		45.46.		(47)
45				46		5.6.(19).41.
46		2.3.	(16W 28N)			6.47.
47	46. (43 OR 44)	7.				
48	DETONATOR					
49	X					
50	X					
51	X					
52	X					
X	ORIGINAL DRAWN:	KEYHAM STATION				S
W	REG No.					
		LOCKING TABLE				/3

A

S

/3

[illegible]