

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	29	2.6.9.11.12.27.30.33.38.62.66.67.71		
2	29	2.5.27.30.33.38.66		
3	26.27	4.6.11.12.32.62.71		
4	26.27	3.5.32		
5	91	2.4.6.7.9.16.32.33.39.62.65.66.71. 74.77.80	27.38.(26w27r).(29.30w38w)	
6		1.3.5.7.9.32.33.39.62.65.66.71.90	27.38.(26w27r).(29.30w38w)	
7	29.30	5.6.8.12.31.36.62.66.71		
8	29.30	7.11.31		
9	26	1.5.6.10.12.27.28.30.36.62.66.67.71		
10	26	9.11.27.28.30.67		
11	65.91	1.3.8.10.12.16.28.31.36.62.67.71.74. 77.80	26.27.30.(29w30r)	
12	65	1.3.7.9.11.15.28.31.62.67.71.90	26.27.30.(29w30r)	
13	70.91	14.16.69.72.74.77.80		
14	70	13.15.69.72.90		
15	91	12.14.16.61.63.66.67.72.74.77.80. 83.86.92	60.62.65.69.70.71. (54.59w62r)	
16	91	5.11.13.15.17.50.61.63.66.67.72.74.77. 80.83.86.92	60.62.65.69.70.71. (54.59w62r)	
17		16.75.81.84.87.88.92. 15* NON-RECIP.	74.77.80.83.86.91	
18-24	x			
25	DET.			
26			27	3.4.9.10
27		1.2.9.10.28.30.33.38.67		3.4.32
28		9.10.11.12.27.30	26.65.(71w65r)	
X W	ORIGINAL DRAWN: TABLE ISSUED: REG No.	LOCKING TABLE		S 2418 /3/1

No	RELEASED BY	LO XS NORMAL	LC KS BOTH WAYS	RELEASES
29			30	1.2.7.8
30		1.2.9.10.27.28.33. (66w38n)		7.8.31
31	30	7.8.11.12	29.65. (71w65r)	(67)
32	27	3.4.5.6	26.65.71	(66)
33		1.2.5.6.27.30.38	29.65.71	
34	(36or37)	46		
35	(36or37). 45.46			
36	38	7.9.11.39.102.103.104.105	46.47. (45w46r)	(34).(35)
37		38.44.59.63.64.81.102.103.104.105	46.47. (45w46r)	(34).(35)
		106.107.108.109.110. (78w77r)		
38		1.2.27.33.37.44.106.107.109		36.39
39	38.47	5.6.36	65.71	(66)
40	45.58	44.46.48.96.97.100.101. (78w59.77r)	43	
		(63.64.81.110w59r)		
41	44.58	48.98.99.100.101. (78w59.77r)	43	
		(63.64.81.110w59r)		
42	49.58	48.96.97.98.99	43.44.45.46	
43			44	48.96.97.98.99.101.
44		37.38.40.46.96.97.104.105.107.109		41.98.99.
45			46	35.40.
46		34.40.44.96.97.101.104.105		35.102.103
47			46	39.102.103.104.105.106.107.
48	43.49	40.41.42	58	
49		59		42.48
50	53.58.59.91	16	43.44.45.46	
51	60. (52or53or76or79)	59.102.103.104.105	38	
X W	ORIGINAL DRAWN: TABLE ISSUED:		LOCKING TABLE	
	REG No.			
			S2418 /3/2	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
52	60.61.73	64.106.107. (96.97.98.99 w 59R)	54.59. (58w59R)	(51)
53	60.62	61.63.106.107. (96.97.98.99 w 59R)	54.59. (58w59R)	50(51)
54	(58w59R)		59	63.64.81. (78).100.101.108. ¹⁰⁹
55-57	PERMANENT SPACES			
58			59	40.41.42.50. (54)
59		37.49.51.108.109		50.100.101
60			61.62	51.52.53
61	62	15.16.53.63.83.86.90.92		52.64
62		1.3.5.6.7.9.11.12.66.67.71.74.77.80.		53.61.63. (93)
		100.101.108.109.110		
63	54.62	15.16.37.53.61.90. (40.41.106.107w59R)	60. (91.92w83.86w)	(88) (93)
64	54.61	37.52.73. (40.41.106.107w59R)	60	(78)
65		5.6.66		11.12.67
66	(32w27R). (39w38R)	1.2.5.6.7.9.15.16.62.65.71.90. (30w38w)	74.80. (91.92w74.80.83.86w)	(93)
67	65. (31w30R)	1.9.10.11.12.15.16.27.62.71.90	74.80. (91.92w74.80.83.86w)	(93)
68	69	72		
69	71	13.14		68
70	71			13.14.
71		1.3.5.6.7.9.11.12.62.66.67		69.70.72. (93)
72	71	13.14.15.16.68.90	69.70. (91.92w74.80.83.86w)	(88) (93)
73		64.75.77.78.83.86	61.74. (54.59.60w61R)	52
74		5.11.13.15.16.62.77.78.80.83.86.90		75. (88) (93)
75	74	17.73	91.92	(88) (93)
76	77	78.100.101.108.109	54.59	(51)
77		5.11.13.15.16.62.73.74.80.83.86.88.		76
		92.95.110		
X W	ORIGINAL DRAWN: TABLE ISSUED:		LOCKING TABLE	
	REG No.			S2418 /3/ 3

No	RELEASED BY	LO X'S NORMAL	LC X'S BOTH WAYS	RELEASES
78	(64W61R).(54W77R)	73.74.76.83.86. (37W77R)	77.92.94	
		(40.41W59.77R)		
79	80.91	81.100.101.108.109	54.59	(51)
80		5.11.13.15.16.62.74.77.83.86.90.95.110		79.81.(88).(93)
81	54.80	17.37.79. (40.41W59R)	91.92	(88)(93)
82	83.91	84		
83		15.16.61.73.74.77.78.80.86.90		82.84.(88).(93)
84	83	17.82	91.92	(88).(93)
85	86.91	87		
86		15.16.61.73.74.77.78.80.83.90.92		85.(88).(93)
87		17.85	91.92	(88).(93)
88	(63OR72OR74OR80OR83OR86)	17.77.92		
	(75W74R).(81W80R).			
	(84W83R).(87W86R)			
89	DET			
90	91.92	6.12.14.61.63.66.67.72.74.80.83.86	60.62.65.69.70.71.	
			(54.59W62R)	
91			92	5.11.13.15.16.50.79.82.85
92		15.16.17.61.77.86.88.94		90.93
93	92. (62OR66OR67OR71OR74			
	OR80OR83OR86). (75W74R)			
	(63W62R.83.86W).(81W80R)			
	(84W83R). (87W86R).(72W71R)			
94		92		
95		77.80.101.109.110		
96	43	40.42.44.46.97.101. (52.53W59R)	45.49.58.59. (60.61.62W59R)	
X W	ORIGINAL DRAWN: TABLE ISSUED:	LOCKING TABLE		
	REG No.			S2418 /3/4

No	RELEASED BY	LO XS NORMAL	LC)KS BOTH WAYS	RELEASES
97	43	40.42.44.46.96.100.105. (52.53w 59e)	45.49.58.59. (60.61.62w 59e)	
98	43.44	41.42.99.101. (52.53w 59e)	49.58.59. (60.61.62w 59e)	
99	43.44	41.42.98.100. (52.53w 59e)	49.58.59. (60.61.62w 59e)	
100	54.59	40.41.62.76.79.97.99.101.110	60.77.80	
101	43.54.59	40.41.46.62.76.79.95.96.98.100	60.77.80	
102	46.47	36.37.51.103.107	38.45	
103	46.47	36.37.51.102.106	38.45	
104	47	36.37.44.46.51.105.107	38	
105	47	36.37.44.46.51.97.104.106	38	
106	47	37.38.52.53.103.105.107.109. (63.64w 59e)	54.59.60.61.62	
107	47	37.38.44.52.53.102.104.106.108. (63.64w 59e)	54.59.60.61.62	
108	54	37.59.62.76.79.107.109.110	60.77.80	
109	47.54	37.38.44.59.62.76.79.95.106.108	60.77.80	
110	54	37.62.77.80.95.100.108. (40.41w 59e)		
	LOCKS (N): 5.11.13.15.17.50.97.99.101.103.105.107.109			
	LOCKS (N) WITH DET. CONTACT : 1.3.7.9.110			
	LOCK (R) WITH RD CONTACTS: 26.29.43.45.47.54.58.60. 91			
	LOCK (R) WITH DET. CONTACT: 94			
	CONTACT (2 SPRING): 2.4.8.10.95			
X W	ORIGINAL DRAWN: 13-4-38 (AJM)		GLOUCESTER EAST	
	TABLE ISSUED: 22-4-47			
	REG No. 432 A		LOCKING TABLE	
			V.T. 5 BAR 4"	
			S 2418 /3/5	