

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	7	33.35		
2	7	4.18.23.25.33.35		
3		4.9.18.23.25	7.8	
4	14	2.3.16.18.23.29.31		
5	14.15	16.31		
6	S/L X			
7		8		1.2.
8		7		9.34.
9	8	3.18.23.34.35		10.11.12.
10	9	11.13.32.33	12	
11	9	10.12		
12	9	11		13.
13	12	10		
14		26		4.5.
15	25	26.29		5.16.
16	15	4.5	14	
17	18	19.34	7.8	
18		2.3.4.9.23.25.35		17.19.
19	18	17		
20	21	24		
21	23	22		20.
22	23	21.24		
23		2.3.4.9.18.25		21.22.24.
24	23	20.22	21	
25		2.3.18.23		15.26.29.
26	25	14.15.35		32.
2 2 8 2	ORIGINAL DRAWN: TABLE ISSUED:		ANDOVERSFORD JCN LOCKING TABLE	VT.3BAR 4"
	REG No.			S 2444/3/1

[illegible]

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 28/11/23</u>			
1		14.18.23.25		
2		9		
3	25			
9		2		
14		1		
18		1		
23		1		
25		1		3
	<u>LOCKS ON 28/11/23</u>			
2	7	33.35		
3		9.14.18.23.25	7.8	
4	25			
7				2
9		3		
14		3		
18		3		
23		3		
25		3		4
33		2		
35		2		
R 2 8 2	ORIGINAL DRAWN: ISSUED:	<u>ANDOVERSFORD JCN</u> LOCKING TABLE		ALTERATION
	REG No.			S2444 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF 11-6-28</u>			
2		14		
3		14		
4	25			
9		15		
14	15	2.3.16.30		
15		9.23.31.32		14.
16		14		
23		15		
25				4
30		14	15	
31		15	27	
32		15		
	<u>LOCKS ON 11-6-28</u>			
2		4		
3		4		
4	14	2.3.16.18.23.29.31		
5	14.15	16.31		
14		26		4.5.
15	25	26.29		5.
16		4.5	14	
18		4		
23		4		
25				15.29
26		14.15		

ORIGINAL DRAWN :
ISSUED :

REG No.

ANDOVERSFORD JCN

LOCKING TABLE

S 2444 /3/4

[illegible]