

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.			
2	66	28.42.65.68.86.		1
3		32.45.67.120.	28.42.86. (62w 65R. 86N)	1
			(63.64.65.66.68w 86N)	
4-12	X			
13	DETONATOR			
14	26	31. (136w 29R. 134N)	28.29.	
15	27	26.31. (136w 29R. 134N)	28.29.	
16		27.32.34. (38w 29R)	28.29.	
		(136w 29R. 134N)		
17	28.66.	31.32.	26.27.	
18		25.28.29.31.34.41.68.	26.27.42.	
19	29	31.38. (136w 134N)	26.27.	
20		24.27.35. (38w 29N)	25	
		(136w 29.134N. 30R)		
21	24.	33. (136w 29.134N. 30R)	25.	
22	30.	29.33.38. (136w 134N)	24.	
23	25	33.35.	24.42.	
24		20.26.		21.(25)33.
25	(24w 27R)	18.30.34.41.68. (31w 28N)		23.35.
26	27.	15.24.		14.
27		16.20. (30w 24.29N)		15.26.31.
28		2.18.29.34.42.65.68.86.		17.32.
29	30.	18.22.28.33.34.		19.(122)
30		25.37.39.41. (27w 24.29N)		22.29.38.
31	27.	14.15.17.18.19. (25w 28N)	26.28.29.	(32)(34)(38)
X	ORIGINAL DRAWN: 26.4. 1940 ISSUED: 6.11. 1948		SEVERN TUNNEL JUNCTION WEST	
W	REG No.		LOCKING TABLE	
				S 1215/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
32	28 (31W 27R)	3.16.17.	66	
33	24	21.22.23.29	25.30.41.	(35)(38)
34	(31W 27R)	16.18.25.28.29.40.41.53.68.	42	(43)
35	25 (33W 24R)	20.23.40.53.	42	(43)
36	41	44	42	
37		30.39.41. (136W 134N)		
38	30 (31W 27.29R)	19.22.131. (16W 29R) (20W 29N)	29.134.135.	
	(33W 24R.29N)	(132.133W 134N)		
39		30.37.41.131. (132.133W 134N)	134.135.	
40	42	34.35.44.	25.29.41.	
41		18.25.30.34.37.39.68.(136W 134N)		36.44.
42		2.28.53.65.68.70.86.		40.45.
43	(34 OR 35)	54.		(45)(70)
44	41.	36.40.53.54.	42.	(45)(70)
45	42 (43 OR 44)	3.		
46	66.68.	65.		
47	] PERMANENT SPACES]			
48				
49				
50				
51	62.64.	69.		
52	63.64.			
53		34.35.42.44.69.	25.41.64.68. (28W 25. 41N)	
			(29W 68N) (62W 64R)	
			(63.65.66. W 68R)	
54		43.44.69.135.	42.68.	
X	ORIGINAL DRAWN: ISSUED:		SEVERN TUNNEL JUNCTION WEST	
W	REG No.			
LOCKING TABLE				S 1215/3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
55	62.76.	88.122.	87	
56	75	122	87	
57	100	79.		
58	(77 OR 78)	76.104.108.118.119.121. (122W 80N)	79. (87W 78.80N)	(100)
59	87.	88.121.122.	75.76.77. (62W 76R)	
60	62.65.	67.68.86.		
61	63	68.86.		
62	(65W 76N)	63.75.		51.55.60.67.69.88.
63	65.	62		52.61.
64	65.68.			51.52.69.
65	82	2.28.42.46.		60.63.64.67.
66			68	2.17.46.
67	62.65.	3.60.68.86.		
68		2.18.25.28.34.41.42.60.61.67.		46.64.
69	62.64.	51.53.54.		(70)
70	(43 OR 44 OR 69)	42.	135.	
71	X			
72	X			
73	X			
74	X			
75	76.	62.		56.
76	77	58.82.121.		55.75.88
77		80.		(58) 76.121.
78	86.	120. (118.119 W 80R)	80.81.82.	(58)
79		57.95.102.104.118.		119.
80	82.	77.		(120) 129.
X	ORIGINAL DRAWN: ISSUED:		SEVERN TUNNEL JUNCTION WEST	
W	REG No.			
			LOCKING TABLE	
			S 1215/3/3	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
81			82	120, 129, 144.
82		76. 84. 144.		80. 65.
83	84.	85.	81.	
84		82. 86. 87. 112. 124. 144. (100w 108R)		83. 85.
85	81. 84.	83.		
86		2. 28. 42. 60. 61. 67. 84. 129. 144. (104. 108 w 82R)		78. 120.
87		84.		59. 122.
88	62. 76.	55. 59.	87.	
89	] PERMANENT SPACES			
90				
91				
92				
93	(94w 103R)	110. 111.	109.	
94	103. (101 w 112N)	114. 126.		(93)
95		79. 115. 116. 117.		
96	102. (97 or 101 w 112N)	115. 117. 126.		
97	105.	104. 115. 116.	102.	(96)
98	109.	111.		
99		103. 109. 110.		
100	(58 or 104 or 108) (101 w 104R. 106N)	118. 119. 123. 128. (84. 124 w 108R)	79	57.
101	113	114. 115. 117. 125. 127 (118 w 104R)	102. 103. 104.	(94)(96)(100)
102		79. 103. 104.		96. 115.
103		99. 102. 104. 105. 109. 110. 117.		94. 114.
X	ORIGINAL DRAWN:	SEVERN TUNNEL JUNCTION WEST		
W	ISSUED:			
	REG No.	LOCKING TABLE		
		S 1215/3/4		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
104		58.79.97.102.103.108.116.117.121.129. (86W82R)(122W76N.77R)		(100)106.125.
105		103.109.112.113.117.125.		97.106.116.
106	104.105.			128.
107	x			
108		58.104.112.121.129. (86W82R)(122W76N.77R)		(100)123.
109		99.103.105.110.		98.111.
110		93.99.103.109.		
111	109.	93.98.		
112		84.105.108.113.124.		126.
113		105.112.		101.127.
114	103	94.101.	112.113.	
115	102	95.96.97.101.	105.112.113.	
116	105	95.97.104.	102	
117		95.96.101.103.104.105.	102.112.113.	
118		58.79.100. (78W80R) (101W104R)	80.104.106.108. (76.77W104.108N) (81.86W80R)(105.112W104R)	
119	79	58.100. (78W80R)	80.108. (76.77W108N) (81.86W80R)	
120	81.86. (80W82R)	3.78.	(79W82R)	
121	77	58.59.76.104.108.	79.87.	
122	87. (29W30R76N.77R)	(58W80N)(104.108W76N.77R)	76.77.	
123	108	100	79.84.	
124		84.112. (100W108R)	108	
X	ORIGINAL DRAWN: ISSUED:		SEVERN TUNNEL JUNCTION WEST	
W	REG No.			
LOCKING TABLE				S 1215/3/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
125	104.	101.105.		
126	112.	94.96.	103.104.	
127	113	101	103.104.	
128	106	100		
129	80.81.	86.104.108.	79.	
130	134	136	29.30.41.135.	
131		38.39.134.136.	135	
132		135. (38.39 w 134N)	134.	
133	135	136. (38.39 w 134N)	134.	
134		131		130.
135		54.132.		133.136.
136	135	130.131.133. (14.15.16 w 29R. 134N)	134. (29.30 w 134N)	
		(19.22.37.41 w 134N)		
		(20.21 w 29.134N. 30R)		
137	DETONATOR			
138	-143: X			
144	81	82.84.86.		145.
145	144			
146	145			
	LOCKS (N)	2.3.85.144.		
	(NR)	79		
	CONTACTS (2 SPRING)	46.129		
	(4 SPRING)	1.145.146.		
X	ORIGINAL DRAWN: ISSUED:	SEVERN TUNNEL JUNCTION WEST		
W	REG No.	LOCKING TABLE		S 1215/3/6

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
1	16.19. (65W 18R)	29. (35W 18N)(54W 18. 20. 53N OR 52N. 20. 53R)(55W 20R. 52N) (66. 67. 101W 18R)	20	
2	17.19. (65W 18R)	16. 29. (35W 18N)(54W 18. 20. 53W OR 52N. 20. 53R)(55W 20R. 52N) (66. 67. 101W 18R)	20	
3	19. (65W 18R)	17. 29. (35W 18N)(54W 18. 20. 53N OR 52N. 20. 53R)(55W 20R. 52N) (66. 67. 101W 18R)	20.	
4	19. 20.	29. (54W 52N. 53R) (55W 52N)	16. 17.	
5	19. 25.	14. 18. 20. 23. 29. 35. 68. (54W 53N)	16. 17.	
6	18. 19. 65.	29. 66. 67. 101.	16. 17.	
7		13. 17. 31. (32. 35W 14R)(33W 20N) (54W 14R. 53N OR 20. 52N. 21. 53R) (55W 20. 52N. 21R)	14	
8	13.	31. (32. 35W 14R)(33W 20N) (54W 14R. 53N OR 20. 52N. 21. 53R) (55W 20. 52N. 21R)	14.	
9	21	20. 31. 33. (54W 52N. 53R) (55W 52N)	13.	
10	14. 25.	31. 32. 35. (54W 53N)	13	
11	23. 25.	35. (54W 53N)		
12	24. 25.	32. 35.	14. 20. 23.	
13		7. 16.		8.
14		5. 21. 23. 68. (17W 13N)(29W 18N)		10.
X ORIGINAL DRAWN: 6. 2. 1960. ISSUED: 10. 3. 1960.		S.T. JCN WEST		S 1216 /3/1
W REG No.		LOCKING TABLE		

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
15	x			
16	17	2.13.		1.
17		3.7. (14.31w13N)(21w13.20N)		2.16.
18		5.20.24.64.68.99.103.		6.30.
		(32w14N)(35w14.23N)		
19			18	1.2.3.4.5.6.
20	21.	5.9.18.31.32.35.		4.
21		14.22.23.34. (17w13.20N)		9.20.33.
22		21.23.34. (54w52N53R)(55w52N)		
23		5.14.21.22.32.34.68.		11.
24		18.40.64.66.67.68.70.99.101.103.		12.36.
		(54w53N)		
25			24	5.10.11.12.37.38.39.40.
26	x			
27	x			
28	x			
29		1.2.3.4.5.6. (14w18N)	16.17.18.20.	30.(32)(33)
30	18.29.	104.		
31		7.8.9.10.20. (17w13N)	13.14.21.23.	
32	(29w14N)	10.12.20.23.40.68.(7.8w14R)	14.24. (13w14R)	
		(18w14N)		
33	21 (29w20R)	9.43. (7.8w20N)(44.46w52N)	52.(13w20N)(53w52N)	
34		21.22.23.43. (44.46w52N)	52. (53w52N)	
35		5.10.11.12.20.40.68.(1.2.3w18N)	14.23.24.	36.(70)
		(7.8w14R).(18w14.23N)(41w24N)		
36	24.35.	104.		
X	ORIGINAL DRAWN: ISSUED:		S.T. JCN WEST LOCKING TABLE	
W	REG No.			
				S1216 /3/2

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
37	25.60.61.63.64.65.	69. (54W53N)		
38	25.61.62.63.65.	(54W53N)		
39	25.65.68.	63.64.69. (54W53N)		
40	25.	24.32.35.69. (54W53N)	14.23.63.68. (20W68N)	
			(60W63R)(62.64W68R)	
41		53.54.69. (35W24N)	68.	
42	52.	55. (54W53R)	53	
43		33.34.52.55. (54W53R)	20.21.23.53.	
44	53	54 (33.34W52N)	52	
45		54.56.	53	
46		53.55. (33.34W52N)	52.56.	
47	] PERMANENT SPACES]			
48				
49				
50				
51	56.	55.	53.	
52		43.		42.
53		41.46.55.		44.
54		41.44.45. (1.2.3W52N.20.53R OR 18.20.53N)(4.9.22W52N.53R) (5.10.11.24.37.38.39.40W53N) (7.8W14R.53N OR 20.52N.21.53R) (42.43W53R)	53. (20.21W52N.53R) (52W53R)	
55		42.43.46.51.53. (1.2.3W20R52N) (4.9.22W52N)(7.8W20.52N21R)	52. (20.21W52N)	
X	ORIGINAL DRAWN:	S.T. JCN WEST		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 1216 /3/3

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
56		45		51.
57	60.61.64.65.	66.67.68.101.		
58	61.62.65.	68.101.		
59	60.61.87.	94.95.	93.	
60	(64 OR 88)	62.86.		37.57.59.(66)(67)(69)(94)
61			62.64.	37.38.57.58.59.84
62	64	60.		38.
63	68.81.	39.		37.38.(69)
64	81.	18.24.39.103. (99w 63N)		37.57.(60)62.
65			63.68.	103. (1)(2)(3)6.37.38.39.57.58.
66	(60w 64R)	6.24.57.68.99.103.104.	18.64.	
		(1.2.3 w 18R)		
67	(60w 64R)	6.24.57.68.99.103.104.	64.	
		(1.2.3 w 18R)		
68		5.14.18.23.24.32.35.57.58.66.67.		39.63.69.
		103. (101w 99N)		
69	68.(60w 63R)(63w 64R)	37.39.40.41.	18.63.	(70)
70	(35OR 69)	24.	53.	
71	x			
72	x			
73	x			
74		78.129.133. (130.143 w 119N)	119	
		(134.135 w 119R)		
75	(77OR 122w 78R)	(121w 78N)		
	(118w 119R)			
	(120w 78.119N)			
X	ORIGINAL DRAWN :	S.T. JCN WEST		
W	ISSUED :			
	REG No.	LOCKING TABLE		S1216 /3/4

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
104		58.79.97.102.103.108.116.117.121.129. (86W82R)(122W76N.77R)		(100)106.125.
105		103.109.112.113.117.125.		97.106.116.
106	104.105.			128.
107	x			
108		58.104.112.121.129. (86W82R)(122W76N.77R)		(100)123.
109		99.103.105.110.		98.111.
110		93.99.103.109.		
111	109.	93.98.		
112		84.105.108.113.124.		126.
113		105.112.		101.127.
114	103	94.101.	112.113.	
115	102	95.96.97.101.	105.112.113.	
116	105	95.97.104.	102	
117		95.96.101.103.104.105.	102.112.113.	
118		58.79.100. (78W80R) (101W104R)	80.104.106.108. (76.77W104.108N) (81.86W80R)(105.112W104R)	
119	79	58.100. (78W80R)	80.108. (76.77W108N) (81.86W80R)	
120	81.86. (80W82R)	3.78.	(79W82R)	
121	77	58.59.76.104.108.	79.87.	
122	87. (29W30R76N.77R)	(58W80N)(104.108W76N.77R)	76.77.	
123	108	100	79.84.	
124		84.112. (100W108R)	108	
X	ORIGINAL DRAWN: ISSUED:		SEVERN TUNNEL JUNCTION WEST	
W	REG No.			
LOCKING TABLE				S 1215/3/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
76	(77 OR 122)	78		
77		87. 94. 107. 108. 109. 124. 138. (95 W 83 N) (100. 112. 157. 160 W 81 R) (101 W 81. 99 R)	78. 83.	(75) (76)
78		74. 76. 108. 119. 124. 129.		107.
79	(80. 83 OR 88)	87. 94. 107. 108. 124. 138. (95 W 83 N)	(93 W 83 N)	
80	(83 W 81 R) (96 OR 99)	97. 100. (101 W 99 R) (107. 108 W 83 R) (155. 159 W 96 R)		(79)
81		87. 96. 111.		63. 64. 83.
82			81.	160. (159) 97. 100. (101) 109. 111. 112. (155)
83	81	88.	(157) (160)	(79) (80) (100) (101) 109. (112)
84	61. 86.	95.	93.	
85	93.	94. 95.	86. 87. 88. (60 W 87 R)	
86	87	60		84.
87	88	77. 79. 81.		59. 86.
88		83.		(60) (79) 87. 94.
89	] PERMANENT SPACES]			
90				
91				
92				
93		96		85. 95.
94	88. (60 W 87 R)	59. 77. 79. 85. (124. 138 W 87 N)	87. 93. (78 W 87 N)	
95	93.	59. 84. 85. (77. 79 W 83 N) (124. 138 W 87 N. 88 R)	87. 88.	
96		81. 93. 99. 111. 112. 136. 147. 154. 157. 160. (122 W 138 R 140 N) (123 W 139. 140 N)		(80) 97.
X	ORIGINAL DRAWN:	S.T. JCN WEST		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 1216 / 3/5

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
97	82.96.	80.		
98	X			
99		18.24.66.67.96.103.109.111.112.157. 160. (64W63N)(124.138 W 81R)		(80).100.
100	82.99. (83W81R)	80.104. (77W81R)	(78W81R)	
101	(82W99R)(83W81.99R)	6.24.57.58.103.104. (1.2.3 W 18R) (68W99N)(77W 81.99R)(80W 99R)	99.	
102	103.104.			
103	65.	18.24.64.66.67.68.99.101.		102.
104		30.36.66.67.100.101.	18.24.99.(60W64R 99N) (62.63.64.68 W 99N)	102.
105	DETONATOR			
106	DETONATOR			
107	78.	77.79.122. (80W83R)	138.(83.87.88W 138N)	
108		77.78.79.122.(80W83R)(123W 124R)	124.126.138. (83.87.88 W 124.138N)	
109	82.83.	77.99.124.138.	78.	
110	X			
111	82.	81.96.99.		113.
112	82. (83W81R)	96.99.156. (77.124.138 W 81R)		113.
113	111.112.			
114	X			
115	X			
116	X			
117		119.134.135.144. (145.146.147 W 121R)	121.	
X	ORIGINAL DRAWN: ISSUED:	S.T. JCN WEST LOCKING TABLE		
W	REG No.			S 1216 /3/6

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
118	(120w 121R)	133.134.135.	119.132.	(75)
119		78. 117.121.129.		133.
120	(123w 125N)	124.129.130.	78. 119.121.	(75)(118)
121		119.124.125.129.131.132.134.143.		144.
		(75w 78N)		
122	(123.124 or 126 or 138)	107.108.128.151.	78. (140w 138R)	(75)(76)
		(96.155.159w 138R. 140N)		
		(152.154w 138R)(153w 138.140R)		
123	(139 or 141)	129.142.143.144.145.146.147.	121.124. (140w 139R)	(120)(122)
		(96.155.159w 139R. 140N)		
		(108w 124R)(153w 139.140R)		
124		77.78.79.109.120.121.129.130.138.143.		(122).126.142.
		(94w 87N)(95w 87N.88R)		
		(99.112.157.160w 81R)		
125		121.132.139.141.		126.
126	124.125.			(122).128.
127	X			
128	126.	122.		
129		74.78.119.120.121.123.124.	125.139.141.	
130		120.124. (74w 119N)		
131		121.133.134.135.	119.132.	
132		121.125.134.		135.
133	119	74.118.131.	132.	
134		117.118.121.131.132. (74w 119R)	119.	
135	132.	117.118.131. (74w 119R)	119	
X	ORIGINAL DRAWN :		S.T. JCN WEST	
W	ISSUED :			
	REG No.		LOCKING TABLE	
			S1216 /3/7	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
136		96. 140. 147. 151. 154. 155. 159. (142. 143. 144 W 139R)	138. 139.	
137	140	146. 151. 152. 153. (142. 143. 144 W 139R)	138. 139.	
138		77. 79. 109. 124. 139. (94W 87N) (95W 87N 88R) (99. 112. 157. 160W 81R)		(122). 151.
139		125. 138. 141. 152. 154.	147. (123)(142)(143)(144) 146	
140		136. 147. 154.		137. 146. 152.
141		125. 139.		(123)(142)(143)(144) 145
142	124. (139 OR 141)	123. (136. 137 W 139R)	(96W 139R. 140N)(140W 139R)	
143	(139 OR 141)	121. 123. 124. (74W 119N) (136. 137 W 139R)	(96W 139R. 140N)(140W 139R)	
144	121. (139 OR 141)	117. 123. (136. 137 W 139R)	(96W 139R. 140N)(140W 139R)	
145	141	123. (117W 121R)	121. 124.	
146	139. 140.	123. 137. (117W 121R)	121. 124.	
147	139.	96. 123. 136. 140. (117W 121R)	121. 124.	
148	X			
149	X			
150	X			
151	138.	122. 136. 137.	78. 140. (96W 140N)	
152	140.	137. 139. (122W 138R)	138.	
153		137. 158. (122W 138. 140R) (123W 139. 140R)		
154		96. 136. 139. 140. (122W 138R)	138.	
X	ORIGINAL DRAWN:	S.T. JCN WEST		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 1216 /3/8

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
155	(82W 96R)	136.156.158. (80W 96R)	96.	
		(122W 138R.140N)(123W 139R.140N)		
156		112.155.159.		157.160.
157	82.156. (83W 81R)	96.99.158. (77.124.138 W 81R)		
158		153.155.157.		159.160.
159	158 (82W 96R)	136.156. (80W 96R)(122W 138R 140N)	96.	
		(123W 139R.140N)		
160	82.156.158.(83W 81R)	96.99. (77.124.138 W 81R)		
161		163.		162.
162	161.		(156W 158N)	
163		161	(156W 158N)	
	V.T. 5 BAR 4".	RELOCKED & EXTENDED 1960.		
	SHORT LEVERS	45.51.56.102.113.156.158.161.		
	WIRE ADJUSTERS	41.44.46.54.55.74.104.108.117.		
		153.155.157.159.160.162.163.145.		
		112.143.		
	SPECIAL QUADRANTS:			
	NBR	51.153.155.157.159.160.		
	NBR	56.156.158.161.		
X	ORIGINAL DRAWN:	S.T JCN WEST		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 1216 /3/9

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS ON</u>			
33		44.46.		
34		44.46.		
42	53.	54		
43		53.	56	
44		33.34.52.	20.21.23.	
46		33.34.52.	20.21.23.	
52		44.46.		
53		43.		42.
	<u>LOCKS OFF</u>			
33		43. (44.46 w 52N)		
34		43. (44.46 w 52N)		
42	.	55. (54 w 53R)	53.	
43		33.34.52. (54 w 53R)	20.21.23. 53.	
44		(33.34w 52N)	52	
46		(33.34w 52N)	52	
52		43.		
54		(42.43 w 53R)		
55		42.		
X W	ORIGINAL DRAWN: ISSUED: 6.6.1962 REG No. B	<u>SEVERN TUNNEL JCN WEST</u> LOCKING TABLE		ALTERATION S 1216 /3/-