

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.7.9			
2	19.36	20.30.52.103. (98W37N)		1
3	5 (7.9 OR 10.12)			
4	x			
5	25.30.36	41.52.103. (98W37N)		3
6	50.51.52			
7	36	20.37.41.52.98.103	30. (29W30R)	1.(3)
8	x			
9		99.100. (53.54W52R)	52.98.101. (36.37W98N)	1.(3)
			(39W40.52R). (103W52N)	
			(40.49.56.51W52R)	
10	36.37	20.41	30. (29W30R)	(3)
11	50.51	52		
12		42.53.54. (38W52R)	37.40.49.50.51.52.	(3)
			(36W37R). (39W40R)	
13	19.20. (15.18)			
14	25.31	33	32	
15		32. (76W20N)	20.31. (29W31R)	(13)
16	17		32	
17		91.95		16
18	32	33.89.92. (76W20N)	20.31. (29W31R)	(13)
19			20	2.13
20		2.7.10.30.31.34.80.98.115.118		13
		(74W76N). (119W103N)		
21	-23 x			
24	25.26.63			
X	ORIGINAL DRAWN: ISSUED:	EBBW JCN		
W	REG No. L497	LOCKING TABLE		S1232 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25	(29W26N)		26	5.14.24
26		30.31.64		24.(77).79.(81)
27			26	79.84
28	X			
29			30	(25)
30		2.20.26.31.74.76.115.(98.118W80N) (119W80.103N)		5.41.
31		20.26.30.34.76.80		14
32		15.78		18.33
33	32	14.18.(76W20N)		34
34	33	20.31.91	92	
35	DET.			
36	(51W37R)		37	2.5.7.10
37	40	7.39.52.(100W98N)		10.42
38	39.40.51	54.(12W52R)		
39		37.(52W40.103N).(101W40N)		38.54.112.113.(117)
40		49.50.103.112.113.(117W101N)		37.38.54
41	30	5.7.10.(98W37N)	29.36.37.52.103	42.(100)
42	37.41	12	51	
43		46.49		
44	49.51	47.52.53		
45	49.51.52	48.53		
46		43.49		
47	49.51	44.52.53		
48	49.51.52	45.53		
49		40.43.46.50		44.45.47.48.53
X	ORIGINAL DRAWN: ISSUED:	EBBW JCN		
W	REG No. L497	LOCKING TABLE		S1232 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
50		40.49		6.11
51			52	6.11.(36).38.44.45.47.48
52		2.5.7.11.37.44.47.73.98.100.117. (39w40.103N)		6.45.48.55
53	49	12.44.45.47.48. (9w52e)	51.52	(55)
54	39.40	12.38. (9w52e)	51.52	(55)
55	52. (53or54)			
56-58	x			
59-61	PERMANENT SPACES			
62	63.64	109		
63		77.80. (65w26N)		24.62
64		26.65. (76w63N)		62.67.(77).80.84
65		64. (63w26N)		66
66	65			
67	64. (68or69)			
68	73.80			(67)
69	77	79.84.87.88.92. (89w78N). (94.95w78R) (109w64R)	78	(67)
70	74 (71or72)			
71	73	80	74	(70)
72	76	85.86.87.88.92.114. (89w78N). (94.95w78R)	74.78	(70)
73	98	52.99.101.103.108.110.111.115. (109w80R) (114w80N)	80	68.71
74		30.80.86.115. (20.103w76N)		70.85.108.
75			74	(81).85.86
76		30.31.77.80.98.108.115.118. (15.18.33w20N)		72.85.86
X	ORIGINAL DRAWN: ISSUED:	EBBW JCN		
W	REG No. L497	LOCKING TABLE		S1232 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
		(64w63N). (119w103N)		
77	(26 or 64)	63. 76. 80		69. 79. 84
78		32. 88		87
79	26. 27. 77	69	78	
80	64	20. 31. 63. 71. 74. 76. 77. 115		68. 110. 111
81	(27w80R). (75w80N)		80	99. 108. 110. 111. 115. 116. 118
82	DET.			
83	x			
84	27. 64. 77	69	78	
85	74. 75. 76	72	78	
86	75. 76	72. 74	78	
87	78	69. 72. 91	76. 92	
88		69. 72. 78. 89. 90	76. 92	
89		18. 88. 92. (69. 72w78N)		
90	92	88. 93. 95		
91		17. 34. 87. 93. 94. 95	92. (33. 78w92N)	
92		18. 69. 72. 89. 94		90. 93
93	92	90. 91		
94		91. 92. (69. 72w78R)		
95		17. 90. 91. (69. 72w78R)	92	96
96	95			
97	x			
98		7. 20. 52. 76. 103. 118. 119. (30w80N).		73. 99. 101
		(2. 5. 41w37N)		
99	81. 98	9. 73. 101		(100)
100	(41w98N). (99w98R)	9. 52. 103. (37w98N)		
X	ORIGINAL DRAWN: ISSUED:	EBBW JCN		
W	REG No. L497	LOCKING TABLE		S1232 /3/4

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
101	98	73.99. (39W40N)		116.(117)
102			101	112.113.116.117
103		2.5.7.40.73.98.100.117.118. (74W76N)		113
104			103	113.118.119
105-107	x			
108	74.81	73.76	98.101.104. (102W101R)	
109		62.111. (69W64R). (73W80R)	64.80. (63.77W64R). (98W80R)	
110	80.81	73.111	98.101.103.104. (102W101R)	
111	80.81	73.109.110.116.118	98.101.103.104. (102W101R)	
112	39.102	40	103. (104W103R)	
113	39.102.103.104	40		
114		72. (73W80N)	30.76.80.98.101. (20W76N)	120
115	81	20.30.73.74.76.80	98.101.103.104. (102W101R)	120
116	81.101.102	111		
117	102. (39OR101)	52.103. (40W101N)		
118	81.104	20.76.98.103.111. (30W80N)		120
119	104	98. (30W80.103N). (20.76W103N)		120
120	114. 115. 118.119			
	2 SPRING CONTACTS:	64	SHORT LAYERS: 3. 66	
	4 SPRING CONTACTS:	1. 3. 66. 120		
	LOCKS 'N' 42 Ω :	9. 12. 66. 84. 86. 109. 110. 114. 115		
	LOCKS 'N' & 'R' 42 Ω :	17		
	LOCKS 'R' 42 Ω :	75		
	LOCKS 'N' WITH DET CONTACT:	79. 119		
	LOCKS 'R' WITH RE & LCC CONTACTS:	19. 25. 27. 81		
X	ORIGINAL DRAWN: 10.44 (G.T.) ISSUED: 1.58	EBBW JCN		V.T. SBAR 4"
W	REG No. L497	LOCKING TABLE		S1232 /3/5