

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3			
2	81 (3.4 NMSL)	36.71.79.80		1
3	81	38.39.71.79.80.83	36.37.40	1
4	81.83	38.39.79.80.85.88	36.37.40	
5	6.8			
6	70. (7.8 NMSL)	40.68.69. (83W74N)		5
7	70.71	41.42.68.69	40.43. (37W40R)	
8	70	41.42.68.69.71.74.83.88	40.43. (37W40R)	5
9	81.83. (85OR 88)	38.39.79.80	36.37.40. (89W85R)	
10	70. (74OR 88)	41.42.68.69. (83W74N)	40.43. (37W40R). (89W74R)	
11-20	X			
21	DET.			
22	DET.			
23		43.49.51.54. (69W59N68R)	52	
		(91.102W59.66.74.85N)		
24	68.70.71	44.45.50.53.59.69	43.49.51. (37W43R)	
25	68.70	44.45.50.53.59.69.71.74.88	43.49.51. (37W43R)	
26		44.45.50.52.53.59.66.68	43.49.51. (37W43R)	
		(91.102W74.85N)		
27		60.67.74.85.91.102. (50.53W66OR68N)	52.59.66.89. (49.51W66OR68N)	
			(68W66N)	
28		89.102. (67W74.85N). (69W74R) (80W85R)	74.85. (68.70.73W74R)	
			(79.81.82W85R)	
29	37.81	38.40.71.79.80	105	
30	37.40.70	41.43.68.69. (83W74N)	105	
31	37.43	44.54. (69W59N68R) (91.102W59.66.74.85N)	52.105	
X	ORIGINAL DRAWN: ISSUED:	CANTON SDGS. LOCKING TABLE		
W	REG No. L587			S 1502 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
32	36.81	37.39.40.71.79.80.121	35	
33	40.70	37.42.43.68.69.121. (83w74n)	35	
34	43	37.45.54.121. (69w59n68R)	35.52	
		(91.102w59.66.74.85n)		
35		39.42.45.122		37
36		2.122.123. (80w79R110n)		32.37.39.40
37	35.36	32.33.34.92.94.113.118.119. (101w97n)		29.30.31.38.41.44
		(80w79.110R.97n)		
38	37	3.4.9.29.40.105	79	
39	36	3.4.9.32.35.40	79	
40	36	6.29.32.38.39. (80w79n)		30.33.41.42.43
41	37.40	7.8.10.30.43.105	68	
42	40	7.8.10.33.35.43	68	
43	40	23.30.33.41.42.49.51. (69w68n)		31.34.44.45
44	37.43	24.25.26.31.48.105	52.59.68. (66w68n)	
45	43	24.25.26.34.35.48	52.59.68. (66w68n)	
46	49	50	52	
47	51	53	52	
48	52	44.45.50.53.54	43.49.51. (37w43R)	
49		23.43.51.59		46.50
50	49	24.25.26.46.48. (27w66or68n)	52.68. (66w68n) (74.85w52n)	(54)(69)(91)(102)
51		23.43.49.59		47.53
52		26.58.59.66.68. (91.102w74.85n)		48.54
53	51	24.25.26.47.48. (27w66or68n)	52.68. (66w68n) (74.85w52n)	(54)(69)(91)(102)
54	52 (50w49R) (53w51R)	23.31.34.48	43	
55	59.68.70.71	60		

X W	ORIGINAL DRAWN: ISSUED:	CANTON SDGS LOCKING TABLE	S1502 /3/2
	REG No. L587		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
56	59.68.70	60.71.74.88		
57	(59 _{OR} 65)	60. (68 _W 59 _R)		
58		52.59.66		
59		24.25.26.49.51.52.58.66		55.56.(57).60
60	59	27.55.56.57	68.74.85.(89 _W 68.74.85 _N)	(69)(91)(102)
61-64	PERMANENT SPACES			
65	66	67		(57)
66		26.52.58.59		65.67
67	66	27.65.(28.90 _W 74.85 _N)	74.85.(89 _W 74.85 _N)	(91)(102)
68		6.7.8.10.26.30.33.52.(57 _W 59 _R)		24.25.55.56
		(83 _W 74 _N).(91.102 _W 66.74 _N)		
69	(50 _W 49.68 _R)	6.7.8.10.24.25.30.33.(28.90 _W 74 _R)	68.70.71.73.74.(40 _W 68 _N)	72.75.(84)
	(60 _W 59.68 _R)	(23.31.34 _W 59 _N 68 _R).(43 _W 68 _N)	(43 _W 59 _N 68 _R)	
	(53 _W 51.68 _R)	(83 _W 74 _N)		
70	(73 _W 71 _N)(81 _W 71 _R)		71	6.7.8.10.24.25.30.33.55
71		2.3.8.25.29.32.56.74.79.80.83		7.24.55.72
		84.88		
72	71.69		81	
73	(87 _W 74 _N)		74	(70)
74		8.25.27.56.71.85.(84.88 _W 83 _N)		(10).75
75	69.74		89	(91)(102)
76	79.81.83.(85 _{OR} 88)	80.122.(118 _W 110 _R)	110.111.(35.36.37 _W 110 _N).(89 _W 85 _R)	
77	79.81.83	80.85.88.122.(118 _W 110 _R)	110.111.(35.36.37 _W 110 _N)	
78	79.81	80.83.122.(118 _W 110 _R)	110.111.(35.36.37 _W 110 _N)	
79		2.3.4.9.29.32.71.112.113.123		76.77.78
80	(111 _W 79 _R)	2.3.4.9.29.32.71.76.77.78	79.81.82.83.85.(36 _W 79 _N)	(84).86
X	ORIGINAL DRAWN:	CANTON SDGS		
W	ISSUED:			
	REG No.L 587	LOCKING TABLE		S1502 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
		(28.90w85R).(40w79N).(36w79R.110N)		
		(37.94w79.110R.97N).(109w79R)		
		(118w79.97.110R).(122w79.110R)		
81	(82w83R)		83	2.3.4.9.29.32.(70).76.77.7
82	(87w85N)		85	(81)
83		3.8.71.78.(6.10.30.33.68.69w74N)		4.9.76.77.85
84	(69w83N).(80w83R)	71.85.(74w83N)	83.87.88	106
85	83	4.27.74.77.84.88		(9)(76).86
86	80.85		89	(91)(102)
87			88	(73)(82)
88	89	4.8.25.56.71.77.85.(74w83N)		(9)(10)(76).106
89		28.102		88.90.91
90	89	91.(67w74.85N).(69w74R).(80w85R)	74.85.(68.70.73w74R)	
			(79.81.82w85R)	
91	89 (50w49R.66.74.85N)	27.90.(23.31.34w59.66.74.85N)	(43w59.66.74.85N)	
	(53w51R.66.74.85N)	(26.52w74.85N).(68w66.74N)		
	(60w59R.74.85N)			
	(67w66R.74.85N)			
	(75w74R).(86w85R)			
92	(99w100R).(109w110R)	37.94.97.118.119	105	
93	94	95		
94		37.92.113.118.119.(80w79.110R.97N)		93.95
		(101w97N)		
95	94	93.105		
96	97.(99w100R).(109w110R)	104		
97		92.113.119		96.112

X

ORIGINAL DRAWN:
ISSUED:

W

REG No. L587

CANTON SDGS

LOCKING TABLE

S1502 /3/4

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
98	x			
99	100	101.118	97. (37.94w97n)	(92)(96)
100		104.110.119		99.101
101	100	99. (37.94w97n). (118w97r)	97	
102	(50w49r.66.74.85n)	27.28.89. (23.31.34w59.66.74.85n)	(43w59.66.74.85n)	
	(53w51r.66.74.85n)	(26.52w74.85n). (68w66.74n)		
	(60w59r.74.85n)			
	(67w66r74.85n)			
	(75w74r).(86w85r)			
103	x			
104		96.100.110		
105		38.41.44.95.118		
106	84.88			
107	DET			
108	x			
109	110	112.113.118. (80w79r)	79.97. (37.94w97n)	(92)(96)
110		100.104.119.123		109.112.113
111			110. (97w110r)	(80).112.113.123
112	97.110.111	79.109		
113	110.111	37.79.94.97.109		
114-117	x			
118		37.92.94.99.105.109. (101w97r)	97.100.110. (79.111w110r)	
		(76.77.78w110r). (80w79.97.110r)		
119		37.92.94.97.100.110		
120	x			
121		32.33.34	35.36.37.40.43	124
X	ORIGINAL DRAWN: ISSUED:		CANTON SDGS LOCKING TABLE	
W	REG No.L587			S1502 /3/5

X W	ORIGINAL DRAWN: 9-8-43 ISSUED: 23-8-49	CANTON SDGS LOCKING TABLE	YT 58AR 4"
	REG No. L587		S1502 /3/6