

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.7.			(NOT ALL SHOWN)
3		(20w 23R)		1
5		(35w 32R)(54w 32N)		
7			(31w 32R)	1
10		(20w 23R)		
12			(28w 29N)	
13			(28w 29R)	
14			(29.36w 37R)	
20	(28w 23N)	(3.10w 23R)(34w 23N)		
21		(35w 32N)		
22				(52)
34		(20w 23N)		
35		(5.40.68w 32R)(21w 32N)	(31.41.42w 32R)	
37	(48w.36R)			
40		(35w 32R)		
43	(44 OR 45)			
44		(62w 46N)(68w 46R)	(41w 46N)	(43)
45		(62w 46N)(68w 46R)	(41w 46N)	(43)
47				(48)
48	(47w 37N)			(37)
52	(22 OR 27)			
54		(5w 32N)		
61			(54w 32N)	
62		(44.45w 46N)	(55w 54R)	
68		(35w 32R)(44.45w 46R)	54.55. (29w 46N)(47.48	71
71	67.68.70.		50w 46R)	

X ORIGINAL DRAWN: }  
ISSUED: } 8.1946  
W REG No. 597

PYLE EAST

LOCKING TABLE

S

13

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	CONTACTS 2 SPRING	2.5.65.70.		
	4 SPRING	1.71		
	LOCKS (N)	7.60.61.62.67.		
	DETONATOR	59		
	SPACES	4.8.9.15.16.17.18.30.38.39.49.		
		56.57.58.		
	D.T. TAPER FRAME			
	TOP TIER IN 21ST	SPACE - 10 <sup>7</sup> / <sub>8</sub> " TRAVEL		
	BOTTOM 18TH	10"		
X	ORIGINAL DRAWN :			
	ISSUED :			
W	REG No.			
		PYLE EAST		
		LOCKING TABLE		
			S	13

