

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
0	1			
1	2			0
2	8	7.9.17.		1
3	8.9.	7.11.		
4		9.11.17.		
5	7.8.	13. (9W 11R 12N) (30W 6N)	6.12.	
6	7	20		
7		2.3.17.19.25.31.32.		5.6.13.
8			9	2.3.5.
9		2.4.10.17.(5W 11R 12N) (15W 12N)		3.12.14
10	11	9.15.		
11		3.4.14.17.		10.12.15.
12	9.11.			
13	7	5. (30W 6R)	6.8.9.12. (11W 9R)	14.(15)
14	9.13.	11		
15	11 (13W 12R)	10 (9W 12N)	12	
16	17	18		
17		2.4.7.9.11.		16.18.
18	17	16		
19	29	25.31.32.7.		(24)
20	29	6 (24W 19R)	19	
21		28 (24W 19R)	19.29.23.	
22		23.28. (24W 19R)	29.	
23		22.25.		27.
24	(19OR 25)	26.27.30.31. (20.21.22 W 19R)	(23W 19R)	
25		7.19.23.32.		(24)26

X	ORIGINAL DRAWN:	PORT TALBOT & ABERAVON EAST	S	/3/1
	ISSUED:			
W	REG No.	LOCKING TABLE		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.			
2	24 (28w 25.27R)	14.15. 21. 30.		1
3	24	21. 25. 30.		1
4	X			
5	X			
6	DETONATOR			
7		12.14.15.25. 32. (34w 27R)	27. 30.	
8	13.24.(28w 25.27R)	12.15.21. 30.		
9	12	13.25.32. (34w 27R)	27. 30.	
10	12.13.24.(28w 25.27R)	21. 30.		
11		25.27. 30. 32.		
12		7.8.		9.10.(15)
13	(14 FROM D NOTCH)	9. (32w 25N)(34w 27R. 28N)		8.10.
14		2.7.		(13)(15)
15	(12.14 FROM D NOTCH)	2.7.8. 20.41.49.57.58. (17w 18R)		40.48.52.
16	(17w 18R)(20w 18N)			
17	(28w 19.25. 27R)	38.41.42.47. (15.57w 18R)	18.19. (43w 19N)	(16)
	(24w 19R)(39w 19N)	(31w 19R)(50.51 w 19N)		
18		20.21. 38.42.52.53.58. 59.		40.41.
19	21	20.42.47.		
20	(21.25 OR 35)	15.18.19. 31.57.		(16)
	(28w 21.25. 27R)			
21		2.3.8.10. 18. 22.23. 30.35.38. 52.		19 31.
		53.58.59.		
22	24.25.	21.27.		
23	24.28.	21.		
X	ORIGINAL DRAWN: ISSUED:	A	PORT TALBOT & ABERAVON EAST	
W	REG No.		LOCKING TABLE	
			S 1796 /3/1	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
24			25. 28.	2. 3. 8. 10. (17) 22. 23.
25		3. 7. 9. 11. 26. 30. 33.		22. 28.
26	27	25. 34.		
27		11. 22. 30. 32.		26. 28.
28	25. 27.			(2)(8)(10)(17)23(34)
29	30	32		
30		2. 3. 8. 10. 11. 21. 25. 27.		29.
31	21	20. (17. 57 w 19R)	19. 24. 25. 28.	(32)(33)(34)
			(15 w 19N)(27 w 25R)	
32	(31 w 25R)	7. 9. 11. 27. 29. (13 w 25N)		
33	(31 w 30N)(32 w 30R)	25		
34	(28 w 25. 27R)(31 w 28R)	26. (7. 9 w 27R)(13 w 27R. 28N)	27	
35	(38 OR 45)	21. 48. 49. 51. 52. 53. 57. 58. (50 w 38R)	38. (43 w 38R)	
36		39. 46. 50. 51.	43	
37		46. 47. 48. 49. 50. 51. (40. 41. 42 w 39R)	38. 39. 43.	
38	39	17. 18. 21. 44. 47. 52. 53. 58. 59.		(35). 48. 49.
39		36. 46.		(17) 38. 47.
40	15. 18.	(37 w 39R)	39	
41	18	15. 17. (37 w 39R)	39	
42		17. 18. 19. (37 w 39R)	38. 39.	
43		45. 50.		51.
44	45	38. 52. 53. 58.		
45		43. 59.		(35) 44. 53.
46		36. 37. 39.	43.	
47	39	17. 19. 37. 38.	18. 43.	
48	15. 38.	35. 37.	43.	
X	ORIGINAL DRAWN: ISSUED:	A		
W	REG No.	LOCKING TABLE		S 1796 / 3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
49	38	15.35.37.	43.	
50		36.37.43.(17W19N)(35W38R)	38.39.	
51	43	35.36.37.(17W19N)	38.39.	
52	15.	18.21.35.38.44.	45	
53	45.	18.21.35.38.44.		
54	DETONATOR			
55	X			
56	X			
57		15.20.35.(17W18R)(31W19R)	18.19.21.38.	60.
58		15.18.21.35.38.44.	15 ^S .45.	60.
59		18.21.38.45.	15.45 ^S	60.
60	57.58.59.			
	V.T.5 BAR			
	SHORT LEVERS:	12.13.14.15.		
	SPECIAL CAMS:	13.15.		
*	PORT TALBOT D.O.			

X ORIGINAL DRAWN: 19.10.49 MEL*
ISSUED: A
W REG No.

LOCKING TABLE

S 1796 /3/3