

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		4.5.7.8.11.15.23.26.33.		
2	(WHEEL G.L.)			
3	4.5.			
4	16.	1.9.12.15. (21w17R)		3.
5	16.	1.10.13.15.17.	9.12.19.	3.
6	X			
7	16.17. (20 or 25)	1.10.13.15.	9.12.19.	
8	9.16.	1.10.		
9		4.12.15.		8.10.
10	9.	5.7.8.	1	(23)
11	12.16.	1.13.	19	
12		4.9.15.26.32.33.		11.13.19.
13	12.	5.7.11.	1.19.	(23)
14	(15 or 26) (16w15R)	22.29.32. (30.31w26R)	(27w26R)	
	(20 or 25 w 15.17R)			
15		1.4.5.7.9.12.26.33.		22. (14)
16			17.	4.5.7.8.11.
17		5.18.		7.23.
18		17.24.	21	
19	12			
20		21.23. (22w17R)	17. (1.15w17R)	(7)(14)
21		20. (4w17R)		24.
22	15	14. (20.25 w 17R)	17.	(23)
23	17. (10 or 13 or 22)	1.20.25.	21.	(24)
24	21 (23 w 17R)	18.25.	17	
25		23.24. (22w17R)	17. (1.15w17R)	(7)(14)
X	ORIGINAL DRAWN: ISSUED: 1.1.1957	PORT TALBOT MIDDLE LOCKING TABLE		
W	REG No. 600			S /3

1748

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		3.20.22.26.36.38.42.44.52.		
		53.54.		
2	3			
3	30	1.26.28.		2
4	26.27.30.	20.28.		
5	x			
6	x			
7	x			
8	DETONATOR			
9	DETONATOR			
10	12.19.22.27.			
11	12.22.27.	20		
12	23	24.25.	22 (19.20w 22R)	10.11.
13	16.19.22.27.			
14	16.22.27.	20.		
15	x			
16		23.24.	22. (19.20w 22R)	13.14.
17	19.26.27.30.	28.31.		
18	x			
19	20	32.33.		10.13.17.
20		1.4.11.14.		19.24.31.
21			19.20.	24. (25) 31
22		1.26.		10.11.13.14.24.
23		16.		12.25.
24	20.21.22.	12.16.	23	
25	23. (21w 22R)	12	22	
X	ORIGINAL DRAWN: ISSUED:	PORT TALBOT MIDDLE (TEMP.)		
W	REG No.	LOCKING TABLE		S 1797 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26		1.3.22.		4.17.31.
27			26	4.10.11.13.14.17.31.
28		3.4.17.44.52.53.54.		29
29	28			32.33.(30)(31)
30	(29w28R)			3.4.17.32.33.53.54.
31	20.21.26.27.(29w28R)	17.		32.33.
32	29.30.31.	19.33.		
33	29.30.31.	19.32. (34.35w38R)		
34	36 (38or42)	40.43. (33w38R)		
35	(38 or 42)	36.41.43. (33.53w38R)		
36		1.35.41.44.52.53.54.		34.40.
37			36	40.41.43.51.(53)(54)
38		1.42.44.		40.41.(34)(35)
39			38	40.41.
40	36.37.38.39.	34.		
41	37.38.39.	35.36.		
42		1.38.44.		43.(34)(35)
43	37.42.	34.35.		
44		1.28.36.38.42.52.		51
45			44.	51.52.53.54.
46	DETONATOR			
47	DETONATOR			
48	X			
49	X			
50	X			
51	37.44.45.			

X

ORIGINAL DRAWN:
ISSUED:

W

REG No.

PORT TALBOT MIDDLE (TEMP)

LOCKING TABLE

S 1797 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
52	45.	1.28.36.44.		55
53	30.45. (37w 44R)	1.28.36.54. (35w 38R)		
54	30.45. (37w 44R)	1.28.36.53.		55
	(51.52w E.S.L.)			
55	52.54.			
	V.T.5 BAR 4"			
	NOTE: TABLE SHOWS LAYOUT AS PROPOSED: Nos.		33.53 BELIEVED	MADE SPARE
	BEFORE SIGNAL BOX COMMISSIONED.			
X	ORIGINAL DRAWN:	PORT TALBOT MIDDLE (TEMP.)		
W	TABLE ISSUED:			
	REG No.	LOCKING TABLE		S 1797 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF</u>	(STAGE 2)		
1		38.42.		
37			36	
38		1		40.41.
39				40.41.
40	38.39.			
41	38.39.			
42		1		
44				51
51	44			
	<u>LOCKS ON</u>	(STAGE 2)		
34		51		
40			42	
41			42	
42		51		
43			36	
51		34.42.		
	LEVERS BOLTED	NORMAL : 35. 39. 44		
	" "	REVERSE : 37. 45.		
	TEMP. SPARES	: 8.9.46.47 (DET.	LEVERS)	
	ALL ABOVE RESTORED	TO USE UNDER STAGE 3.		
X	ORIGINAL DRAWN :	PORT TALBOT MIDDLE (TEMP)		ALYNS - STAGE 2
	ISSUED : 4.3.1960			
W	REG No.	LOCKING TABLE		S1797 /3/-