

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.4.5.			
2	69	27.34.70.78. (76W 71R)		1
3	32.34.69.	33.36. (76W 71R)		
4	69.	28.29.36.70.71. (35W 34R)	27.34. (32.33W 34R)	1
5		77.	69.70.71.	1
6	DETONATOR			
7	DETONATOR			
8	X			
9	32.73.	33.34.71.76.79.		
10	69.71.75.	28.29.36.70.74.76.78. (35W 34R)	27.34. (32.33W 34R)	
11	73.75.	35.71.74.76.	32.33.34.	
12	75.	22.74.76.78. (71W 71R)	71.73. (69.70W 71R)	
13		22.	75.76	
14	- 20: , X			
21		54.		
22		12.13.76.		
23	24.25.			
24	27.69.	28.29.78.	25.26.	23.
25		29.110.111.112.113.118.		23.28.117.
26			25	28.29.117.118.119.
27		2.34.70.117.118.119.		24.28.29.
28	25.26.27.	4.10.24.67.	69.71.	
29	26.27.	4.10.24.25.67.	69.71.	
30	32.33.34.69.	35.		
31	32.33.73.	34.35.71.		
X	ORIGINAL DRAWN: 1.6.1935 ISSUED: 15.7.1937		BRITON FERRY LOCKING TABLE	
W	REG No. 601			
			S	/3

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
32			34.	3.9.30.31.
33		3.9.		30.31.35.
34		2.9.27.31.70. (79.80W 71N)		3.30.36.
35	33.	11.30.31.72. (4.10.67W 34R)	32.34.71.73.74. (75.76W 34N)	(36)(79)(80)
36	34 (35W 33R)	3.4.10.67.	32.69.71.	(78)
37		45. (59.61W 52N)(77W 49N)		
38		49.51. 57.77.	45.70.	
39	69.70.71.75.	50.57.74. 77.	49	
40	69.70.71.74.	50.57.77.	49	
41	69.70.	50.57.71.77.	49	
42	45.	57.		
43	51. (48W 56R)(82W 83R)	49.54.57. (89.95.98.102 W 56N)	45. (92W 56N)	
	(85W 56.83N. 86R)			
44	55.	49.57.59.	45.	
45		37.50. (59.61.62 W 52R)		42.57.
46	49.	50.51.	45.70.	
47	52. (48W 56R)(55W 54R)	59.62. (89.95.98.102 W 55. 56N)	45. (92W 55. 56N)	
	(82W 55N. 83R)			
	(85W 55.56.83N. 86R)			
48	56.	60.61. (57W 51R. 52N)	51.52. (49W 51R)	(43)(47)
49		38.43.44.		46.50.52.
50	49.	39.40.41.45.46.51.	70.	(77)
51		38.46.50.53.58.60.63.70.		43.52.55.61.62.
52	49.51.			47(59)(61)(62)
53	54	51.58.		

X ORIGINAL DRAWN :
ISSUED :
W REG No.

BRITON FERRY
LOCKING TABLE

S 13/2

No	RELEASED BY	LOCKS : NORMAL	LOCKS BOTH WAYS	RELEASES
54		21.43.56.62.63.		53.55.58.
55	51.54.			44.(47).59.
56		54.62.63.83.		48.60.61.
57	45.	38.39.40.41.42.43.44. (48W 51R. 52N)	49.51.52.55.70. (54.56. W 51R. 52N)	(59)(61)(62)(77)
58	54.	51.53.		
59	55. (52W 49R) (57W 45R. 52N)	44.47. (37W 52N) (45W 52R)		
60	56	48.51.		
61	51.56.(52W 49R) (57W 45R. 52N)	48. (37W 52N) (45W 52R)		
62	51. (52W 49R)(57W 52N)	47.54.56.82.85.88. (45W 52R)(91W 92R)	83.86.92. (93.94.96.97.100 W 92R) (101 W 92.100R)	
63		51.54.56.82.85.88. (91W 92R)	83.86.92. (93.94.96.97.100 W 92R) (101 W 92.100R).	
64] PERMANENT SPACES			
65				
66				
67	69.71.74.	28.29.36.70.78. (35W 34R)	27.34. (32.33W 34R)	
68	75.76.	78.80. (77 W 71R)	71.73. (69.70 W 71R)	
69	(73W 71R)		71	2.3.4.10.24.30.39.
				40.41.67.
70		2.4.10.27.34.51.67.113.119. (96W 92N)		39.40.41.77.

X ORIGINAL DRAWN:
ISSUED:
W REG No.

BRITON FERRY
LOCKING TABLE

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
71		4.9.11.31.41.72.		10.39.40.67.78.
72	73.74.	35.71.79.	32.33.34.	
73			74	9.11.31.(69)72.
74		10.11.12.39.76.		40.67.72.
75			76	10.11.12.39.68.
76		9.10.11.12.22.74. (2.3 w 71R).		68.
77	70. (50w49R) (57w45R)	5.38.39.40.41. (12.68 w 71R) (37w49N)		(78)
78	71. (36w34R) (77 w 70R)	2.10.12.24.67.68.	27.69.73.74.75.76.	(79)(80)
79	74. (35 w 33R. 71N) (78 w 71R)	9.72. (34w 71N)	73. (32w 71N)	
80	76. (35 w 33R. 71N) (78 w 71R)	68. (34w 71N)	73.75. (32w 71N)	
81	LOOP INDICATOR			
82	83.	62.63.84.		(43)(47)
83		56.85.87.88.89.92.		82.84.
84	83	82.		
85	86	62.63.83.87.		(43)(47)
86		88.89.92.		85.87.
87	86.	83.85.		
88		62.63.83.86.89.92.		
89		83.86.89.92. (43w 56N) (47w 55.56N)		

X ORIGINAL DRAWN:
ISSUED:
W REG No.

BRITON FERRY
LOCKING TABLE

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
90	91.92.			
91	97.	98.111. (62.63 w 92R) (110 w 92N)	92.93.	90
92		83.86.88.89. 111.112.113.		90.95.98.102.
93			92.	94.98. (101)111.
94	93			95.113.
95	92.94.	96. (43w 56N) (47w 55.56N)		
96		95.113. (70w 92N)		97.100.
97	96	100.		91.98.111.
98	92.93.97.	91. (43w 56N) (47w 55.56N)		
99	X			
100	96.	97.119.		102.112.
101	(93w 100R)		100	102.112.119.
102	92.100.101.	(43w 56N) (47w 55.56N)		
103	X			
104	X			
105	X			
106	X			
107	X			
108	X			
109	X			
110		25. (91w 92N)	70.92.93.94.96.97. 100. (101 w 100R)	114
111	93.97.	25.91.92.		
112	100.101.	25.92.		
113	94.	25.70.92.96.		114
114	110.113.			
X	ORIGINAL DRAWN: ISSUED:	<u>BRITON FERRY</u>		
W	REG No.	LOCKING TABLE		S /3/5

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
115	DETONATOR				
116	DETONATOR				
117	25.26.	27.		70.100.101.	
118	26.	25.27.		70.100.101.	120.
119	26.101.	27.70.100.			120.
120	118.119.				
	V.T.5 BAR 4" CTES				
	LOCKS (N)	5D58	2.3.4.9.10.11.12.67.72.95.102.		
			110.112.113.117.118.119.		
	(R)	5D57	22		
	CONTACTS	5D40	1.114.120.		
* UP R&S.B. DISTANTS FIXED AT CAUTION.					

X ORIGINAL DRAWN: 1.6.1935.
 W REG No. ISSUED: 15.7.1937 *

BRITON FERRY
 LOCKING TABLE