

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	8.22.	9.21.33.40.54. (55W 23R) (61.63 W 24R)(64W 24N) (79W 24R.64.67N)	(69 W 24R)	
2	22.24.	48.61.63.64.67.79.	8.9.33.	
3	22.44.	6.10.21.24.41.48.45.54.55.64. (7W 39N)(67W 61N)	8.9.33.	
4	21.44.	45.48.55.80.92. (7W 39N)	25.33.	
5	23.	6.45.48.55.64. (7.15 W 39N)	21.22.	
6	23	3.5.11.45.48.55.64. (7.15 W 39N)	21.22.	
7	8.9.38.	14.40.41.45.54. (3.4.5.6.55 W 39N)	34.	
8			9	1.7.
9		1.33. (55 W 21N. 23R)		7.14.
10	38.44.	3.14.21.23.39.41.45.48.54.55.91.	8.9.33.34.43.	
11		6.53.54.55.	23.41.43.44.45.48. (38.39 W 23 N)	
12		83. (71 W 67 OR 79N)	79. (22W 61.79N) (24.61.62.63.64.66.67W 79N) (77.78W 79R)	
13	X			
14	9.34.	7.10.35.	8.38.39.41.43. (23.44.45 W 39N)	
15	33.38.	40.41.45.54.90.91. (5.6.55 W 39N)	34.	
16	DETONATOR			
17	DETONATOR			
18	22.24. (68 OR 69)	48.61.63.	8.9.33.65.	
X	ORIGINAL DRAWN: } ISSUED: } 12.1946	LANDORE LOCKING TABLE		S 1815 /3/1
W	REG No. 608			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
19	22.24. 67.	48.61.	8.9. 33.	
20	25	32. 33. 53. 70. 71. 73. 80. 89. 90. 92. 95. 96. (55w 21. 23r)	21	
21		1.3. 10. 24. 28. 41. 53. 54. 61. 63. 64. 67. 72. 96.		4.
22	(62w 24r)		24	1.2.3.18.19.
23	44.	10. 24. 41. 54.		5.6.
24		3. 21. 23. 28. 53. 96.		2.18.19.
25		52. 75. 84. 93.		20.33.80.92.
26	27.		25. 33.	
27	30.	32.80. 92 .	31.	26.
28		21. 24. 61. 63. 64. 67. 72.		30. 95.
29		48. 95. 96.		30. 45.
30	28. 29.			27. 32.
31				
32	30	20. 27.	31	
33	25	1. 9. 20. 80. 92. (55w 21n. 23r)		15. 91.
34			33	14. 40. 54. 91.
35	38. 39.	14. 40. 91.	8. 9. 33. 34.	
36	42	41		
37	41. 44.	45. 55.		
38			39. (44w 39n)	7. 10. 15. 35. 54.
39		10. 42. 54. (55w 23n)		35. 40.
40	34. 39.	1. 7. 15. 35.	38	
41	42. 43.	3. 7. 10. 15. 21. 23. 36. 48. 54.		37.

X ORIGINAL DRAWN: }
ISSUED: } 12.1946
W REG No.

LANDORE
LOCKING TABLE

S 1815 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
42		39		36.41.
43		(46W 45R)		41.
44		(46W 45R)	45	3.4.10.23.37.
45	29.	3.4.5.6.7.10.15.37.55.		94.
46		(43.44 W 45R)	45	53.94.96.
47	48	53.95.	28.46.	
48		2.3.4.5.6.10.18.19.29.41.55.96.		47.53.
49				
50	PERMANENT SPACES			
51				
52		25.75.84.93.97.		
53	46.48.	11.20.21.24.47.61.63.64.67.72.		
54	34.38.	1.3.7.10.11.15.21.23.39.41.	43.44.45.48.(46W 45R)	94.
55		3.4.5.6.10.11.37.45.48.	21.23.41.43.44.	
		(1.64W 23R) (7.15W 39N)	(8W 21N. 23R)	
		(9.33W 21N. 23R)(20W 21.23R)	(22W 23R)	
		(39W 23N)(67W 61N. 23R)		
56	(57 OR 58 OR 59 OR 60)		25.33.	
57	(68 OR 69)	64.70.80.89.92.	65.	(56)
58	61.66.67.	71.80.92.		(56)
59	61.66.	63.67.71.80.92.		(56)
60	72.	73.80.92.		(56)
61		2.18.19.21.28.53.64.72.96.		58.59.71.
		(1W 24R)(79W 63.67N)		
62	(66W 64N)		64.	(22)
X	ORIGINAL DRAWN : } ISSUED : } 12.1946	LANDORE		
W	REG No.	LOCKING TABLE		S 1815 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
63		2. 18. 21. 28. 53. 59. 64. 67. 71. 72. 96. (1W 24R)(88W 69N)		
64		2. 3. 5. 6. 21. 28. 53. 57. 61. 63. 67. 70. 89. 96. (1W 24N)(55W 23R) (88W 69N)		(68)(69)
65	68			
66			67	58. 59. (62)
67		2. 21. 28. 53. 59. 63. 64. 96. (1W 24. 61N)(3W 61N)(55W 23R. 61N)		19. 58 (73)
68	(64W 61 OR 63N)	69		(18)(57)65. 89.
69	(64W 61 OR 63N)	68		(18)(57)70.
70	69	20. 57. 64.		
71	61	20. 58. 59. 63. (12W 67 OR 79N)	66. 67.	(73)
72		21. 28. 53. 61. 63. 81. 96.		60. (73)
73	(67. 71 OR 72)	20. 60.		
74	81	77. 82. 83. (84. 93W 78N)	78. 79. 52. (25W 78N)	(75)
75	(74 OR 85)	25. 52. 78. 84. 90. 93.		
76	77.	82. 83.	79.	
77	78	74.		76.
78	81	75		77.
79	81	2. 82. (1W 24R. 64. 67N)(61W 63. 67N)		83.
80	25	4. 20. 27. 33. 57. 58. 59. 60. 90. 92. 95.	21. 28. 29. 30. 31. 61. 72. (23. 44. 45 W 21R) (63. 65. 68. 69 W 61R)	
81		72. 86. 97.		74. 78. 79. 82
82	81	74. 76. 79.	77. 78.	
X	ORIGINAL DRAWN: } ISSUED: } 12. 1946	LANDORE LOCKING TABLE		S 1815 / 3/4
W	REG No.			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
83	79.	12.74.76.	77.78.	
84		25.52.75.85.90.93.97. (74W78N)	77.78.79.81.86.	
85	86	84.87.93.	25.52.	(75)
86		81.97.		85.87.
87	86	85		
88		(63.64W69N)		
89	68	20.57.64.	65.	
90		15.20.75.80.84.	25.33.52. (34W33R)	
91	33.34.	10.15.35.	38.39.41.43.	
			(23.44.45 W 39N)	
92	25	4.20.27.33.57.58.59.60.80.	21.28.29.30.31.61.72.	
			(23.44.45 W 21R)	
			(63.65.68.69 W 61R)	
93		25.52.75.84.85. (74W78N)	77.78.79.81.86.	
94	45.46.54.			
95	28	20.29.47.80.	46.48.	
96	46	20.21.24.29.48.61.63.64.67.72.		
97		52.81.84.86.		
	LOCKS (N)	5.10.11.12.90.91.92.93.		
	(N) WITH LCC	7.94.		
	(R)	52.		
	CONTACTS (4 SPRING)	5		
	(2 SPRING)	1.96.97.		
	V.T. 5 BAR 4"			

X ORIGINAL DRAWN: }
ISSUED: } 12.1946
W REG No.

LANDORE
LOCKING TABLE

S 1815 /3/5

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
	<u>LOCKS OFF</u>					
1		54				
7		54				
10				43		
11				43.44.45.	(38.39 w 23 n)	
14				38.41.43.	(23.44.45 w 39 n)	
15.21		54				
23	44	54				
34						54
38				(44 w 39 n)		54
39		54.				
40				38.		
41	43	54				
43			(46 w 45 R)			41
44			(46 w 45 R)			23.
46			(43.44 w 45 R)			
47				46		
54	34.38.	7.15.21.23.39.41.		(46 w 45 R)		
55				23.41.43.44.	(8 w 21 n 23 R)	
75		84 ^S 93 ^S .				
80				29.	(44.45 w 21 R)	
84		75 ^S .				
91				38.41.43.	(23.44.45 w 39 n)	
92				29.	(44.45 w 21 R)	
93		75 ^S .				
95				46		

X	ORIGINAL DRAWN:	LANDORE	ALTERATION
	ISSUED: 20.3.1958		
W	REG No.	LOCKING TABLE	S1815 /3/-

No	RELEASED BY	LOCK	NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS ON</u>				
1		(54W 41N)			
4		54			
5.6.	44	54			
7.15		(54W 39N)			
14		(54W 41R)			
20		(54W 21.23R)			
23		94			(54)
33		(55W 21N. 23R)			
34					(54)
37		54			
39		(54W 23N)			
41		94			(54)
43				23.41.	54.55.
44					56.
54	43. (23 OR 34 OR 41)	4.5.6.37. (1W 41N) (7.15W 39N) (20W 21.23R)		(8.9W 21N 23R)	
		(14.91W 41R) (39W 23N)		(21W 23R)	
55	43	(33W 21N 23R)			
80				(29W 28R)	
82.83.		(93W 78R)			
91		(54W 41R)			
92				(29W 28R)	
93		(82.83W 78R)			
94		23.41.			
	LOCKS (R) WITH RE	CONTACTS: 38.43.44. (46 ADDED PREVIOUSLY)			

X	ORIGINAL DRAWN:	LANDORE	ALTERATION
	ISSUED: 20.3.1958		
W	REG No.	LOCKING TABLE	S 1815 /3/-