

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.			
2		7.10.17.22.27.38.53.55.		1
3		8.11.17.22.27.38.53.55.	7.10.	1
4		20.28.29. (26W 29R)	17.22.27.29.38.55.	1
5	DETONATOR			
6	7	8.46.53.		
7		2.10.17.22.27.38.47.48.55. (35.49 W 23N)		6.8.
8	7	3.6.	53	
9	10	11.53.		
10		2.7.16.17.22.27.38.55.		9.11.
11	10	3.9.	53	
12	16	18.20.	17	
13		16.19.20.	17	
14		17.18.19.	16	
15	17	18.19.20.	16	
16		10.13.19.		12.18.
17		2.3.7.10.14.22.27.38.53.55.		15.20.
18	16	12.14.15.	17	
19		13.14.15.16.	17	
20	17	4.12.13.15.	16	
21	22			
22	23	2.3.7.10.17.27.38.		21
23		48.53.55.		22.24.
24	23			44.
25			23	28.30.36.44.48.49.
X	ORIGINAL DRAWN : 19.10.1920 ISSUED : 14.12.1932		LLANELLY OLD CASTLE CROSSING	
W	REG No.		LOCKING TABLE	
			S	/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26	27	28.30.44.48. (4 W 29R)	23.24.25.29.	
27		2.3.7.10.17.22.35.38.49.53.55.		26.28.29.
28	25.27.	4.26.29.		
29	27	28		30.
30	25.29.	26		
31	32	33		
32	54			31.33.
33	32	31		
34	35	36.44.48.	23.24.25.	
35		27.49.53.55. (7 W 23N)		34.36.
36	25.35.	34		
37	38	39		
38		2.3.7.10.17.22.27.		37.39.
39	38	4.37.		
40	X			
41	X			
42	X			
43	DETONATOR			
44	24.25.	26.34.	27.29.35.	
45	X			
46		6	7	50
47		7	23.25.	50
48	25	7.23.26.34.	27.29.35.53.55.	50
49	25	27.35.53.55. (7 W 23N)		50
50	46.47.48.49.			51
51	50			
X	ORIGINAL DRAWN : 19.10.1920 ISSUED : 14.12.1932		LLANELLY OLD CASTLE CROSSING	
W	REG No.		LOCKING TABLE	
			S	13/2

[illegible]

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS ON</u>			
10		12.18. (14w 16N)		
12		10.16.		
13	16			
14		(10w 16N)		
16		12.18.		13.19.
18		10.16.		
19	16			
47			22	
	<u>LOCKS OFF</u>			
10		16		
12	16			
13		16		
16		10.13.19.		12.18.
18	16.			
19		16.		
	NOTE: ITEMS ADDED BY THIS STAGE:			
	LOCKS (N)	4.46.		
	CONTACTS (2 SPRING)	2.49		
	(4 SPRING)	1.50.51.		
X	ORIGINAL DRAWN:	LLANELLY OLD CASTLE XING		ALTERATION
W	ISSUED: 27.5. 1954			
	REG No. 680	LOCKING TABLE		S /3

5-

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	9.10. (3N MSL)	18.19.		
2	11.12. (3N MSL)	10.19.		
3	(4N MSL)	18.19.	17	
4			19	
8	x			
9			10	1.39.
10	12	2.39.59.60.		1 (18)
11			12	2.67.
12		13.17.27.58.67.76.77. (60W 56R)		2.10 (18)
		(60W 43.56N) (61W 46N 49R)		
		(62W 46N 49.51R)		
13	(14W 15R)	12.58.75.76.77. (28.80.81 W 15N)	(44W 15N)	
		(60W 56R) (61W 46N 49R)		
		(62W 46N 49.51R)		
14	(17OR 28 OR 30)	18.31.57. (19W 17R) (35W 30R)	15. (44W 28R)	(13)
		(58.77.80.81 W 28R) (60W 28.56R)		
		(61W 28R. 46N 49R) (75W 15R)		
		(62W 28R 46N 49.51R)		
15		20.57.76. (58.77 W 28N)		21
		(60W 28N 56R) (61W 28.46N 49R)		
		(62W 28.46N 49.51R)		
16			15.	20.21.22.31.57
				(18)(35)(58)(60)
				(61)(62)(77)
X	ORIGINAL DRAWN:	OLD CASTLE CROSSING		
W	REG No.			S2039/3/1
		LOCKING TABLE		

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
17		12.20.21.22.27.		(14) (18)
18	(16.17 OR 10.12)	1.3.14.	19.	
19		1.2.3.22. (14W 17R)		
20	16	15.17.27.	19.	
21	15.16. (75N ESL)	17.27.	19.	
22	16. (20.21N MSL)	17.19.27.		
23- 25	X			
26		46.57.58.76.77. (60W 56R)	12.28.44.49.80.81.	
		(61W 49R) (62W 49.51R)	(15W 28W) (51W 49R)	
27		12.17.20.21.22.		28.30.
28	27.	30.33.76. (13W 15N)		31.57. (14)
29			28 57.58.	76.77. (60) (61) (62)
30	27	28.33.		31. (14)
31	16.30.	14		
32	33.	34.35.		
33	79	28.30.43.		32.34.
34	33.	32		
35	(16W 30R)	32 (14W 30R)	30.33.	
36- 38	X			
39	9.42. (40N MSL)	10.59. (60W 43R 56N) (80.81W 43R)		
40	42.43.45. (49W 46R)	44.59.80.81. (60W 56N)	(51W 46R)	
	(68N ESL)			
41	45.46.49.	59.80.81.	43.51.	
42			43.	39.40.
X	ORIGINAL DRAWN:	OLD CASTLE CROSSING		
W	REG No.			S2039/3/2

ISSUED:

LOCKING TABLE

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
43		33.67.		40.59.
44		40.46.47.49.56.59.60.67.68.77.		58
45			44.46.	40.41.58.67.68.
46		26.44.47.56.60.67.68.77.		41
47		44.46.57.76.77. (60W 56R)		
		(61W 49R) (62W 49.51R)	49.56. (51W 49R)	
48			46	77. (60)(61) (62)
49		44.50.56.77.		41. (40)
50		49.61. (62W 51R)	51	
51		61		
52- 54	X			
55	56	57.60.76.		
56		44.46.49.68.69.71.		
57	16.28.29.	14.15.26.47.55.80.81.	44.49.56. (51W 49R)	
58	29.44.45. (16W 28R)	12.13.26.80.81. (14W 28R)		
	(57.76N ESL)	(15W 28N)		
59	43	10.39.40.41.44.68.69.80.81.	46.56. (49W 46R)(51W 46.49R)	(61)(62)
60	(16W 28.56R)(29.48W 56R)	10.44.46.55.68.69.70.80.81.	56. (43W 56N)	
		(40.67W 56N)(39W 43R 56N)		
		(12.13.26.47W 56R)(14W 28.56R)		
		(15W 28N 56R) (12W 43.56N)		
61	(16W 28R 46N 49R)	50.51. (12.13W 46N 49R)	49	
	(29W 46N 49R) (48W 49R)	(14W 28R 46N 49R)(15W 28.46N 49R)		
	(59W 46.49R)	(26.47.80.81W 49R)		
X	ORIGINAL DRAWN:	OLD CASTLE CROSSING		
W	REG No.			S2039/3/3

LOCKING TABLE

63-

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
62	(16w28R 46N 49.51R)	(12.13w 46N. 49.51R)	51. (49w 51R)	
	(29w 46N 49.51R)	(14w 28R. 46N. 49.51R)		
	(48w 49.51R)	(15w 28. 46N. 49 51R)		
	(59w 46. 49.51R)	(26.47.80.81 w 49. 51R)		
65	X	(50w 51R)		
66	67.68.69.70.			
67	11. 45. (68N ESL)	12.43.44.46.80.81. (60w 56N)		66
68	45 (69N ESL)	44.46.56. 59.60. 80.81.	43	66
69	(70N ESL)	56.59.60.		66
70		60	56	66
71	X			
72	DETONATOR			
73	DETONATOR			
74	X			
75		13. (14w 15R)	15. (12.80.81. w 15N)	78
			(17.27.28.30w 15R)	
76	29. (75N ESL)	12.13.15.26. 28.47.55. 80.81.	44.49.56. (51w 49R)	78
77	29.48. (16w28R)	12.13.26. 44. 46.47.49. 56.80.81.		78
	(57.76N ESL)	(14w 28R) (15w 28N)		
78	75.76.77.			
79	(WHEEL B G. LOCK)			33
80		40.41.57.58.59.60.67.68.76.77.		(WHEEL B G.L.)
		(13w 15N) (14w 28R) (39w 43R)		
		(61w 49R) (62w 49.51R)		
X	ORIGINAL DRAWN:	OLD CASTLE CROSSING		
W	ISSUED:			
	REG No.	LOCKING TABLE		
		S2039/3/4		

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
81		40.41.57.58.59.60.67.68.76.77. (13W15N)(14W28R)(39W43R) (61W49R)(62W49.51R)		(WHEEL A G.L.)
82	(WHEEL A G. LOCK)			
A	(81 G. LOCK)			(82 G. LOCK)
B	(80 G. LOCK)			(79 G. LOCK)
	LOCKS (N) 42 -2	WITH L.C.C. : ———	21.40.58.67.68.69.76.77.	
	(R)	WITH R.E. & L.C.C. :—	9.11.16.29.42.45.48.	
	(N)	WITH N.A. & L.C.C. :—	4.70.75.	
	(R)	WITH L.C.C. :—	19	
	CONTACT BOXES (2 SPRING) 2N	:—	2.22.56.10.57.	
	(2 SPRING) 2R	:—	66.78.	
	(-18 ISSUED 7.3.61)			
X W	ORIGINAL DRAWN: 7.1961 (TABLE) ISSUED: REG No.	<u>OLD CASTLE CROSSING</u> <u>LOCKING TABLE</u>		
				S2O39/3/5