

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	x			
2	19	10.12.18.20.33. 30.		
3		(31w 33R)	33.34.	
4	33	31	34	
5		10.31.49. (13.22 w 33w)	28.30.33.	
			(12.18.19.20 w 33w)	
6	19.20.	12.18.42.		
7		33	34	
8	x			
9	x			
10	(13w12R)(22w18R)	2.5.20.30.33.	19	
11	12.19.	13		
12		2.6.18.30.(33w20w)(42w20R)		11.13.
13	12	11 (5 w 33w)	19.20.	(10)(23)
14	15	16		
15		25.30.40.50.54.57.58.		14.16.
16	15	14		
17	18.19.	22		
18		2.6.12.30.(33w20w)(42w20R)		17.22.
19			20	2.6.11.17.
20	21	2.10.		6.23.49
21		25.30.57.58.		20.40.
22	18	17. (5w 33w)	19.20.	(10)(23)
23	20 (13or 22)			
24	25	26.54.57.		(32)
25		15.21.30.58.		24.26.
X	ORIGINAL DRAWN:	MYRTLE HILL JCN		S
W	ISSUED:			
	REG No.	LOCKING TABLE		/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26	25	24		
27	28	31		
28	30.50.	29.42.45.52.56.57.		27.
29	30	28.31.54.57.		(32)
30		2.10.12.15.18.21.25.58.33.		28.29.(31)
31	(30 OR 33)	4.5.27.29.(3W 33R) (54W 28R)	28. (34W 33R)	
32	(24 OR 29)			
33		2.7.10.30.49. (12.18 W 20W)		4.(31)
34				
35		50		
36	37.50.			
37	42.	44.52.55. (54W 21R)	41	36(48)
38	39.50.			
39	45	47.52.55. (54W 21R)	41	38(48)
40	21	15.50.		(56)(42)(44)(45)(47)48.55
41			40	44.47.52.55.56.
42	(40 OR 50)	6.28.45.56. (12.18W 20R)		37.44.
43	X			
44	41.42.(40 OR 50)	37		
45	(40 OR 50)	28.42.56.		39.47.
46	X			
47	41.45 (40 OR 50)			
48	40 (37 OR 39)			
49	20	5.33.		
50		15.35.40.		(56)52.(47)28.36.38(42)(44)(45)
51	X			
X	ORIGINAL DRAWN:	MYRTLE HILL JCN		
	ISSUED:			
W	REG No.	LOCKING TABLE		
				S 13/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
52	41.50.	28.37.39.	42.45.	
53	x			
54		15.24.29. (31w28R) (37.39w 21R)	21.25.28.30. (40.41.42.45 w 21R)	59
55	40.41.	37.39.	42.45.	
56	41. (40 or 50)	28.42.45.		
57		15.21.24.28.29.	25.30.	59
58		15.21.25.30.		59
59	54.57.58.			
	H.T. 3 BAR 5 1/4"	CTRS: TOP TIER OF 11 TROUGHS,	BOTTOM OF 5	
	SHORT LEVERS :	49.59.		
X	ORIGINAL DRAWN: 18.11.36. ISSUED: 2.11.39	MYRTLE HILL JCN LOCKING TABLE		
W	REG No. 685			S 13/3

No.	RELEASED BY	LOCKS NORMAL	LOCKS B/WAYS
1.	2.3.7.8.		
2	(3N MSL)	19.23.31.52.53. (59W 54.55.58N)	
3		25.26.31.52.53.54.55.58.59. (73W 23R)	19.23.
4	x		
5	29 (24 or 30)	16.17.25. (53W 30R) (59W 31R. 54.55.58N)	
6	29.30.	32.53.54.55.58.59.	16.17.
7		26.53.54.55.58.59. (32W 30R)	25.30.52. (29W 30R) (31W 52N)
8		59	54.55.
9	x		
10	x		
11	x		
12	DETONATOR		
13	16.29. (24 or 30)	32. (53W 30R) (59W 31R. 54.55.58N)	
14	17.29. (24 or 30)	32. (53W 30R) (59W 31R. 54.55.58N)	
15	24.29.	25.32.	16.17.
16		5.17.25.	
17		5.16.25.40.	
18	19	26.53. (59W 54.55.58N)	
19		2.23.31.52.	
20		28.65.70.73.74. (26.53W 23R) (40W 22N) (43.76 W 40N) (50.57 W 22R 64N) (50.75 W 22N 44R) (59W 22N 44.58R OR 40.57N 58R) (67.68.69 W 22R)	22.23.25. (49W 22R 64N) (64W 22R)
21		22.28.40.43.70.73.74.76. (26.53W 23R) (50.75 W 44R) (59W 23R.25.54.55.58N OR 44.58R OR 57N 58R)	23.25. (42W 23N)
22		21.23.45.66.67.68.69. (41.75 W 40N) (44 W 40.64N) (49.50.57 W 64N) (59W 40.57N 58R)	64.
23		2.19.37.39.41.44.52.74.76. (59W 57N 58R)	
24		30.36.52.	
		CARMARTHEN JCN	
			52045/3/1

No.			
25	23.24.	5.15.16.17.26.53.	
26	(19 or 23)	3.7.18.25. (20.21 w 23R)	
27	26		
28	25	20.21.	
29			30
30	31	24.52.	
31		2.3.19.23.	
32	(16 or 17)(24 or 30)	6.13.14.15. (7 w 30R)	29
33	30.32.		
34	17.24.32.		
35	16.24.32.		
36		24.51.	52.
37	39.40.		
38	39	40 23 70 71	
39		3.43.70.71. 72.74.76. (22.73 w 40N) (50 w 44R) (57 w 41N) (59 w 41N 58R) (77 w 41.44N)	40.41.42.44. (49 w 44R) (58 w 41.44N)
40	31	17.21.38.70.74. (20 w 22N)	
41		23.44.54.72.74.76. (22 w 40N) (59 w 57N 58R)	
42			40
43	41.42.	21.39. (20 w 40N)	
44		23.41.68.69.72.74.76. (22 w 40.64N) (59 w 57N 58R)	
45	40	22.73.	
46	x		
47	x		
48		50.57.69.70.71.	44.49. (22.64 w 44N)
49		57	
50	(42 w 44R) 49	48 (20 w 22N 44R) (21.39 w 44R) (22 w 64N)	44.
51	52	36.53.59.	
52		2.3.19.23.24.30.54.55.58.	
53	(30 w 31R 52N)	2.3.6.7.18.25.51.54.55. (5.13.14. w 30R) (20.21 w 23R)	
54		3.6.7.41.52.53.55.58.	
55		3.6.7.52.53.54.58.	
56	58	57.59.72.74.	
57		48.49.56.76. (22 w 64N) (39 w 41N)	
58		3.6.7.54.55.75.76.77.	
59	(42 w 57N 58R)	3.6.7.8.51.56. (2.18 w 54.55.58N) (5.13.14. w 31R 54.55.58N)	52.58. (44 w 57.58R) (57 w 58R)
		CARMARTHEN JCN	
			S 2045/3/2

No.			
		(20W 22N. 44. 58R OR 40. 57N 58R) (21 W 23R. 25. 54. 55. 58 N OR 44. 58R OR 57N. 58R) (23. 41. 44 W 57N 58R) (22 W 40. 57N 58R) (39W 41N 58R)	
60	DETONATOR		
61	x		
62	x		
63	x		
64		68. 69.	
65	22. (73N MSL)	20.	64
66		22	64 (44W 64N)
67	64	(20W 22R)	22
68	(65N MSL)	44. 64. (20W 22R)	22
69	(68N MSL)	44. 48. 64. (20W 22R)	49
70	42. 44. (73N MSL)	20. 21. 39. 40. 48	49
71	40. 42. 44.	39. 48.	49
72	40. 42.	39. 41. 44. 56.	
73		20. 21. 45. (3W 23R) (39W 40N)	22. 23. 24. (41. 44 W 40N)
74	42	20. 21. 22. 23. 39. 40. 41. 44. 56.	
75	57 (42W 44R)	58. (20W 22N 44R) (21W 44R)	44
76	42	21. 23. 41. 44. 57. 58. (20. 22W 40N)	
77		(39W 41. 44N) 58	57
78	73. 74. 76. 77.		

DRAWN : 9. 9. 1954.

ISSUED : 5. 4. 1955

SHORT LEVERS: 1. 45. 54. 55. 57. 58. 78.

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	48 (6N ESL)	38.42.46.47.		101
2	14 (17W15R) (3N ESL)	49.54.63.64.66.68.69.102.104. (18.19W15R)(47W15R46N)(52W15N) (61W52N56R)(103W52N56R GGT CLEAR) (106W52N)		
3	14.15.17. (6N ESL)	18.19.46.47.64.102.		
4	17. (5N ESL)	12.15.18.19.48.68.102. (47W 46N)		
5	17. (6N ESL)	12.15.18.19.46.47.48.102.		
6	(7N ESL)	39.46.47. (11W18R)(19W18N)(41W43R)	38.42.43.48. (12.15W18N)	101
7		47	46	101
8	x			
9	x			
10	DETONATOR			
11	12.17.	19.46. (6W18R)(47W48N)		
12		4.5.15.16. (48.102 W 18N)		11.21.
13	14.15.17.18.	19.64.		
14			15.	2.3.13.49.
15		4.5.12.16.63. (48W18N)(56.102 W 52N)		3.13.20.
16	17.18.	12.15.19.		
17			18	(2)3.4.5.11.13.16.
18		3.4.5.22.43.46. (2W15R)(40.47W48N)		13.16.20.21.
19		3.4.5.11.13.16.43. (2.69.104 W 15R) (6W18N) (68W12.15N)	12.15.18. (48W18N)	20.21. (40)
20	15.18.19.			
21	12.18.19.			
22		18.43.45.	46	
X	ORIGINAL DRAWN: ISSUED: 20.7.1966	CARMARTHEN JCN		
W	REG No.	LOCKING TABLE		S2045/3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
23	x			
24	(25W26R)	44.59.71.77.78.105. (39W 42R)	26. (42.43W 26N)	
		(47W 26.46N 42R)(61W 26N.52.56R)		
		(103W 26N 52.56R GGT CLEAR)		
		(106W 26N 52R)		
25		28.29.30.33.34.35.(56.61.103W 27.31N)	27. (31W 27N)	(24)
		(58W 27N)(105W 26R)		
26		28.44.59.71.77.78. (39W 42R)		29
27		33.34.35.		30
28		25.26.33. (32W 27N)		
29	26 (105N ESL)	25 (32W 27N)		
30	27	25	26	
31		35.58.		34
32		33.34.35.58.(28.29W 27N)	31 (60W 31N)	
		(56.61.62W 31N)		
33		25.27.28.32.	26.31.	
34	31	25.27.32.		
35		25.27.31.32. (55W 56N)		
36	x			
37	38	39.46.47.		
38	48	1.42.102.		37.(39)
39	(38OR 42)	6.37.43. (24.26.41.71W 42R)		(40)
40	(19W 48N)(39W 48R)	(18W 48N)	46	
41	(50W 42N)	44.77.(6W 43R)(39.46.47W 42R)	42.43.	
42	48	1.38.56.78.102.106.		(39) 43
43	42	18.19.22.39.46.47.		44
X	ORIGINAL DRAWN: ISSUED: 20.7.1966		CARMARTHEN JCN	
W	REG No.		LOCKING TABLE	
			S2045/3/2	

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
44	43	24.26.41.71.		
45	46	22.47.		
46		1.3.5.6.11.18.37.43. (41W 42R)		45
47		1.3.5.6.7.37.43.45.(4.102W 46N)	46 (48W 46N)	
		(2W 15R 46N) (11.18W 48N)		
		(24W 26.46N 42R) (41W 42R)		
48	52	4.5. (12.15W 18N)		1.38.42.
49	14.51.	2.52.64.		
50	51.52.			(41)
51	56	54.59.61.62. (77W 52R)	52.60.	49.50.
52		49.54.63. (2W 15N)		48.50.59.78.
53			52	(57)63.78.106.
54	56.57. (64N ESL)	2.51.52.55.69.104.	60	
55	60	54.58.59.61. (35W 56N)	56. (31W 56N)	
56		42.58.63.78.106. (15.102W 52N)		51.54.59.
		(25W 27.31N) (32W 31N)		
57	(53W 56R)		56	54.58.59.61. (103)
58	57	31.32.55.56. (25W 27N)	60	
59	52.56.57. (77N ESL)	24.26.51.55.71.	60	
60		62		55.61.
61	57.60.	51.55. (2W 52N 56R)(24W 26N 52.56R)		
		(25W 27.31N) (32W 31N)		
62		51.60.106. (32W 31N)		103
63	53 (64N ESL)	2.15.52.56.69.102.104.		
64	(66.67N ESL)	2.3.13.49.69.104.	15.68. (56W 52N)	
65	69 (66.67N ESL)	72.73.74.	68	
X	ORIGINAL DRAWN: ISSUED: 20.7.1966		CARMARTHEN JCN LOCKING TABLE	
W	REG No.			
				S2045 / 3/3

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
66		2.68.73.74.				
67	68	72.74.				
68		2.4.66.73. (19W12.15N)				67.72.
69		2.54.63.64. (19W15R)				65.72.73.74.
70		102				71.104.
71	70	24.26.44.59.77.78.104 (39W42R)				74
72	68.69. (74N ESL)	65.67.104.		71		
73	69 (74N ESL)	65.66.68.104.		71		
74	69.71. (105N ESL)	65.66.67.				
75	DETONATOR					
76	X					
77	(105N ESL)	24.26.41.71. (51W52R)		42.43. (56W52R)		107
78	52.53. (77N ESL)	24.26.42.56.71.				107
101	1.67.102.					
102	(1N ESL)	2.3.4.5.38.42.63.70. (12W18N)				101
		(47W46N) (56.106W52N)				
103	62. (57W GGT CLEAR)	(2W52N56R GGT CLEAR) (25W27.31N)				
		(24W26N 52.56R GGT CLEAR)				
104	70 (65N ESL)	2.54.63.64.71.72.73. (19W15R)				
105		24. (25W 26R)				107
106	53 (63.78N ESL)	42.56.62. (2.15.102W52N)				107
		(24W26N 52R)				
107	77.78.105.106.					
	ELECTRICAL INTERLOCKING BETWEEN LEVERS AND			SWITCHES 101 to 107.		
	COMPLETE RELOCK - NOT CARRIED OUT.					
X	ORIGINAL DRAWN: 6.4.1966 ISSUED: 20.7.1966		CARMARTHEN JCN LOCKING TABLE			S2045/3/4
W	REG No.					

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	x			
2	x			
3		16.17.18.22.23.		
4		16.19.22.		
5		6.18.19.20.27.		
6		5.18.19.27.		
7	12	15.29.30.		
8		9.10.39.		
9		8.30.39.40.		
10		8		
11		32		12.15.
12	11	40.41.42.44.46. (72w61R)		7.29.30.
13		22.23.25. (72w51R)		14.15.16.17.
14	13	21.28.		29
15	11.13.	7		
16	13	3.4.19.20.	7	
17	13.20.	3.	7	
18		3.5.6.20.21.26.27.28.29.	19	
19		4.5.6.16.20.22.25.27. (72w51R)		26
20		5.16.18.19.22.27.		17.23
21		14.18.26.27.28.34.51.		
22		3.4.13.19.20.50 (63w64R)	51.(67w64R)(68w64.67R)	
23	20	3.13.50. (63w64R)	51.(67w64R)(68w64.67R)	
24	64.65.	50.67.70.		
X	ORIGINAL DRAWN: ISSUED:		CARMARTHEN JCN	
W	REG No. C		LOCKING TABLE	
			S2045/3/1	

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
25	64.65.67.68.	13.19.50.63.		
26	19.	18.21.	14	
27		5.6.18.19.20.21.	14	
28		14.18.21.51.		
29	12.14.	7.18.		
30	12	7.9.		
31	x			
32		11.61.		
33		52.61.74.		
34	52.	21.51.74.		
35		72.75.	74.	
36	x			
37	x			
38				
39		8.9.		
40		9.12.54. (63w 64n)	55.(56.57w 55R)(67w 64n)	
			(68w 64. 67R)	
41	55.56.	12.54.57.	67. (68w 67n)	
42	55.56.57.	12.54.		
43	56.68.	53.57.67. (54w 55R)		
44	65.67.68.	12.54.63.64.		
45	68.70. (65w 67R)			
46	65	12.54.55.61.64.67.70.		
47	DETONATOR			
X	ORIGINAL DRAWN:	CARMARTHEN JCN		
W	REG No.			S2045/3/2
		LOCKING TABLE		

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
48	DETONATOR			
49	x			
50	(51 or 64)	22.23.24.25.72. (70w 64R)	(67w 64R)	
51	52	21.28.34.64.74.		(50)(72)
52		33.61.		34.51.64.
53		43.55.58.59. (67.70 w 57N)	57	
54		40.41.42.44.46. (43w 55R)(64w 55N)	55.61. (57w 55R)	
		(67.70 w 55R 57N)(70w 55.61N)	(67w 55N)	
		(72w 61R)		
55		46.53.58.59.61. (67w 64N)		41.42.
56			55	41.42.43.58.59.
57		41.43.58.		42.59.
58	56	53.55.57.	67 (68 w 67N)	
59	56.57.	53.55.		
60	x			
61		32.33.46.52.55.67.74.		(72)
62	x			
63	67	25.44.70. (22.23 w 64R)(40w 64N)	64	
64	52	44.46.51. (54w 55N)		24.25. (50)
65			64	24.25.44. (45) 46
66	x			
67		24.43.46.61. (53w 57N)		25.44. 63
		(54w 55R 57N) (55w 64N)		
68			67	25.43.44.45.
X	ORIGINAL DRAWN:	CARMARTHEN JCN		
W	REG No.			S2045/3/3
	ISSUED:	LOCKING TABLE		

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
69	x			
70		24.46.63. (50w 64R) (53w 57N)		45
		(54w 55R. 57N OR 55. 61N)		
71	x			
72	(51 or 61)	35.50. (13.19w 51R) (12.54w 61R)		(75)
73	74	75		
74		33.34.51.61.		73
75	(72w 74N)	35.73.		
76	x			
77	x			
78	x			
	LOCKING IN RED	NEW FOR AMENDMENT 'C'	- TABLE OTHERWISE	
	AS FOR LAYOUT	AT 1972		
X	ORIGINAL	DRAWN: 10.1971	CARMARTHEN JCN	
W	REG No.	ISSUED: (1.1972)		
		8.1979	LOCKING TABLE	
			S2045/3/4	