

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	x			
2		16. 20. 39. (35w 23R)		
3		17. 20. 23.		
4		25. (19w 23R)		
5	x			
6	23.	17. 20. 35.		
7		23. 24. 32. 35.		
8		32. 33. 34. 35.		
9	x			
10	x			
11	DETONATOR			
12	(15w 13N)	14. 30.		
13		15. 16. 31.		14.
14	13	12.		
15		13. 17. 30. 31. 33. 34. 37. 39. (20w 16R) (22. 36w 16N) (35w 16. 23R OR 20. 23R)	16. 20. (23w 20R)	(12)
16		2. 13. 31. 34. 37.		17.
17	16.	3. 6. 15.		
18	x			
19	20.	31. 33. 34. (4. 35w 23R)	23.	
20		2. 3. 6. 22. 36. 37. (15w 16R)		19. 33. 34.
21			20	33. 34. (35)
22		20. 36. 37. (15w 16N)		
23		3. 7. 24. 32.		6. 33. 34.
24		7. 23. 32. 35.		

ORIGINAL DRAWN:
 ISSUED: AS AT 2.9.1972
 REG No.

WHITLAND

LOCKING TABLE

S 2051 / 3 / 1

LOCKS TO COME OFF

No	LED BY	LOCKS
15		37. (22. 36 w 16N)
16		34. 37.
22		(15 w 16N)
34		16
36		(15 w 16N)
37		15.16.

LOCKS TO GO ON

No	LED BY	LOCKS
15		(37 w 16N)
37		(15 w 16N)

LOCKING ALTERED 1. 8. 1976 1/4 AMENDMENT 'B'
 (REPOSITIONING OF EAST + OVER BEYOND OVERLAP
 OF SIGNAL 31)

WHITLAND

LOCKING
ALTERATIONS

S20511 / -