

| No    | RELEASED BY                   | LOCKS NORMAL              | LOCKS BOTH WAYS              | RELEASES                   |
|-------|-------------------------------|---------------------------|------------------------------|----------------------------|
| 1     | 26                            | 13.15.19.55.57            |                              |                            |
| 2     | 15.26                         | 16.55.57                  |                              |                            |
| 3     |                               | 13.15.19.26               | 31                           |                            |
| 4     | 15                            | 16.26.32                  | 31                           |                            |
| 5     |                               | 29.30.31. (16.21W28N)     | 28. (13W15.19N) (20W19R 28N) |                            |
|       |                               |                           | (15.19.26W28N)               |                            |
| 6     | 31                            | 29.32                     | 28. (13W15.19N) (20W19R 28N) |                            |
|       |                               |                           | (15.19.26W28N)               |                            |
| 7     | 13                            | 14.43                     |                              |                            |
| 8     | 14. (35or40). (41or42.47W35N) |                           |                              |                            |
| 9-12  | x                             |                           |                              |                            |
| 13    | 38                            | 1.3                       |                              | 7.14                       |
| 14    | 13                            | 7.22.29.37.45.50.64.65.66 |                              | 8                          |
| 15    |                               | 1.3.19                    |                              | 2.4.16.22                  |
| 16    | 15                            | 2.4. (5W28N)              | 26.55.57. (31W28N)           |                            |
| 17    | 19.20                         | 21.55.57. (32W26N)        | 26. (31W26N)                 |                            |
| 18    | 20.22. (27W28R)               | 59.65                     |                              |                            |
|       | (35W36R) (40W43R)             |                           |                              |                            |
| 19    |                               | 1.3.15                    |                              | 17 (20).21                 |
| 20    | (19or22)                      |                           |                              | 17.18.21.59 (64) (65) (66) |
| 21    | 19.20                         | 17. (5W28N)               | 26.55.57 (31W28N)            |                            |
| 22    | 15                            | 14.63                     |                              | 18 (20).59                 |
| 23-25 | x                             |                           |                              |                            |
| 26    |                               | 3.4. (32W28N)             |                              | 1.2.28.55 57               |
| 27    | 28                            | 29.30.59.63               | 22.31. (20W22R)              | (18)                       |
| 28    | 26                            | 36.43.65. (38W14.22N)     |                              | 27.29.30                   |
| X     | ORIGINAL DRAWN:               | LOCKING TABLE             |                              |                            |
| W     | ISSUED:                       |                           |                              |                            |
|       | REG No. L 520                 |                           |                              | S1309 /3/1                 |

| No    | RELEASED BY             | LOCKS NORMAL               | LOCKS BOTH WAYS            | RELEASES      |
|-------|-------------------------|----------------------------|----------------------------|---------------|
| 29    | 28                      | 5.14.27.30                 | 22.31                      | (32)          |
| 30    | 28                      | 5.27.29.31.55              |                            | 64            |
| 31    |                         | 5.30                       |                            | 6.32          |
| 32    | (29w28r).31             | 4.6.(17w26N).(26w28N)      |                            |               |
| 33-34 | x                       |                            |                            |               |
| 35    | 36                      | 37.59.63                   | 22.(20w22R)                | (8)(18)       |
| 36    |                         | 28.43.65.(38w14.22N)       |                            | 35.37         |
| 37    | 36                      | 14.35                      | 22                         |               |
| 38    |                         | 63.(28.38.43.65 w14.22N)   |                            | 13.39         |
| 39    | 38                      |                            |                            | 67            |
| 40    | 43 (41w44R) (42w47.48R) | 45.59.63.66                | 22.44.47.(20w22R).(48w47R) | (8).(18)      |
| 41    | 44                      | 45                         |                            | (8).(40)      |
| 42    | 48                      | 49.50.(59.63w47R).(67w51R) | (39w51R)                   | (8).(40)      |
| 43    |                         | 7.28.36.65.(38w14.22N)     |                            | 40.44.45.47   |
| 44    | 43                      | 47                         |                            | 41.46         |
| 45    | 43                      | 14.40.41.47                | 22.44                      | 46            |
| 46    | 44.45                   |                            |                            |               |
| 47    | 43                      | 44.45.51                   |                            | (8)(48).50.66 |
| 48    | (47or51)                | 66.68                      |                            | 42.49.50      |
| 49    | 48.51                   | 42                         | 39                         |               |
| 50    | 47.48                   | 14.42                      | 22                         |               |
| 51    |                         | 47.53                      |                            | (48).49.68    |
| 52    | 53                      | 54.67                      | 39                         |               |
| 53    |                         | 51                         |                            | 52.54         |
| 54    | 53                      | 52                         | 39                         |               |
| 55    | 26                      | 1.2.30.57                  |                            | 56            |
| X     | ORIGINAL DRAWN:         |                            | LOCKING TABLE              |               |
| W     | ISSUED:                 |                            |                            |               |
|       | REG No. L520            |                            | S1309 /3/2                 |               |

[illegible]