

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	x			
2	31.32	29.41.42	39	
3	4.5			
4		26.33.41.42	35.39	3
5		27.36.39. (30W32R)	26.32.33. (29.31W32R)	3.(28)
6-8	x			
9	38	27.42 (30W32R)	26.32.33. (29.31W32R)	(28)
10-11	x			
12	39	27.40.41 (30W32R)	26.32.33. (29.31W32R)	(28)
13-14	x			
15	35	27	26	
16	17.18			
17	31	29.33.36.43.46.50		16
18		30(24W36R)	29.31.32.33.35.36.43.44.50. (46.47W36N)	16
19	(22OR23)			
20	x			
21	(56OR58).	43.79		
22	44(56OR58)	69		(19)
23	49	43.46.69		(19)
24	(27OR30.32)	(18W36R)	36 ^S . (40W39R)	
25	26	27.41.42.79	35 ^S . 39	
26		4.33.46.80. (36W35N). (52.59W44N) (84W44N)		25.27
27	26	5.9.12.15.25	35 ^S . 38.39	(24)
28	29.31. (5OR9OR12W32R)	30.69		
28	ORIGINAL DRAWN: ISSUED:	ROGERSTONE SOUTH LOCKING TABLE		D.T. 5 1/4"
28	REG No.			S 1314 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
29		2.17.36.43.46.50.70.71.72. (33w32N)		28.30
30	29	18.28. (5.9.12w32R)	31.32 ^S .33 ^S . (38.39w32R)	(24)
31			32	2.17.28
32	33			2.(24)
33		4.17.26.36.46.80. (29w32N)		32
		(52.59.84w44N)		
34	x			
35	36			15
36		5.17.29.33.39.43.50.52.59.84		35
		(26w35N) (80w46N)		
37	x			
38	39.40			9.42
39		5.36		12.38.41
40		12.41		38
41	39	2.4.12.25.40	33	
42	38	2.4.9.25	33	
43		17.21.23.29.36.51.70.71.72.80.46		44
44	43			22.74
45	x			
46		17.23.26.29.33.43.52.59.71.84. (50w47N)		47
47	46			86
48			47	51.71.72.86
49	50	51.70. (80w47R)	43.46 ^S .47 ^S .48	23
50		17.29.36.71.72.86. (46w47N) 61.65		49.51
51	48.50. (80w47R)	43.49		
52		36.46.57.59.84. (26.33w44N)		54.83
282	ORIGINAL DRAWN: ISSUED:	ROGERSTONE SOUTH LOCKING TABLE		D.T. 5 1/4"
	REG No.			S 1314 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
53		83		54.55
54	52.53			56.81.82
55	53	82		56.57.81
56	54.55	74.80.81	43.44	(21).(22)
57	55	52		
58	59	60.61.74.80	43.44	(21).(22)
59		36.46.52.84.(26.33w44n)		58.60
60	59	58	44	
61		50.58	59	
62-64	x			
65		50.72		
66-68	x			
69		22.23.28	29.43.44	73
70		29.43.49	46.47.48.50	73
71	48	29.43.46.50	65	73
72	48	29.43.50.65		73
73	69.70.71.72			
74	44	56.58	52.54.59.(53.55w52r)	
75-78	x			
79		21.25	26.32.33.43.44.46	
80		26.33.43.56.58.(36w46n)(49w47r)	46.47.52.54.59.(53.55w52r)	(51).86
			(48.50w47r)	
81	54.55	56	44	
82	54	55	44	
83	52	53	44	
84		36.46.52.59.(26.33w44n)	44	
282	ORIGINAL DRAWN: ISSUED:		ROGERSTONE SOUTH LOCKING TABLE	
2	REG No.			
			D.T. 5 1/4"	
			S 1314 /3/3	

[illegible]

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
2	(50R 9 OR 12)			
5		(30W 32R)	(29.31 W 32R)	(2)(12)(28)
9		(30W 32R)	(29.31 W 32R)	(2)(12)(28)
12		(30W 32R)	(29.31 W 32R)	(2)(12)(28)
18			(46.47 W 36N)	
26		(52.84 W 44N)		
28	(50R 9 OR 12W 32R)			
30		(5.9.12W 32R)	(34.37.38.39 W 32R)	
33		(52.84 W 44N)		
34	(37W 35N)			
36		(80W 46N)		
37				(34)
46		(50W 47N)		
49		(80W 47R)		
50		(46W 47N)		
51	(80W 47R)			
52		(26.33W 44N)		
62	(80W 47R)			
73			(53.55 W 52R)	
80		(36W 46N) (49W 47R)	(48.50W 47R) (53.55 W 52R)	(51) (62)
84		(26.33W 44N)		
	TWIST FRAME -	TAPPET LOCKING ONLY.	OLD No. 767	
	5 SLIDES IN USE	AT REAR OF FRAME		
	LOCKING (ON TABLE)	REMOVED:		
1	2.6.	} & CONVERSES	(NOT SHOWN HEREON)	
43				
		(52W 44N)		
X	ORIGINAL DRAWN: 13.4.1911 ISSUED: 7.1921		ROGERSTONE SOUTH	
W	REG No.			
			LOCKING TABLE	S /3