

GW. V.T., 4" CENTRES.
PONTYMISTER SOUTH

S/SW 497

No	RELEASED BY	LOCKED IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
1	X 2			
2	3.5.6.			
3		16 19.30		2
4	18.19			
5		17 30	19 (18W 19R)	2
6		31	26 30 (23.24W 26R)	2
7	18 20	27		
8	X			
9	X			
10	X			
11	SPACE			
12	"			
13	"			
14	DEGNATOR			
15	X 16	17		
16	X	3 19 30		
17	X 16	5 15		
18				
19			19.	4.7.
20		3. 16 20.30 44 (45W 33N) 45		4.
21	24	19.33.		7
22	23	23.28 (31W 26R)	26	
23	24	28 (31W 26R)	26	
24	27	21		22
25	27	25		21 23
26	27 30	24 28 40 (31W 26R)	26 32	
27		28 29		
28	27 (32W 24N)	7. 41		
29	30	21.22.25 26 (40W 24R)	23 24	24 25 26 28
30		26 31 42 44	33 34	
31	30 (34W 26N) (32W 25R 24N)	3.5. 16 19. 45 43		26.31.
32		6.29 (21 22 25 42 44W 26R) (40W 26 24R)	26 (23.24W 26R)	
33		33		40 41 (28W 24N) (32W 26R 24N)
		20 32 44 45		42

CONTD.

PONTYMISTER SOUTH

No	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
34			33	42. 44 45 (31W 26N)
35	DETONATOR			
36	SPACE			
37	"			
38	"			
39	"			
40	32	25 (28W 24R) (31W 26 24R)	24 26 27	
41	32	27		
42	33 34	29 (31W 26R)	26 30	
43	X 33 34	29 30		
44	34	19 29 33 (31W 26R)	26 30	46
45	34	30 (19W 33N) 19 33		46
46	44. 45.			

A	7. 6. 55.	MR	B	JUNE 55	B/B
AMENDED I/C/W REMOVAL OF DOWN MAIN SIDING CONNECTION. O.N. 55-9672 W71.163 REFER.			LEVER 1 MADE SPACE MOTOR OPERATED DISTANT O.N. 21/9089.		

UM REPEATING HOME (N° 43) OOK. - JAN. '52

S1318/3

SERIAL	WORK	REFERENCE NOS.			SIGHTING FORM	DRAWINGS AFFECTED	AMEND	CHECK	DATE	OCCUP.
		CORRES.	PLAN	ORDER						
A	DN MN SDG CONNECTION AND ASSOC. DISCS RECOVERED	W71.163	S55/18	55/9672		12. /3.		MR	1.6.55	COMP.
B	DN MN DISTANT MOTOR OPERATED I/C/W RENEWAL OF NORTH BOX'S DN. MN. HOME	W75,200		21/9089		12. /3.		BJB	6.55	COMP.
C	ARM & LAMP REPEATERS PROV. ON DN. MN. STG. SIGNAL			28/4119/3		12.	TJC	RSG	8.56	
D	L.C. RELEASE PROVIDED ON UP & DOWN MAIN STARTING SIGNALS.	RM4254		40/3756		12 /10/1.	HDL	DJM	7.60	
E	DN. MN. HOME, UP MN DIST & DN RELIEF HOMES BKT. RENEWED AND REPOSITIONED.	RM1318/1		21/9176/3	29.10.59	12.	BMR	RVT	11.61	
RS 21 NOV 1961		PONTYMISTER SOUTH RECORD OF AMENDMENTS				DRAWN BMR NOV 1961 S1318/1				

PONTYMISTER SOUTH

READING 14 JAN 1952.

No	RELEASED BY	LOCKS IN NORMAL POSITION	LOCKS IN EITHER POSITION	RELEASES
		LOCKS TO COME OFF		
19		45		
30		43		
33		45		
34				43
43	33. 34.	30		43
45		33. 19		
		LOCKS TO GO ON		
19		(45W 33N)		
45		(19W 33N)		
		LEVER No 43 TO BE RECOVERED.		

		LOCKS TO COME OFF		
3		16		
5		17		
15	16	17	16	
16		3 19 30		15. 17
17	16	5. 15		
19		16		
30		16		
		LEVER N°S 15.16.17 TO BECOME SPACES.		

RS 13 JUN 1955.

		LOCKS TO COME OFF		
1	2			
2				
		LEVER No 1 TO BECOME SPACE.		1

RS 1 JUL 1955.

Cert. H.W. Edwards, Newport. 24/9/55

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	2					
2	3.5.6.					1
3		16.19.30.				2
4	18.19.					
5		17.30.		16.19.	(18w19R)	2
6		31		26.30.	(23.24w 26R)	2
7	18.20.	27				
8	x					
9		27		18.20.		
10		28	(21.22.25w 26R)	23.24.26.27.		
11	x					
12	x					
13	x					
14	DETONATOR					
15	16	17				
16		3.19.30.				15.17.
17	16	5.15.				
18				19		4.7.
19		3.16.20.30.44.45.				4.
20		19.33.				7.
21	24	23.28.	(10.31w 26R)	26		
22	23	28.	(10.31w 26R)	26		
23	24	21				22.
24	27	25				21.23.
25	27	24.28.40.	(10.31w 26R)	26.32.		
26	27.30.	28.29.	(42.44w 31R)			(31)
X	ORIGINAL DRAWN:	PONTYMISTER SOUTH				
W	ISSUED:					
	REG No.	LOCKING TABLE				S /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27		7.9.41.		24.25.26.28.
28	27 (32w 24N)	10.21.22.25.26. (40w 24R)	23.24.	
29	30	26.31.42.44.	33.34.	
30		3.5.16.19.43.45.		29.31.
31	30. (26w 34N)	6.29. (21.22.25w 26R)	26. (23.24w 26R)	
	(32w 24N. 26R)	(40w 24. 26R)		
32		33		(30).40.41.(28)
33		20.32.44.45.		42.43
34			33	42.43.44.45.
35	DETONATOR			
36	x			
37	x			
38	x			
39	x			
40	32.	25. (28w 24R)(31w 24. 26R)	24.26.27.	
41	32	27		
42	33.34.	29. (26w 31R)	26.30.	
43	33.34.	30		
44	34.	19.29.33. (26w 31R)	26.30.	46
45	34	19.30.33.		46
46	44.45.			
	V.T.3 BAR 4"			
X	ORIGINAL DRAWN: 'E'	PONTYMISTER SOUTH		
W	ISSUED: S/sw 503			
	REG No. 525A	LOCKING TABLE		S 13/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2			
2	3.5.6			1
3		16.19.30		2
4	18.19			
5		17.30	16.19.(18w19R)	2
6		31	26.30.(23.24w26R)	2
7	18.20	27		
8-13	x			
14	DET			
15	16	17		
16		3.19.30		15.17
17	16	5.15		
18			19	4.7
19		3.16.20.30.44.45		4
20		19.33		7
21	24	23.28.(31w26R)	26	
22	23	28.(31w26R)	26	
23	24	21		22
24	27	25		21.23
25	27	24.28.40.(31w26R)	26.32	
26	27.30	28.29		
27		7.41		24.25.26.28
28	27.(32w24N)	21.22.25.26.(40w24R)	23.24	
29	30	26.31.42.44	33.34	
30		3.5.16.19.43.45		26.29.31
31	30.(34w26N).(32w25R.24N)	6.29.(21.22.25.42.44w26R).(40w24.26R)	26.(23.24w26R)	
ORIGINAL DRAWN: S/SW 497		PONTYMISTER SOUTH		V.T. 4" 3 BAR
TABLE ISSUED:				
REG No.		LOCKING TABLE		525A S1318 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
32		33		(28)(31).40.41
33		20.32.44.45		42.43.
34			33	(31)42.43.44.45
35	DET			
36	x			
37	x			
38	x			
39	x			
40	32	25.(28w24r).(31w24.26r)	24.26.27	
41	32	27		
42	33.34	29.(31w26r)	26.30	
43	33.34	30		
44	34	19.29.33.(31w26r)	26.30	46
45	34	19.30.33		46
46	44.45			
ORIGINAL DRAWN: ISSUED:		PONTYMISTER SOUTH		V.T. 4" 3BAR
REG No.		LOCKING TABLE		525A S1318 /3/2