

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	14	9.15.21.22.23.28.(31w27r)		
2	30	9.21.28.39.40.(31.46w27r)	14.15.22.23.25	
3	14.15.20	10.41.42.44.(28w21r)(31w27N or 21.27e)	17	
4	16.20	18.(28w21e)(31w27N or 21.27r)	17	
5	20.21.30	10.18.28.31.41.44.(46w27r)	15.16.17.25.(14w15e)	
6	27.30	9.10.31.33.40.44	21.25.32.(20w21e)	
7	19.20	18.41.42.(31w27N).(46w26R)	15.16.17.26.(14w15e)	
8	26	31.33.42	19.32.(20w19e)	
9		1.2.6.21.28.39.40(31.46w27r)	14.15.22.23.25	
10	20.21	3.5.6.18.28.31.41.44(46w27r)	15.16.17.25.(14w15e)	
-13	x			
14			15	1.3
15		1.16.22		3.41
16		15.42.44		4.18
17			15	18.41.42.44
18	16.17	4.5.7.10	19.20.21.(25w21r)	
19		21		7.42
20			21	3.4.5.7.10
21		1.2.9.19.40		5.10.44
22		1.15		39
23		1	22	39 40
24	28.30	29.40.44	21.25.(20w21r)	
25			21	40.44.45
26		27		8.43
27		26.28		6.45
28		1.2.5.9.10.27.(3.4w21r)		24
28 ₂	ORIGINAL DRAWN: ISSUED:	EBBW VALE STATION LOCKING TABLE		
	REG No.			S /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
29	25.28	24	30	
30			27	2.5.6.24:
31		5.6.8.10.(1.2.9w27e)(7.44w27n)(3.4w27n or 21.27e)		43.45
32			27	(33)
33	(32w31e)	6.8	31	43.45.46
34 - 38: X				
39	22.23	2.9	14.21.25	
40	23.25	2.6.9.21.24	27.28.30 (31.32.33w27e)	
41	15.17	3.5.7.10	14.19.20.21. (25w21e)	
42	17.19	3.7.8.16	20.26.(31.32.33w26e)	
43	26.31.33		19	
44	17.21.25	3.5.6.10.16.24.(31w27n)	20.27.28.30.(31.32.33w27e)	
45	25.27.31.33		30	
46	33	(2.5.9.10w27e)(7w26e)		
282	ORIGINAL DRAWN: ISSUED:	EBBW VALE STATION LOCKING TABLE		VT 5 BAR 4"
	REG No.			S 1343 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		9		
2		9		
3		10		
5		10		
6		9.10		
9		1.2.6.21.28.39.40 (31.46w27e)	14.15.22.23.25	
10	20.21	3.5.6.18.28.31.41.44. (46w27e)	15.16.17.25. (14w15e)	
18		10		
20				
21		9		
28		9.10		
31		10. (9w27e)		
39		9		
40		9		
41		10		
44		10		
46		(9.10w27e)		
	LOCKS TO GO ON			
	(1 C W PROVISION OF CO SIGNALS 9&10)			
282	ORIGINAL DRAWN: 14/6/48 ISSUED:	EBBW VALE STATION LOCKING TABLE		ALTERATION
	REG No.			S /3