

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	x			
2	72	73.131.136.138.163		
3	72.136.161	131.138.139.168		
4	72.73.98	81.82.85.86.88.103.104. (125w100N)		
5	72.73.81. (69 or 70 or 71)			
6		130.137.138.163	72.73.131.135.136	
7	x			
8	74.161	50.62.73.75.89.102.136.142.145.147.162. 166.168. (85w79N). (170w163N)		
9	74.75.98	81.82.85.86.87.103.104. (125w100N)		
10	74.75.81. (69 or 70 or 71)			
11		30.44.53. (101w47N). (165w47N.49R)	45	
12		45.47.52.101. (76w49N). (165w49R)	30.44.49	
13	49.161.162	52.56.165. (53.54.55w47R)	44.45.47. (46w47R)	
14	161.163	144.145.165.166	49.50.62.73.74.75.142.162. (48w50R)	
15		(165.166w163R)	163. (161.162w163R)	
16	98.99	52.56.101. (53.54.55w47R)	44.45.47. (46w47R)	
17	98	76.100.101.102.104.125. (56w99R)	99. (49w99R). (62w73.99N)	
		(48.78.79.81.82.85.86.87.88w99N)	(72w73R99N) (74w75R.99N)	
			(50.73.75.80w99N)	
18		104.127. (101w125N). (102w100 or 125N)	125. (98.99.100w125N)	
19	98.100	76.101.102.103. (56w99R)	99. (49w99R). (62w73.99N)	
		(48.87.88w99N)	(72w73R99N). (74w75R.99N)	
			(50.73.75.80w99N)	
20	161.164	139.144.145.165.166.168. (137.138w136R)	49.50.136.142.162. (48w50R)	
			(72.131.135w136R). (74w136N)	
X	ORIGINAL DRAWN: ISSUED:	CARDIFF QUEEN ST NORTH LOCKING TABLE		S1394 /3/1
W	REG No. L1754			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
21-29	X			
30		11. 44. 185		
31	DET.			
32	DET.			
33	DET.			
34	(39W47R)	45.46.54.92. (93W76N). (165W49N)		
35	46. (39W47R)	55. (93W76N)		
36	X			
37	44	52	45	
38	45. (39W47R)	52.53.92. (93W76N)	30.44	
39	47	53.54.55.56	45.46.49	(34)(35)(38)
40		47.53.54.55.92. (93W76N). (165W49N)	45.46.48	
41	48.50.161.162	53.54.55.165	45.46	
42	48.78.79. (69 or 70 or 71)	50.53.54.55	45.46	
43	X			
44		11.30.57.108.185.187		37.52
45		12.34.46.54. (101W47N). (165W47N.49R)		38.53
46		34.45.54		35.55
47		12.40.48. (76W49N)		39.56
48	114	47.49.61.62.67.73.81.102. (76W50N)		41.42
		(17.19.103.104W99N)		
49	50	48.99		13
50	114	8.42.62.67.73.81.102.136.140.142.145.		41.49
		147.166.159.191.193. (78W76N). (79W76 or 78N).		
		(82.85.86W79N) (103.104W99N)		
		(170W150 or 163N)		
X	ORIGINAL DRAWN :	LOCKING TABLE		
W	ISSUED :			
	REG No.			S1394 /3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
51	X			
52	44	12.13.16.37.38	45.47.(49.99w45n).(76w45.49n)	(53)
53	45.(52w44r)	11.38.39.40.41.42.(13.16w47r)	47.48.(49w47r).(50w48r)	(56)
54		34.39.40.41.42.45.46.(13.16w47r)	47.48.(49w47r).(50w48r)	
55	46	35.39.40.41.42.(13.16w47r)	47.48.(49w47r).(50w48r)	
56	47(53w45r)	13.16.39.(17.19w99r)	49.99	
57		44.185		
58	62.(61w79r)	194.195.197.(117.127.198w79n)	63	
59	67.(61w79r)	189.190.192.(114.117.127.198w79n)	63	
60	(111or112)	76.114.151.189.190.(194.195w62r)	62.63.67	
61	79.(69or70or71)	48.76.78.189.190		(58).(59)
62		8.48.50.67.76.78.131.142.145.147.151. 154.169.170.199.(82.85.86w73.79n) (89.102w73n).(103.104w73.99n).(114w79n). (164.166w136n)		58
63			62	
64-66	PERMANENT SPACES			
67		48.50.62.76.78.142.151.170.(154.169w147n)		59
68	76.(69or70or71w77n) (78.79w77n).(151w77r) (153w77r.169n)	185.186	44.77.(152w77r)	
69	82(79w81n).(155w156r)	87.88.89.90.91.92.93.(189.190w67.79r) (194.195w62.79r)	73.75.76.78.80.(72w73r) (74w75r)(48w76or78n) (62.63.67w79r)	(5)(10)(42)(61)
70	85.(79w81n)	87.88.89.90.91.92.93.(189.190w67.79r) (194.195w62.79r)	73.75.76.78.80.(72w73r) (74w75r).(48w76or78n)	(5)(10)(42)(61)
X	ORIGINAL DRAWN: ISSUED:	LOCKING TABLE		
W	REG No.			
				S1394 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
			(62.63.67w79r)	
71	86.(79w81n)	87.88.89.90.91.92.93. (189.190w67.79r) (194.195w62.79r)	73.75.76.78.80.(72w73r) (74w75r). (48w76or78n) (62.63.67w79r)	(5)(10)(42)(6)
72	(80w73r).(135w73n)		73	2.3.4.5
73		2.8.48.50.75.76.78.79.131.136.138.142. 145.147.151.154.164.166.169.170.199 (99w81n)		4.5
74	(80w75r)		75	8.9.10.
75	67	8.73.79.145.(99w81n).(154.169w147n) (164.166w136n)		9.10
76		17.19.60.61.62.67.73.81.92.99.102.103. 104.105.107.113.117.127.198.(12.47w49n) (48w50n)		
77	76	78.79.82.85.86		
78	114	61.62.67.73.77.81.102.151.(50w76n) (17.100.104w99n).(170w150r)		42
79	114	73.75.77.81.102.151.197.(50w76or78n) (17.100.104w99n).(159.191.193w78n) (170w150r)		42.61
80			81	
81		4.9.48.50.76.78.79.102.151.170 (17.100.104w99n)		5.10
82		4.9.85.86.77.102.151.(17.100.104w99n) (50w79n).(62w73.79n) (142.159.170.191w78.79n)		
X	ORIGINAL DRAWN:	LOCKING TABLE		
W	REG No.			S1394 /3/4

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
83	SPARE LEVER					
84	" "					
85		4.9.77.82.86.102.151.	(17.100.104W99N).			
		(8.50W79N).	(62W73.79N)			
		(142.159.170.191W78.79N)				
86		4.9.77.82.85.100.102.151.	(17.104W99N)			
		(50W79N).	(62W73.79N)			
		(142.159.170.191W78.79N)				
87	75	9.69.70.71.	(17.19W99N)	74.80.81.82.85.86.	(98.100W81N)	
88	73	4.69.70.71.	(17.19W99N)	72.80.81.82.85.86.	(98.100W81N)	
89	81.(87W75R)(88W73R)	8.69.70.71.140.142.145.159.191.	(62W73N)	80.82.85.86		
90	63.79.(62OR67)	69.70.71		82.85.86		
91	76.78.79	69.70.71		82.85.86		
92	48.78.79.(53W45R)	34.38.40.69.70.71.76		82.85.86		
	(55W46R)					
93	78.79.(91W76R)	69.70.71.(34.35.38.40W76N)		82.85.86		
	(92W48R.50N)					
94	82.(89OR90OR93)	155		156		
95	SPARE LEVER					
96	85.(89OR90OR93)					
97	86.(89OR90OR93)					
98				100		4.9.16.17.19
99	114	49.76.102.(73.75W81N).	(125W100N)			16.
100		17.86.104.(78.79.81.82.85.193W99N)				19
101	99.(52W44R).(56W47R)	12.16.17.19.(11.45W47N).	(18W125N)	98.100		
102	(87W75R).(88W73R)	8.17.19.48.50.76.78.79.81.82.85.86.				
X	ORIGINAL DRAWN:	LOCKING TABLE				S1394 /3/5
W	REG No.					

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
		99.140.142.145.151.159.166.170.191.		
		(18w100or125n).(62w73n).(125w100n)		
103	100. (101w99r)	4.9.19.76. (48.50.193w99n) (62w73.99n)	98	
104	(101w99r)	4.9.17.18.76.100.125. (48.50.193w99n)	98	
		(62w73.99n).(78.79.81.82.85.86w99n)		
105	(106w107r). (110w113r)	76.185. (109.116w113n). (127.198w114r)	44	
106	107	108.185		
107		73.113.116. (127.198w114r)		
108	107	44.106		
109	(108w107r)	116. (105w113n)		
110	113. (111or112)	185		
111	116	117.187.192.197	76.77.113.114.115. (50.78.79w114n)	(60)
112	125	127.187.192.197	76.77.113.114.115. (50.78.79w114n)	(60)
113	114	76.107		
114		60.192. (59.62w79n)		48.50
115	(63w114n)		114	
116		107.109.125.198. (105w113n)		
117	115.116	76.111. (58.59w79n) (142.159.191.193w114n)		
118-124	SPARE LEVERS			
125		17.104.116.198. (4.9.99.102w100n)		
126	SPARE LEVER			
127	115.125	18.76.112. (58.59w79n). (105.107w114r)		
		(142.159.191.193w114n)		
128	(129or130)			
129	131.135	136.137.194.195		
130	131.135.136.161	6.137.168.194.195		
X	ORIGINAL DRAWN:	LOCKING TABLE		
W	ISSUED:			
	REG No.			S1394 /3/6

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
131		2.3.62.73.138.147.163.199		
132-134	PERMANENT SPACES			
135			136	
136		2.8.50.73.129.142.145.162.163.170.199		3
137	131	6.129.130. (20w136r)	135.136	
138		2.3.6.73.131. (20w136r)	72.135.136.163	
139	136. (137w131r)	3.20	135.161	
140	(141w142r)	50.89.102.147.189.190.191. (150w142n)	148. (152w142n)	
	(153or169w142n)	(198w114n)		
141	142.161	144.166.168.189.190		
142		8.50.62.67.73.89.102.136.147.162.		
		(82.85.86.w78.79n). (117.127.198w114n).		
		(154.169w150n). (170w150or163n)		
143	x			
144	142	14.20.141		
145		8.14.20.50.62.73.75.89.102.136.147.162	161.163.164. (170w163n)	
146	x			
147		8.50.62.73.131.140.142.145.150.159.163.170.		
		191.199. (164.166w136n)		
148			147	
149	x			
150		147.159.191.193. (140w142n)		
151	150	60.62.67.73.78.79.81.82.85.86.102		
152	(148w150n)		150	
153	154	158.159.160. (189.190w147.150n)	147.148.150.151.152. (77w151r)	
		(194.195w147r)		
X	ORIGINAL DRAWN:	LOCKING TABLE		S1394 /3/7
W	REG No.			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
154		62.73.156.169.170. (67.75w147N)		
		(142w150N).(198w114.147N or 150R)		
155	156	94.157	82. (79.81w82R)	
156		154		
157	156. (94w82R)	155		
158	77.151.152.154	153		
159	152.154	50.89.102.147.150.153. (79w78N)		
		(82.85.86w78.79N).(117.127w114N)		
160	147.152.154	153		
161			163	3.8.13.14.20.41
162	150	8.136.142.145.166		13.41
163		2.6.131.136.147.164.199		14
164		73.163.170. (62.75.147w136N)		20
165	50.162 (48or49)	13.14.20.41. (12w49R).(15w163R)	161.163.164. (170w163N)	
	(52w44.49R)(53w45.48R)	(11.45w47N49R).(34.40w49N)		
	(55w46.48R)(56w47.49R)			
166	(139w136R)	8.14.20.50.73.102.141.162. (15w163R)	161.163.164. (170w163N)	
		(62.75.147w136N)		
167	x			
168	164. (165w162R)	3.8.20.130.141	161	
169		62.73.154.170. (67.75w147N).(142w150N)		
170		62.67.73.81.102.136.147.154.164.169.199.		
		(8w163N).(50w150or163N)(82.85.86w78.79N)		
		(78.79w150R).(142w150or163N)		
171	(152w170R)		170	
172-174	DETONATORS			
X	ORIGINAL DRAWN:	LOCKING TABLE		S1394 13/8
W	REG No.			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
175-184	x			
185		30. 44. 57. 68. 105. 106. 110	76. 77. 107. 113. (115w113r)	
186	77. 151. 152. 169	68		
187	113. 115	44. 111. 112	116. 125	
188	77. 151. 170. 171			
189		59. 60. 61. 140. 141. 190. 191. 192. 193. 197.	62. 63. 67. 142. (73w67n)(79w67r)	
		(69. 70. 71w 67. 79r)	(82. 85. 86w 67. 79r)	
		(153w 67. 147. 150n)	(99. 114. 115w 67r. 79n)	
			(147. 148w 67n)(150. 152w 67. 142n)	
			(154. 169w 67. 147. 150n)(162w 67n)	
			(170w 142n)(171w 142n 170r)	
190		59. 60. 61. 140. 141. 189. 197	62. 63. 67. 142. (73w67n)(79w67r)	
		(69. 70. 71w 67. 79r)(153w 67. 147. 150n)	(82. 85. 86w 67. 79r)	
			(99. 114. 115w 67r 79n)	
			(147. 148w 67n)(150. 152w 67. 142n)	
			(154. 169w 67. 147. 150n)(162w 167n)	
			(170w 142n)(171w 142n 170r)	
191	152. 169	50. 89. 102. 140. 147. 150. 189. (79w78n)		
		(82. 85. 86w 78. 79n)(117. 127. 198w 114n)		
192	67. 115	59. 111. 112. 114. 189	116. 125	
193	170. 171	50. 150. 189. (79w78n)(100. 103. 104w 99n)		
		(117. 127. 198w 114n)		
194		58. 129. 130. 195. 196. 197. 199. (60w 62r)	62. 131. 147. (63w 62r)(73w 62n)	
		(69. 70. 71w 62. 79r)(153w 147r)	(79w 62r)(82. 85. 86w 62. 79r)	
			(115w 62r. 79n)(135w 131r)	
			(136w 62. 147n)	
X	ORIGINAL DRAWN :	LOCKING TABLE		S1394 13/9
W	REG No.			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
			(148.152.154.169W147R)	
			(163W62.147N).(170W131N)	
			(171W 62.131.147N)	
195		58.129.130.194.(60W62R).(153W147R)	62.131.147.(63.79W62R)(73W62N)	
		(69.70.71W 62.79R)	(82.85.86W 67.79R)	
			(115W 62R79N).(135W131R)	
			(136W 62.147N)	
			(148.152.154.169W147R)	
			(163W 62.147N) (170W131N)	
			(171W 62.131.147N)	
196	147.152.169	194		
197	62.115	58.79.111.112.189.190.194	116.125	
198	115	76.116.125.(58.59W79N).(105.107W114R)		
		(140.142.191.193W114N).(154W114.147 or 150R)		
199	171	62.73.131.136.147.163.170.194		
200	x			
	CONTACTS 2 SPRING: 2.3.4.5.8.9.10.188.193.198.199			
	LOCKS 'N' : 6.14.15.17.18.190.195			
	LOCKS 'R' WITH DET. CONTACT: 30.57.63.74			
X	ORIGINAL DRAWN:		V.T. 5 BAR 4"	
W	ISSUED: 29-5-54			
	REG No. L1754		LOCKING TABLE	
			S1394 /3/10	