

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	X			
2		24		
3		41.50.56.	23.24.	
4	23.36.	11.14. (59w37r)(42.53.55w38r)		
5	X			
6	(7N MSL)	9.21.23.28.70.71. (25.26.47.73.74.77w31n) (42.53.55w38r)		
7	30.36. (10.12.13N MSL)	11.14. (59w37r)(42.53.55w38r)		
8	X			
9	36. (10.12.13N MSL)	6.11.14.21.23.28.30. (59w37r) (44w38n)(42.53.55w38r)		
10	36.	11.22.37.38.44.57. (28w23n)	21.23.30.	
11	36.	4.7.9.10.22.37.38.44.57. (28w23n)	21.23.30.	
12	29.36.38.			
13	36.37.	14.22.59.	21.23.30.	
14	36.37.	4.7.9.13.22.59.	21.23.30.	
15	X			
16	X			
17	X			
18	X			
19	DETONATOR			
20	21.36.	22. (42.53.55w38r)		
21		6.9.23.28.30.70.71. (34.74.75w31n) (44w31 or 38n)		20.22.
22	21	10.11.13.14.20. (29.39.40w38r)	37.38. (41.43.50.52.54w38r)	

X ORIGINAL DRAWN: 11.10.1956
TABLE ISSUED:

W REG No. 1770

P.C. & N. JCN

LOCKING TABLE

S

/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
23	24.27.	6.9.21.30.79. (42.44w 38N)		4.
24		2.		23
25	44 (39 OR 40w 48R)	47.69.70.71.72. (6w 31N) (68w 31R)(57w 48N)	28.31.48.	
26	34.	59.69.70.71.72.73. (6w 31N)(68w 31R)	28.31.	
27		78		23.28.
28	27	6.9.21.31.70.71.79. (10.11.37.38w 23N)(41w 38N)		72.
29	41	42.56.78. (22w 38R)	23.27.38. (21.30w 38R)	12
30	31	9.21.23. (44w 38N)		7
31		28.70.71.		30.69.
32			28.	(47)70.71.72. (73)(74) (75)(77)(80)
33			31	47.69.70.71.72.73.74. 75.77. (80)
34		37.44.58.62.74.75. (21w 31N)		26.73.
35		37.		73
36			37.38.	4.7.9.10.11.12.13.14. 20
37		10.11.34.35.38.44. (28w 23N)		13.14.
38	(41 OR 43)	10.11.37.78.79. (28w 23N)(80w 48N)		12.
39	54. (43 OR 48)	55.77.79. (22w 38R)(78w 43R) (69.70.71.72w 48R)	23.38. (30w 38R)	(25)
40	52. (43 OR 48)	53.77.79. (22w 38R)(78w 43R) (69.70.71.72w 48R)	23.38. (30w 38R)	(25)
41		3.43.50. (28w 38N)(80w 48N)		29. (38) 42.
42	41.	29. (23w 38N)(4.6.7.9.20w 38R)	38.56. (21.23.30w 38R)	
X	ORIGINAL DRAWN: 11.10.1956 ISSUED:	P.C. & N. JCN		
W	REG No.			S
		LOCKING TABLE		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
43		41.48.		(38)(39)(40)79.
44		10.11.34.37.58.62.74.75. (21w 31n or 38n)(9.23.30w 38n)		25.45.48.
45	44			47
46	X			
47	33.45. (32w 31n)	25.48. (6w 31n)	57.	
48	44.	43.47.		(39)(40)77.
49			48.	53.55.77.79.80.
50		3.41.56.80.		52.54.
51	X			
52	50	54.		40.53.
53	49.52.	40. (4.6.7.9.20w 38R)	38. (21.23.30w 38R)	
54	50.	52.		39.55.
55	49.54.	39. (4.6.7.9.20 w 38R)	38 (21.23.30w 38R)	
56		3.29.50.		
57		10.11. (25w 48n)		
58	59	34.44. 62.75.		60
59		13.14. 26.73. (4.7.9 w 37R)		58
60	58			
61	62	63.74.		
62		34.44. 58.75.		61.63.
63	62	61		
64	DETONATOR			
65	X			
66	X			
67	X			

X ORIGINAL DRAWN: 11.10.1956
ISSUED:

W REG No.

PC & N JCN

LOCKING TABLE

S 13

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
68		(25.26w 31R)	31	
69	31.33. (68N ESL)	25.26. (39.40w 48R)	34.44. 48.	
70	32.33.	6.21.25.26. 28.31.71.73. 74.77. (39.40w 48R)	34.44. 48.	
71	32.33.	6.21.25.26. 28.31.70. (39.40w 48R)	34.44. 48.	
72	28.32.33.	25.26. (39.40w 48R)	34.44. 48.	
73	33.34.35. (32w 31N)	26.59.70. (6w 31N)		
74	33. (32w 31N)	34.44.61. 70. (6.21w 31N)	58.62.	
	(69.71.72N MSL)			
75	33. (32w 31N)	34.44.58. 62. (21w 31N)		
	(74N MSL)			
76	X			
77	33.48.49. (32w 31N)	39.40.70. (6w 31N)	50.52.54.	
	(69.71.72N MSL)			
78		27.29.38. (39.40w 43R)	41.43.	
79	43.49.	23.28.38. 39.40.	50.52.54.	
80	49. (32w 31N 48R)	50. (38.41w 48N)		
	(33w 48R) (77.79N MSL)			
81	X			

X ORIGINAL DRAWN: 11.10.1956
ISSUED:
W REG No.

P.C. & N. JCN
LOCKING TABLE

S /3