

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	3.4.5			
2	x			
3	15	7.12.16. 24.30.32.		1
4		7.17. 24. 30. 32.	12.15.16.	1
5		7.26.31.	24.28. 30.32.	1
6	x			
7		3.4.5. 17. 24. 30.32.	12.15.16.	
8	x			
9	x			
10	x			
11	12. 15.	17. 37. (30w16n)		
12		3.14. 35. 38.39. (24w16n)(31w28n)		11.17.
13	x			
14	15.16.	12.32.		
15			16	3.11.14.
16		3. 23.		14.18
17	12	4.7. 11.	15.16. (30w16n)	18.
18	16.17.	19.21. 22.	24.	(18)
19		18.26.23.32.	16.24. (12.15w16R)	
20	23	25.26. 32.	24	
21	24	18.25. 26.	23	
22		18.24. 25.32.	23	
23		16.19.		20.25.
24		3.4.7. 22. 30.32. (12w16n)		21.26.
25	23	20.21. 22.	24	
26	24 (18w16R)	5.19. 20.21.	23	

X ORIGINAL DRAWN: 12.5. 1931
ISSUED: 7. 1941
W REG No.

HIRWAUN POND
LOCKING TABLE

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4			
2	9	5.7.10.20.25.28.31		1
3		5.20.25.28.31. (11w10N)	7.9.10	1
4		5.24.30.31. (26.27w32R)	20.25.28.29.32	1
5		2.3.4.20.25.28.31. (11w10N)	7.9.10	
6	7.9	11.37. (20.28w10N). (31w29N)		
7		2.8.36.38.39. (30.33w29N)		6.11
8	9.10	7.25		
9			10	
10		2.17.18. (31w20.28N)		2.6.8 8.12
11	7	6. (3.5w10N). (13w10R)	9.10. (20.28.29.32w10N)	12
12	10.11	15.16	19.20.32	(23)(24)
13		17.18.23.24.25.32. (11w10R)	10.19.20. (7.9w10R)	
14	(17or18). (15or16w18R)	21.25	19.20	
15	20	12.21.22.24	17.18	(14)
16		12.20.21.22.23.25.32	17.18.19	(14)
17		10.13.18.32		(14).21
18		10.13.17.32		(14).22
19		20.25.32		23
20		2.3.5.16.19.25.28. (6w10N)		15.24
21	17	14.15.16	19.20	(23)(24)
22	18	15.16	19.20	(23)(24)
23	19. (12w10R)(21w17R). (22w18R)	13.16		
24	20. (12w10R). (21w17R). (22w18R)	4.13.15		(31)
25		2.3.5.8.13.14.16.19.20.28.31		
X	ORIGINAL DRAWN: ISSUED:	HIRWAUN POND LOCKING TABLE		S1761 /3/1
W	REG No. 776			

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26	29	30.33. (4w32R)	32	
27	28	29.30.33.38. (4w32R)	7.32	
28		2.3.5.20.25.35.39.40. (6w10N)		27.29.30.32
29	28	27		26
30	28	4.26.27.32. (7w29N). (38w29R)	29	(31)
31	(24w20R). (30w28R)	2.3.4.5.25. (6w29N). (10w20.28N)	(7.9w20.28N)	
32	28	13.16.17.18.19.30		33
33	32	26.27. (7w29N)	29	
34	35	36.38	7	
35		28.39.40		34.36
36	35	7.34		
37		6	7	41
38		7.27.34. (30w29R)	28.29.32.35	41
39		7.28.35.		41
40		28.35		41
41	37.38.39.40			
	LOCKS (N) : 3.4. 37. 38.40			
	CONTACTS 4 SPRING : 1. 41			
	LOCK (R) WITH DET. CONTACTS : 25			
	SHORT LEVERS : 25 : 41			

X ORIGINAL DRAWN: 21-1-44 JRI
ISSUED: 26-1-44
W REG No. 776

HIRWAUN POND
LOCKING TABLE

V.T. 3 BAR
S 1761 / 3 / 2